## React & Node JS | Post Assessment

Total points 20/20

D. HTML in React

The respondent's email (jyoti.kumari1@indiamart.com) was recorded on submission of this

✓ Types of components in React	1/1
A. Function and Class	<b>✓</b>
B. Object and functional	
C. Functional and variable	
D. Parent and child	
✓ What is JSX	1/1
A. jQuery In React	
B. State in React	
C. JavaScript in React	

1/1
<b>✓</b>
1/1
<b>✓</b>
1/1
<b>~</b>

✓ What is the best place to initialize state?	1/1
A. constructor	<b>✓</b>
B. destructor	
C. class	
O D. array	
✓ What does props stand for?	1/1
A. Proper Arguments	
B. Properties	<b>✓</b>
C. Proper Return Values	
O. All of the above	
const {name, city} = props, what is this coding style called?	1/1
A. spread operator	
B. rest operator	
C. object	
D. destructuring	<b>✓</b>

✓ In ES6 – Which method refers to the parent class?	1/1
A. Parent()	
B. Super()	<b>✓</b>
C. Top()	
D. Main()	
✓ which one correct syntax below	1/1
A. <button onclick="{this.clickHandler.map(this)}">Click Me !!!</button>	
B. <button onclick="{this.clickHandler.call(this)}">Click Me !!!</button>	
C. <button onclick="{this.clickHandler.apply(this)}">Click Me !!!</button>	
D. <button onclick="{this.clickHandler.bind(this)}">Click Me !!!</button>	<b>✓</b>
11. const Msg = function() { return "Good Morning"; }, what is the equiparrow function?	ivalent1/1
A. const Msg = () => {return "Good Morning";}	
B. const Msg = () => "Good Morning";	
C. Both A and B	<b>✓</b>
O D. None	

✓ What is the use of key attribute in the below code {person.id} person={person} />	1/1
A. Key removes id from object	
B. Key used to find out child elements	
C. Key helps React identify which items have changed, are added, or are removed	<b>✓</b>
D. Key used to find out parent elements	
✓ 13. How do add key attribute if you your array doesn't have unique key	1/1
A. Using random id generator	
B. Using Math.floor()	
C. Using name property	
D. Using Index	<b>✓</b>
✓ Which extension is used to save NodeJs files?	1/1
Ajs	<b>✓</b>
Bnode	
Cjava	
O Dtxt	

✓ Which method returns the current working directory of the process?	1/1
A. cwd()	
B. pwd() C. process.pwd()	
D. Process.cwd()	<b>~</b>
✓ Command to show installed version of Node?	1/1
A. npmversion	
B. nodeversion	<b>✓</b>
C. npm getVersion	
O. node getVersion	
✓ 17. What is the engine that NodejS uses?	1/1
A. SpiderMonkey	
B. Chakra	
<ul><li>C. V8</li></ul>	<b>✓</b>
O. JavascriptCore	

✓ Which statement executes the code of sample.js file?	1/1
<ul><li>A. node sample.js</li></ul>	<b>✓</b>
B. nodejs sample.js	
C. run sample.js	
O. build sample.js	
✓ 19. What is the advantage of using node.js?	1/1
A. It provides an easy way to build scalable network programs	
B. Generally fast	
C. Great concurrency	
D. All of the above	<b>✓</b>
✓ Node.js supports which of the following platform?	1/1
A. Windows	
O B. Mac	
O C. Linux	
D. All of the above	<b>~</b>

This form was created inside of IndiaMart InterMesh Ltd..

## Google Forms