[ML on GCP C6] Training on Cloud ML Engine

2 hours

Free


Rate Lab

Overview

Duration is 1 min

This lab is part of a lab series where you train, evaluate, and deploy a machine learning model to predict a baby's weight.

In this lab #5, you will do distributed training and hyperparameter tuning on Cloud ML Engine.



What you learn

In this lab, you will learn how to:

- · Do distributed training using Cloud ML Engine
- · Improve model accuracy using hyperparameter tuning


Setup

For each lab, you get a new GCP project and set of resources for a fixed time at no cost.

- 1. Make sure you signed into Qwiklabs using an incognito window.
- 2. Note the lab's access time (for example, 02:00:00 and make sure you can finish in that time block.

There is no pause feature. You can restart if needed, but you have to start at the beginning.

- 3. When ready, click START LAB .
- 4. Note your lab credentials. You will use them to sign in to Cloud Platform Console.



5. Click Open Google Console.

6. Click Use another account and copy/paste credentials for this lab into the prompts.
If you use other credentials, you'll get errors or incur charges.
7. Accept the terms and skip the recovery resource page.
Do not click End Lab unless you are finished with the lab or want to restart it. This clears your work and removes the project.
Create Storage Bucket
Duration is 2 min
Create a bucket using the GCP console:
Step 1
In your GCP Console, click on the Navigation menu (), and
select Storage.
Step 2
Click on Create bucket .
Step 3
Choose a Regional bucket and set a unique name (use your project ID because it is unique). Then, click Create .
Launch Cloud Datalab
To launch Cloud Datalab:
Step 1

Open Cloud Shell. The Cloud Shell icon is at the top right of the Google Cloud Platform web console.

Step 2

In Cloud Shell, type:

gcloud compute zones list

Note: Please pick a zone in a geographically close region from the following: **us-east1**, **us-central1**, **asia-east1**, **europe-west1**. These are the regions that currently support Cloud ML Engine jobs. Please verify here since this list may have changed after this lab was last updated. For example, if you are in the US, you may choose **us-east1-c** as your zone.

Step 3

In Cloud Shell, type:

datalab create mydatalabvm
--zone <ZONE>

Replace with a zone name you picked from the previous step.

Note: follow the prompts during this process.

Datalab will take about 5 minutes to start.

Step 4


Look back at Cloud Shell and follow any prompts. If asked for an ssh passphrase, hit return (for no passphrase).


Step 5


If necessary, wait for Datalab to finishing launching. Datalab is ready when you see a message prompting you to do a **Web Preview**.

Step 6

Click on **Web Preview** icon on the top-right corner of the Cloud Shell ribbon. Click **Change Port** and enter the port **8081** and click **Change and Preview**.







Note: If the cloud shell used for running the datalab command is closed or interrupted, the connection to your Cloud Datalab VM will terminate. If that happens, you may be able to reconnect using the command **datalab connect mydatalabvm** in your new Cloud Shell.

Clone course repo within your Datalab instance

To clone the course repo in your datalab instance:

notebook using the icon Notebook on the top left.

Step 1

In Cloud Datalab home page (browser), navigate into **notebooks** and add a new


Step 2

Rename this notebook as repocheckout.

Step 3


In the new notebook, enter the following commands in the cell, and click on **Run** (on the top navigation bar) to run the commands:

```
%bash
git clone
https://github.com/GoogleCloudata-analyst
rm -rf training-data-analyst/.git
```



Step 4

Confirm that you have cloned the repo by going back to Datalab browser, and ensure you see the **training-data-analyst** directory. All the files for all labs throughout this course are available in this directory.



Training on Cloud ML Engine

Duration is 15 min

Step 1

In Cloud Datalab, click on the **Home** icon, and then navigate to **datalab** > **notebooks** > **training-data-analyst** > **courses** > **machine_learning** > **deepdive** > **06_structured** > **labs** and open **5_train.ipynb**.

Note: If the cloud shell used for running the datalab command is closed or interrupted, the connection to your Cloud Datalab VM will terminate. If that happens, you may be able to reconnect using the command 'datalab connect mydatalabvm' in your new Cloud Shell. Once connected, try the above step again.

Step 2

In Datalab, click on **Clear | Clear all Cells**. Now read the narrative and execute each cell in turn:

- If you notice sections marked "Lab Task", you will need to create a new code cell
 and write/complete code to achieve the task.
- Some lab tasks include starter code. In such cells, look for lines marked #TODO.
- Hints may also be provided for the tasks to guide you along. Highlight the text to read the hints (they are in white text).

If you need more help, you may take a look at the complete solution by navigating

to: datalab > notebooks > training-data-analyst > courses >

machine_learning > deepdive > 06_structured and open: 5_train.ipynb

Note: When doing copy/paste of python code, please be careful about

indentation

End your lab

When you have completed your lab, click End Lab. Qwiklabs removes the resources

you've used and cleans the account for you.

You will be given an opportunity to rate the lab experience. Select the applicable

number of stars, type a comment, and then click **Submit**.

The number of stars indicates the following:

1 star = Very dissatisfied

2 stars = Dissatisfied

• 3 stars = Neutral

• 4 stars = Satisfied

• 5 stars = Very satisfied

You can close the dialog box if you don't want to provide feedback.

For feedback, suggestions, or corrections, please use the **Support** tab.

Last Tested Date: 12-10-2018

Last Updated Date: 12-18-2018

©2019 Google LLC All rights reserved. Google and the Google logo are trademarks

of Google LLC. All other company and product names may be trademarks of the

respective companies with which they are associated.