[ML on GCP C9] An RNN Model for Temperature Data

2 hours Free Rate Lab

Overview

Duration is 1 min

In this lab, you will define a RNN (Recurrent Neural Network) model to do time-series prediction on real world temperature data.

What you learn

In this lab, you will learn how to:

- Run the RNN model with basic settings as a baseline
- · Adjust hyperparameters for performance tuning
- · Adjust the window of predictions for less noisy data

Setup


For each lab, you get a new GCP project and set of resources for a fixed time at no cost.

- 1. Make sure you signed into Qwiklabs using an **incognito window**.
- 2. Note the lab's access time (for example, 02:00:00 and make sure you can

finish in that time block.

There is no pause feature. You can restart if needed, but you have to start at the beginning.

4. Note your lab credentials. You will use them to sign in to Cloud Platform Console.



- 5. Click Open Google Console.
- 6. Click **Use another account** and copy/paste credentials for **this** lab into the prompts.

If you use other credentials, you'll get errors or incur charges.

7. Accept the terms and skip the recovery resource page.

Do not click **End Lab** unless you are finished with the lab or want to restart it. This clears your work and removes the project.

Create Storage Bucket

Duration is 2 min

Create a bucket using the GCP console:

Step 1

Step 2

Click on Create bucket.

Step 3

Choose a Regional bucket and set a unique name (use your project ID because it is unique). Then, click **Create**.

Launch Cloud Datalab

To launch Cloud Datalab:

Step 1

Open Cloud Shell. The Cloud Shell icon is at the top right of the Google Cloud Platform web console.

Step 2

In Cloud Shell, type:

gcloud compute zones list

Note: Please pick a zone in a geographically close region from the following: **us-east1**, **us-central1**, **asia-east1**, **europe-west1**. These are the regions that currently support Cloud ML Engine jobs. Please verify heresince this list may have changed after this lab was last updated. For example, if you are in the US, you may choose **us-east1-c** as your zone.

Step 3

In Cloud Shell, type:

datalab create mydatalabvm -zone <ZONE>

Replace with a zone name you picked from the previous step.

Note: follow the prompts during this process.

Datalab will take about 5 minutes to start.

Step 4


Look back at Cloud Shell and follow any prompts. If asked for an ssh passphrase, hit return (for no passphrase).


Step 5


If necessary, wait for Datalab to finishing launching. Datalab is ready when you see a message prompting you to do a **Web Preview**.

Step 6

Click on **Web Preview** icon on the top-right corner of the Cloud Shell ribbon. Click **Change Port** and enter the port **8081** and click **Change and Preview**.







Note: If the cloud shell used for running the datalab command is closed or interrupted, the connection to your Cloud Datalab VM will terminate. If that happens, you may be able to reconnect using the command **datalab connect mydatalabvm** in your new Cloud Shell.

Clone course repo within your Datalab instance

To clone the course repo in your datalab instance:

Step 1

In Cloud Datalab home page (browser), navigate into notebooks and add a new


Step 2

Rename this notebook as repocheckout.

Step 3


In the new notebook, enter the following commands in the cell, and click on **Run** (on the top navigation bar) to run the commands:

```
%bash
git clone
https://github.com/GoogleCloudPlat
data-analyst
rm -rf training-data-
analyst/.git
```



Step 4

Confirm that you have cloned the repo by going back to Datalab browser, and ensure you see the **training-data-analyst** directory. All the files for all labs throughout this course are available in this directory.



Time Series Weather Data Prediction

Duration is 15 min

Step 1

In Cloud Datalab, click on the **Home**icon, and then navigate to **datalab > notebooks** > training-data-analyst > courses > machine_learning > deepdive > 09_sequence > labs and open temperatures.ipynb.

Note: If the cloud shell used for running the datalab command is closed or interrupted, the connection to your Cloud Datalab VM will terminate. If that happens, you may be able to reconnect using the command 'datalab connect mydatalabvm' in your new Cloud Shell. Once connected, try the above step again.

Step 2

In Datalab, click on Clear | Clear all Cells (click on Clear, then in the drop-down

menu, select Clear all Cells).

Read through the assignment steps required in the first notebook cell (starting with Run the notebook as it is. Look at the data visualisations) and complete them in

your notebook.

If you need more help, you may take a look at the complete solution by navigating to

: datalab > notebooks > training-data-analyst > courses > machine_learning >

deepdive > 09_sequence and open temperatures.ipynb

End your lab

When you have completed your lab, click End Lab. Qwiklabs removes the resources

you've used and cleans the account for you.

You will be given an opportunity to rate the lab experience. Select the applicable

number of stars, type a comment, and then click Submit.

The number of stars indicates the following:

• 1 star = Very dissatisfied

· 2 stars = Dissatisfied

• 3 stars = Neutral

· 4 stars = Satisfied

• 5 stars = Very satisfied

You can close the dialog box if you don't want to provide feedback.

For feedback, suggestions, or corrections, please use the **Support**tab.

Last Tested Date: December 13, 2018

Last Updated Date: December 18, 2018

©2019 Google LLC All rights reserved. Google and the Google logo are trademarks of Google LLC. All other company and product names may be trademarks of the

respective companies with which they are associated.