

## HD 86226c: a hot sub-Neptune with a surprisingly featureless transmission spectrum

K. Angelique Kahle<sup>1</sup>, Laura Kreidberg<sup>1</sup>, Paul Mollière<sup>1</sup>, Jonathan Brande<sup>2</sup>, the SPACE team

<sup>1</sup>Max Planck Institute for Astronomy; <sup>2</sup>University of Kansas

### SPACE and HD 86226c




Fig. 1: SPACE targets displayed on sub-Neptune density distribution.

The **S**ub-neptune **P**lanetary Atmosphere Characterization Experiment (SPACE) is an HST Multi-Cycle Treasury Program.

For 8 sub-Neptunes in a physically motivated  $R_p$ - $T_{eq}$ grid, SPACE measures:

- WFC3 transmission spectra
- STIS UV stellar spectra

It is designed to reveal how atmospheres of sub-Neptune are shaped by **metal** enrichment, disequilibrium chemistry, and aerosols.

# HD 86226c:

- $T_{eq} = 1300 \text{ K}$
- $R_p = 2.2 R_{\oplus}$
- $= 3.9 \, \text{g/cm}^3$
- Period = 3.98 d
- Transit Duration = 2.45 h
- G-type host star

### Data and Reduction

#### The **NIR transmission** data:

- Instrument: HST / WFC3
- 7 / 9 transits observed
- 4 HST orbits per transit

#### The data reduction:

- PACMAN pipeline for flux extraction and light curve fit
- Flux correction by decorrelation of the spectrum position on the detector
- Free parameters:

T<sub>0</sub>, R<sub>p</sub>, V<sub>forward</sub>, V<sub>reverse</sub> c, v, r<sub>1</sub>, r<sub>2</sub>, scale<sub>up-down</sub>




Fig. 2: spatial decorrelation improves the light curve precision significantly

## Light curves and flat spectrum




Fig 3: Spectroscopic and broad band light curves.





Fig 4: Spectrum of HD 86226c and atmosphere forward models

We binned the signal in 11 spectral bins with average RMS of 110 ppm. The spectrum was compared to forward models from the radiative transfer code petitRADTRANS. Based on the observed spectrum, a cloud-free solar composition atmosphere is ruled out. It is consistent with a cloud layer above 10<sup>-3</sup> bar, or a cloud-free atmosphere with [M/H] well above 100. A complete water atmosphere is also consistent.

### Conclusions

The NIR transmission spectrum of hot sub-Neptune HD 86226c does not show spectral features.

- HD 86226c does not follow the trend of Neptunesized objects, which show an increasing feature size for equilibrium temperatures over 700 K.
- High temperatures on this planet disfavor the formation of hazes. Silicate clouds are an alternate possibility.
- The missing features can also be explained by a possible high metallicity of the planet.



**Fig 5:** Spectral feature amplitude,  $A_H$ , of the (sub-) Neptune sample analyzed by Brande et al. (2024) and of HD 86226c.

### References / Contact

### References:

- Zieba & Kreidberg 2022, JOSS, 7, 4838
- Mollière, et al. 2019, A&A, 627, A67
- Brande, et al. 2024, ApJ, 961, L23

No time to chat? I'll be happy to answer your **e-mail**:

### kahle@mpia.de

You can also read the poster at home:

