AgriNova F

Understand Yield. Disc

CORE BUSINESS

Key Business Questio
1. Which region has
2. Which region has
3. What is the obser
4. Which soil factors
5. Which irrigation n
6. Which sowing per
7. Which fields show





arm Analyti

over Influences. Suppo

Total Field C
0
Across 250 con

QUESTIONS & EM

served Empirical Ans
Central Plains (5.72 t
Eastern Highlands (3
Non-Linear Quadrati
Crop pH Deviation &
Drip Irrigation (5.53
Early Spring (5.38 t/
Rainfed Fields in Hig

Average Crop Yie

Yield by Sowin

ics — Execu

rt Better Farming. | Ro

Observations
0
mmercial farms

MPIRICAL FINDIN

itative Benchmark M
5.72
3.29
-0.29
5.70
5.53
5.06
0.57

eld by Region (t/ha)



g Window (t/ha)



g Period

tive Insights

und 3 Competition Bene

Agro-Clima
5
Plains, Valley, Coas

GS (FORMULA-LI

al Evidence / Formula
Central Plains: 5.72 t/ha
Eastern Highlands: 3.29
Peak yield at 600-750 m
Near-Neutral pH = 5.25
Drip = 5.53 t/ha vs Rain
Early Spring = 5.38 t/ha
Top volatile field CV = 2



s Dashboar

chmark Submission

tic Regions

5

t, Basin, Highlands

NKED EVIDENCE)

Explanation & Confo
High natural soil fertil
Chronic soil acidity (m
Diminishing returns a
Acidic soils (<6.0 pH)
Continuous root zone
Early planting allows v
Lack of irrigation infra

Crops A
4
Maize, Wheat, S

ity (pH 7.1, 158 ppm N
nean pH 5.5) suppress
bove 850 mm; linear r
suffer aluminum toxic
moisture without eva
vegetative accumulatio
astructure and drough

nalyzed
4
Soybean, Barley

l) and high proportion
es yield despite high r
is confounded by acid
ity and phosphorus fix
porative loss eliminate
on before summer rep
t-prone soils cause hig





Average Y
4.9
Portfolio mean

n of Maize.
ainfall (>1,000 mm).
dic Highlands.
ation.
es drought shocks.
roductive heat waves.
gh inter-annual volatili





ield (t/ha)

92

(~4,919 kg/ha)

ty.

on Method (t/ha)

t Category (t/ha)

Median Yi

4.

50th percentile





ield (t/ha)
49
(~4,490 kg/ha)

Yield Std

#NA

Spread across spec

Deviation

ME?

ies (~2,217 kg/ha)