JOB APPLICATION TRACKER

A Mini Project Report

Submitted by
ANUSHRI T
23CDR009
DEEPADHARSHINI K
23CDR029

22CDT41 - DATABASE MANAGEMENT SYSTEMS



DEPARTMENT OF COMPUTER SCIENCE AND DESIGN KONGU ENGINEERING COLLEGE

(Autonomous)

PERUNDURAI ERODE-638060

MAY 2025

Problem Statement:

Job Application Tracker: Helps job seekers manage their applications, track their status, and record interview details. (RDBMS: Applications, Companies, Status Updates, Interviews; Backend: Application entry, status updates, interview scheduling (basic)).

Github Link:

https://github.com/anushrithangaraj/DBMS-JOB-APPLICATION-TRACKER https://github.com/K-Deepadharshini/DBMS-JOB_APPLICATION_TRACKER

Modules and Description:

1. User Authentication Module

• **Files:** signup.php, login.php, settings.php Allows users to register, log in, and manage settings securely.

2. Application Management Module

• **Files:** add_application.php, edit_application.php, delete_application.php, view_application.php, applications.php
Manages the entire lifecycle of job applications including creation, editing, viewing, and deletion.

3. Resume Management Module

• **Files:** upload_resume.php, view_resume.php, resume_bank.php, delete_resume.php
Allows users to upload, manage, and delete resumes associated with job applications.

4. Interview Scheduling Module

• **Files:** save_schedule.php, upcoming_interviews.php, delete_schedule.php Users can schedule interviews and view upcoming interview dates.

5. Job Save/Remove Module

• **Files:** save_job.php, saved_jobs.php, remove_saved_job.php Bookmark job postings of interest and manage saved jobs.

6. Interview Preparation Module

• **File:** interview_prep.php
Offers helpful tips and suggestions to prepare for interviews.


7. Calendar & Analytics Module

Files: calendar.php, analytics.php
 Calendar to track job deadlines and interviews, plus analytics to view trends in job applications.

8. Central Logic & Routing

• **Files:** db_connection.php, index.php
Database connectivity and routing to homepage/dashboard.

ER Diagram:



Programming Tools:

1. Frontend

- HTML: Structures pages like login, signup, dashboards, etc.
- CSS: Styles the layout, buttons, and themes of all forms/pages.

- **JavaScript**: Validates user input and handles alerts/popups.
- Bootstrap: Adds responsive design and pre-styled components.

2. Backend

- **PHP**: Main server-side language handling application logic.
- XAMPP/Apache Server: Used to run PHP files locally.
- **phpMyAdmin**: UI to interact with the MySQL database.

3. Database

• MySQL: Relational DBMS used to store structured data.

4. Development Tools

- VS Code: Code editor for PHP, HTML, JS, SQL.
- Google Chrome: Used to run and test the application.

Database Design:

Applications table

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	application_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	job_title	varchar(255)	utf8mb4_general_ci		Yes	NULL		
3	company_name	varchar(255)	utf8mb4_general_ci		Yes	NULL		
4	location	varchar(255)	utf8mb4_general_ci		Yes	NULL		
5	job_type	varchar(100)	utf8mb4_general_ci		Yes	NULL		
6	application_status	varchar(100)	utf8mb4_general_ci		Yes	NULL		
7	applied_date	date			Yes	NULL		
8	source	varchar(100)	utf8mb4_general_ci		Yes	NULL		
9	salary	varchar(100)	utf8mb4_general_ci		Yes	NULL		
10	notes	text	utf8mb4_general_ci		Yes	NULL		
11	attachment	varchar(255)	utf8mb4_general_ci		Yes	NULL		

$Calendar_notes\ table$

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	note_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	note_title	varchar(255)	utf8mb4_general_ci		No	None		
3	note_description	text	utf8mb4_general_ci		Yes	NULL		
4	note_date	date			No	None		
5	created_at	timestamp			No	current_timestamp()		

Mock_interviews table

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	title	varchar(255)	utf8mb4_general_ci		Yes	NULL		
3	file_path	varchar(255)	utf8mb4_general_ci		Yes	NULL		
4	uploaded_at	timestamp			No	current_timestamp()		

Resumes table

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	resume_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	candidate_name	varchar(100)	utf8mb4_general_ci		Yes	NULL		
3	position	varchar(100)	utf8mb4_general_ci		Yes	NULL		
4	file_path	varchar(225)	utf8mb4_general_ci		Yes	NULL		
5	uploaded_at	datetime			Yes	current_timestamp()		

Saved_jobs table

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	saved_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	application_id	int(11)			Yes	NULL		
3	saved_at	datetime			Yes	current_timestamp()		

Schedules table

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	schedule_date	date			Yes	NULL		
3	title	varchar(255)	utf8mb4_general_ci		Yes	NULL		
4	description	text	utf8mb4_general_ci		Yes	NULL		
5	created_at	timestamp			No	current_timestamp()		

Users table

# Name		Туре	Collation	Attributes	Null	Default	Comments	Extra
1 id 🔑		int(11)			No	None		AUTO_INCREMENT
2 name		varchar(100)	utf8mb4_general_ci		Yes	NULL		
3 email		varchar(255)	utf8mb4_general_ci		Yes	NULL		
4 passwe	ord	varchar(255)	utf8mb4_general_ci		Yes	NULL		
5 created	d_at	timestamp			No	current_timestamp()		
6 profile	_image	varchar(255)	utf8mb4_general_ci		Yes	NULL		

```
SQL Query:
-- Create the database
CREATE DATABASE IF NOT EXISTS job;
USE job;
-- Table: applications
CREATE TABLE applications (
  application_id INT(11) AUTO_INCREMENT PRIMARY KEY,
  job_title VARCHAR(255),
  company_name VARCHAR(255),
  location VARCHAR(255),
  job_type VARCHAR(100),
  application status VARCHAR(100),
  applied_date DATE,
  source VARCHAR(100),
  salary VARCHAR(100),
  notes TEXT,
  attachment VARCHAR(255));
-- Table: mock_interviews
CREATE TABLE mock_interviews (
  id INT(11) AUTO_INCREMENT PRIMARY KEY,
  title VARCHAR(255),
  file_path VARCHAR(255),
  uploaded_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
-- Table: resumes
CREATE TABLE resumes (
  resume_id INT(11) AUTO_INCREMENT PRIMARY KEY,
  candidate_name VARCHAR(100),
  position VARCHAR(100),
  file_path VARCHAR(255),
  uploaded_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
```

```
-- Table: saved_jobs
CREATE TABLE saved jobs (
  saved_id INT(11) AUTO_INCREMENT PRIMARY KEY,
  application id INT(11),
  saved_at DATETIME DEFAULT CURRENT_TIMESTAMP
);
-- Table: schedules
CREATE TABLE schedules (
  id INT(11) AUTO_INCREMENT PRIMARY KEY,
  schedule date DATE,
  title VARCHAR(255),
  description TEXT,
  created at TIMESTAMP DEFAULT CURRENT TIMESTAMP
);
-- Table: users
CREATE TABLE users (
  id INT(11) AUTO_INCREMENT PRIMARY KEY,
  name VARCHAR(100),
  email VARCHAR(255),
  password VARCHAR(255),
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  profile image VARCHAR(255)
);
CREATE TABLE calendar notes (
  note_id INT(11) NOT NULL AUTO_INCREMENT,
  note_title VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL,
  note description TEXT COLLATE utf8mb4 general ci NULL,
  note date DATE NOT NULL,
  created at TIMESTAMP NOT NULL DEFAULT CURRENT TIMESTAMP,
  PRIMARY KEY (note_id)
);
Coding:
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8"/>
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Job Application Tracker</title>
 <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="text-gray-900" style="background: linear-gradient(to bottom right,
#FFE3D3, rgb(239, 237, 126), rgb(191, 203, 121));">
```

```
<div class="min-h-screen flex items-center justify-center px-4">
  <div class="text-center">
   <h1 class="text-4xl md:text-5xl font-bold text-blue-900 mb-6">Job Application
Tracker</h1>
   Organize and monitor all your job applications in one place. Stay ahead in your job
search journey.
   <a href="signup.php" class="inline-block bg-blue-900 text-white px-6 py-3 rounded-
2xl text-lg hover:bg-blue-800 transition">
    Get Started
   </a>
  </div>
 </div>
</body>
</html>
Index.php
<?php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: ". $mysqli->connect error);
// Count saved jobs from saved_jobs table
$saved_count_result = $mysqli->query("SELECT COUNT(*) AS saved FROM
saved jobs");
$saved_count = $saved_count_result->fetch_assoc()['saved'];
// Count application statuses
$overview_result = $mysqli->query("
  SELECT
    SUM(application_status = 'Applied') as applied,
    SUM(application_status = 'Offered') as offered,
    SUM(application status = 'Rejected') as rejected,
    SUM(application_status = 'Interview') as interview,
    SUM(application status = 'Accepted') as accepted
  FROM applications
"):
$overview = $overview result->fetch assoc();
$overview['saved'] = $saved_count;
// Upcoming interviews
$interview_result = $mysqli->query("SELECT company_name FROM applications
WHERE application_status = 'Interview''');
```

```
// Fetch recent applications
$recent_result = $mysqli->query("SELECT job_title, company_name, application_status")
FROM applications ORDER BY application_id DESC LIMIT 4");
// Fetch saved jobs (from join)
$saved jobs result = $mysqli->query("
  SELECT a.job_title, a.company_name, a.application_status
  FROM saved_jobs s
  JOIN applications a ON s.application_id = a.application_id
  ORDER BY s.saved at DESC
");
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Job Application Tracker</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
 <style>
  body {
   background: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126), rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px;
   overflow-x: hidden;
  header {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   z-index: 50;
   background: white;
   box-shadow: 0.4px 6px rgba(0, 0, 0, 0.1);
  main {
   margin-top: 80px;
  .text-dark { color:rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
 </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
```

```
<!-- Navbar -->
  <header class="w-full top-0 left-0">
   <div class="flex items-center justify-between p-4 mb-6">
    <h1 class="text-2xl font-bold text-dark"> Dob Application Tracker</h1>
    <nav class="space-x-4 text-gray-700 text-sm">
      <a href="index.php" class="font-semibold border-b-2 border-black text-
dark">Home</a>
      <a href="applications.php">Applications</a>
      <a href="saved_jobs.php">Saved Jobs</a>
      <a href="calendar.php">Calendar</a>
      <a href="resume_bank.php">Resume Bank</a>
      <a href="analytics.php">Analytics</a>
      <a href="interview_prep.php">Interview Prep</a>
      <a href="upcoming_interviews.php">Upcoming Interviews</a>
      <a href="settings.php">Settings</a>
    </nav>
   </div>
  </header>
  <main>
   <!-- Overview Cards -->
   <div class="grid grid-cols-2 md:grid-cols-6 gap-4 mb-8">
      $labels = ['saved', 'applied', 'offered', 'rejected', 'interview', 'accepted'];
      foreach ($labels as $label):
    <div class="text-center bg-white p-4 rounded-xl shadow">
      <div class="text-xl font-bold"><?= (int)$overview[$label] ?></div>
      <div class="text-sm text-gray-700"><?= ucfirst($label) ?></div>
    </div>
    <?php endforeach; ?>
   </div>
   <!-- Add New, Interviews, Chart -->
   <div class="grid md:grid-cols-3 gap-6 mb-6">
    <div class="p-6 bg-white rounded-xl shadow-md">
      <h2 class="text-xl font-semibold mb-4 text-dark">Stay on top<br/>br>Your job
hunt!</h2>
      <a href="add application.php" class="btn-orange py-2 px-4 rounded inline-block"
hover:opacity-90">+ Add New Application</a>
    </div>
    <div class="p-6 bg-white rounded-xl shadow-md">
      <h2 class="text-lg font-semibold mb-4 text-dark">Upcoming Interviews</h2>
      <?php if ($interview_result && $interview_result->num_rows > 0): ?>
       <?php while($row = $interview_result->fetch_assoc()): ?>
         <<pre><<pre><<pre><</pre>
```

```
htmlspecialchars($row['company_name']) ?></strong>
      <?php endwhile; ?>
     <?php else: ?>
      No upcoming interviews.
     <?php endif; ?>
    </div>
    <div class="p-6 bg-white rounded-xl shadow-md">
     <h2 class="text-lg font-semibold mb-4 text-dark">Applications Overview</h2>
     <canvas id="statusChart"></canvas>
    </div>
   </div>
   <!-- Recent Applications, Saved Jobs, Tips -->
   <div class="grid md:grid-cols-3 gap-6">
    <!-- Recent Applications -->
    <div class="p-6 bg-white rounded-xl shadow-md">
     <div class="flex justify-between items-center mb-4">
      <h2 class="text-lg font-semibold text-dark">Recent Applications</h2>
      <a href="applications.php" class="text-blue-600">View All</a>
     </div>
     <thead>
       Job Title
        Company
        Status
       </thead>
      <?php if ($recent result && $recent result->num rows > 0): ?>
        <?php while($row = $recent_result->fetch_assoc()): ?>
         <?= htmlspecialchars($row['job_title']) ?>
          <?= htmlspecialchars($row['company_name']) ?>
          <?= htmlspecialchars($row['application_status']) ?>
         <?php endwhile; ?>
       <?php else: ?>
        No recent applications.
       <?php endif; ?>
      </div>
    <!-- Saved Jobs -->
    <div class="p-6 bg-white rounded-xl shadow-md">
     <h2 class="text-lg font-semibold mb-4 text-dark">Saved Jobs</h2>
```

```
<?php if ($saved_jobs_result && $saved_jobs_result->num_rows > 0): ?>
      <thead>
        Job Title
        Company
        Status
       </thead>
       <?php while($row = $saved_jobs_result->fetch_assoc()): ?>
         <?= htmlspecialchars($row['job_title']) ?>
         <?= htmlspecialchars($row['company_name']) ?>
         <?= htmlspecialchars($row['application_status']) ?>
         <?php endwhile; ?>
       <?php else: ?>
     No saved jobs.
    <?php endif; ?>
    <a href="saved_jobs.php" class="text-blue-600 mt-4 inline-block">View All</a>
   </div>
   <!-- Tips Section -->
   <div class="p-6 bg-white rounded-xl shadow-md">
    <h2 class="text-lg font-semibold mb-4 text-dark">Tips & Resources</h2>
    How to Prepare for Tech Interviews
     Best Resume for Designers
     Top Sites for Remote Jobs
    <a href="interview_prep.php" class="text-blue-600 mt-4 inline-block">View
All</a>
   </div>
  </div>
 </main>
</div>
<!-- Chart -->
<script>
 const ctx = document.getElementById('statusChart').getContext('2d');
 new Chart(ctx, {
  type: 'doughnut',
  data: {
   labels: ['Saved', 'Applied', 'Offered', 'Rejected', 'Interview', 'Accepted'],
   datasets: [{
```

```
data: [
       <?= (int)$overview['saved'] ?>,
       <?= (int)$overview['applied'] ?>,
       <?= (int)$overview['offered'] ?>,
       <?= (int)$overview['rejected'] ?>,
       <?= (int)$overview['interview'] ?>,
       <?= (int)$overview['accepted'] ?>
      backgroundColor: ['#FF5722', '#FFEB3B', '#4CAF50', '#F44336', '#03A9F4',
'#8BC34A'],
      borderWidth: 1
     }]
   }
  });
 </script>
</body>
</html>
Add_application.php
<?php
// Include database connection
include('db_connection.php');
if ($ SERVER['REQUEST METHOD'] == 'POST') {
  // Collect form data
  $application_id = $_POST['application_id'];
  $iob_title = $_POST['job_title'];
  $company_name = $_POST['company_name'];
  $location = $ POST['location'];
  $job_type = $_POST['job_type'];
  $application status = $ POST['application status'];
  $applied_date = $_POST['applied_date'];
  $source = $_POST['source'];
  $salary = $ POST['salary'];
  $notes = $_POST['notes'];
  // Handle file upload for attachments
  $attachment = ";
  $upload dir = 'uploads/';
  if (!is dir($upload dir)) {
     mkdir($upload dir, 0777, true); // create directory with permissions
  }
  if (isset($_FILES['attachment']) && $_FILES['attachment']['error'] == 0) {
     $attachment = $upload dir . basename($ FILES['attachment']['name']);
     move_uploaded_file($_FILES['attachment']['tmp_name'], $attachment);
```

```
// Insert into database
  $sql = "INSERT INTO applications (application_id, job_title, company_name,
location, job type, application status, applied date, source, salary, notes, attachment)
       VALUES ('$application_id', '$job_title', '$company_name', '$location', '$job_type',
'$application_status', '$applied_date', '$source', '$salary', '$notes', '$attachment')";
  if (mysqli_query($conn, $sql)) {
    echo " 
Application added
successfully!";
  } else {
    echo " X Error: " . $sql . "<br/>br>" .
mysqli_error($conn) . "";
  }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Add Job Application</title>
  <style>
    body {
       font-family: Arial, sans-serif;
      background: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
rgb(191, 203, 121));
       margin: 0;
      padding: 0;
    }
    h1 {
       background-color: rgb(215, 61, 104);
       color: white;
      text-align: center;
       padding: 20px;
       margin: 0;
    .container {
       width: 60%;
       margin: 20px auto;
       padding: 25px;
       background: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
rgb(191, 203, 121));
       border-radius: 10px;
       box-shadow: 0px 4px 6px rgba(0, 0, 0, 0.1);
```

```
}
label {
  font-size: 16px;
  margin-bottom: 8px;
  display: block;
  color: #333;
input[type="text"],
input[type="date"],
input[type="file"],
select,
textarea {
  width: 100%;
  padding: 10px;
  margin: 8px 0 20px;
  border: 1px solid #ccc;
  border-radius: 5px;
  font-size: 15px;
textarea {
  resize: vertical;
.status-group input[type="radio"] {
  margin-right: 8px;
.status-group label {
  display: inline-block;
  margin-right: 20px;
button {
  background-color: rgb(175, 76, 81);
  color: white;
  padding: 10px 25px;
  border: none;
  border-radius: 5px;
  font-size: 16px;
  cursor: pointer;
}
button:hover {
  background-color: rgb(160, 69, 78);
```

```
.back-button {
       display: inline-block;
       margin-top: 15px;
       background-color: #28a745;
       color: white;
       padding: 10px 20px;
       border-radius: 5px;
       text-decoration: none;
       font-size: 16px;
       text-align: center;
    .back-button:hover {
       background-color: #218838;
    .back-container {
       text-align: center;
  </style>
</head>
<body>
  <h1>Add Job Application</h1>
  <div class="container">
    <form action="add_application.php" method="POST" enctype="multipart/form-</pre>
data">
       <label for="application_id">Application ID:</label>
       <input type="text" name="application_id" id="application_id" required>
       <label for="job_title">Job Title:</label>
       <input type="text" name="job_title" id="job_title" required>
       <label for="company_name">Company Name:</label>
       <input type="text" name="company_name" id="company_name" required>
       <label for="location">Location:</label>
       <input type="text" name="location" id="location" required>
       <label for="job_type">Job Type:</label>
       <select name="job_type" id="job_type" required>
         <option value="Full-time">Full-time</option>
         <option value="Part-time">Part-time</option>
         <option value="Freelance">Freelance</option>
         <option value="Internship">Internship</option>
       </select>
```

```
<label>Application Status:</label>
       <div class="status-group">
         <label><input type="radio" name="application_status" value="Applied"</pre>
required> Applied</label>
         <label><input type="radio" name="application_status" value="Interview">
Interview</label>
         <label><input type="radio" name="application_status" value="Offer">
Offer</label>
         <label><input type="radio" name="application_status" value="Rejected">
Rejected</label>
         <label><input type="radio" name="application_status" value="Hired">
Hired</label>
       </div>
       <label for="applied_date">Date Applied:</label>
       <input type="date" name="applied_date" id="applied_date" required>
       <label for="source">Source:</label>
       <input type="text" name="source" id="source" required>
       <label for="salary">Salary:</label>
       <input type="text" name="salary" id="salary">
       <label for="notes">Notes:</label>
       <textarea name="notes" id="notes" rows="4"></textarea>
       <label for="attachment">Attachment (Resume, etc.):</label>
       <input type="file" name="attachment" id="attachment">
       <button type="submit">Submit Application</button>
    </form>
    <div class="back-container">
       <a href="applications.php" class="back-button">← Back to Applications</a>
    </div>
  </div>
</body>
</html>
Applications.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
```

```
// Handle search query
$search = isset($_GET['search']) ? $mysqli->real_escape_string($_GET['search']) : ";
$query = "SELECT * FROM applications";
if (!empty($search)) {
  $query .= "WHERE job title LIKE '%$search%' OR company name LIKE
'%$search%' OR location LIKE '%$search%'";
$query .= "ORDER BY application_id ASC"; // Ascending order
$result = $mysqli->query($query);
if (!$result) {
  die(" X Query failed: " . $mysqli->error);
// Upcoming interviews
$interview_result = $mysqli->query("SELECT company_name FROM applications
WHERE application status = 'Interview''');
// Fetch Recent Applications
$recent_result = $mysqli->query("SELECT job_title, company_name, application_status")
FROM applications ORDER BY application_id DESC LIMIT 4");
// Fetch Saved Jobs (Join saved jobs with applications)
$saved_jobs_result = $mysqli->query("
  SELECT a.job title, a.company name, a.application status
  FROM saved_jobs s
  JOIN applications a ON s.application id = a.application id
  ORDER BY s.saved at DESC
");
// Application status overview
$overview_result = $mysqli->query("
  SELECT
    SUM(application_status = 'Saved') as saved,
    SUM(application_status = 'Applied') as applied,
    SUM(application_status = 'Offered') as offered,
    SUM(application status = 'Rejected') as rejected,
    SUM(application_status = 'Interviewed') as interview,
    SUM(application_status = 'Accepted') as accepted
  FROM applications
$overview = $overview result->fetch assoc();
?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
 <title>Job Application Tracker</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <style>
 body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
   overflow-x: hidden:
  header {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   z-index: 50;
   background: white; /* Ensures header remains visible */
   box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
  }
  main {
   margin-top: 80px; /* Adjust for fixed header height */
  .text-dark { color:rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
 </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
  <!-- Navbar/Header -->
  <header class="w-full top-0 left-0">
    <div class="flex items-center justify-between p-4 mb-6">
       <h1 class="text-2xl font-bold text-dark"> Job Application Tracker</h1>
       <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
         <a href="applications.php"class="font-semibold border-b-2 border-black text-
dark">Applications</a>
         <a href="saved_jobs.php">Saved Jobs</a>
         <a href="calendar.php">Calendar</a>
         <a href="resume bank.php">Resume Bank</a>
         <a href="analytics.php">Analytics</a>
         <a href="interview prep.php" >Interview Prep</a>
         <a href="upcoming_interviews.php">Upcoming Interviews</a>
         <a href="settings.php">Settings</a>
       </nav>
    </div>
```

```
</header>
 <main>
 <!-- Page Header & Search -->
 <main class="mt-20">
  <div class="flex items-center justify-between mb-6 flex-wrap gap-4">
   <!-- Left: Title -->
   <h2 class="text-xl font-bold text-dark">  All Applications</h2>
   <!-- Center: Search -->
   <form method="GET" action="applications.php" class="flex flex-grow justify-center"
max-w-xl w-full">
    <input type="text" name="search" placeholder=" Q Search by job, company,
location..." value="<?= htmlspecialchars($search) ?>" class="w-full px-3 py-2 border
border-gray-300 rounded-l-md focus:outline-none focus:ring-2 focus:ring-orange-300">
    <button type="submit" class="btn-orange px-4 rounded-r-md">Search</button>
   </form>
   <!-- Right: Add Button -->
   <a href="add application.php" class="btn-orange py-2 px-4 rounded hover:opacity-
90 whitespace-nowrap">+ Add Application</a>
  </div>
  <!-- Table -->
  <div class="bg-white p-6 rounded-xl shadow-md overflow-x-auto">
   <thead class="bg-gray-100 text-gray-700">
     <th class="px-4 py-2">ID</th>
      Job Title
      Company
      Location
      Type
      Status
      Applied
      Source
      Salary
      Notes
      Attachment
      Actions
     </thead>
    <?php while ($row = $result->fetch assoc()): ?>
      <?= htmlspecialchars($row['application_id']) ?>
       <?= htmlspecialchars($row['job_title']) ?>
```

```
<?= htmlspecialchars($row['company name']) ?>
        <?= htmlspecialchars($row['location']) ?>
        <?= htmlspecialchars($row['job_type']) ?>
        <?php
          $status = htmlspecialchars($row['application_status']);
          colorMap = [
           'Saved' => 'bg-gray-400 text-white',
           'Applied' => 'bg-blue-300 text-white',
           'Offered' => 'bg-yellow-300 text-black',
           'Rejected' => 'bg-red-400 text-white',
           'Interview' => 'bg-indigo-300 text-white',
           'Accepted' => 'bg-green-300 text-black'
          $statusClass = $colorMap[$status] ?? 'bg-gray-200';
         <span class="px-2 py-1 rounded text-xs font-semibold <?= $statusClass ?>">
          <?= $status ?>
         </span>
        <?= htmlspecialchars($row['applied date']) ?>
        <?= htmlspecialchars($row['source']) ?>
        <?= htmlspecialchars($row['salary']) ?>
        <?= htmlspecialchars($row['notes']) ?>
        <?php if (!empty($row['attachment'])): ?>
          <a href="uploads/<?= rawurlencode(basename($row['attachment'])) ?>"
target="_blank" class="text-blue-600 hover:underline">  View</a>
         <?php else: ?> - <?php endif; ?>
        <a href="edit_application.php?application_id=<?= $row['application_id'] ?>"
class="text-blue-600 hover:underline">  Edit</a>
         <a href="view_application.php?application_id=<?= $row['application_id'] ?>"
class="text-green-600 hover:underline">Q View</a>
         <a href="delete_application.php?application_id=<?= $row['application_id']
?>" class="text-red-600 hover:underline" onclick="return confirm('Are you sure you want
to delete this application?')"> Delete</a>
         <a href="save_job.php?application_id=<?= $row['application_id'] ?>"
class="text-yellow-600 hover:underline">  Save</a>
        <?php endwhile; ?>
     </div>
  </main>
```

```
</div>
</body>
</html>
Analytics.php
<?php
// analytics.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
// Main statistics
$query = "SELECT COUNT(*) AS total_applications,
         SUM(CASE WHEN application_status = 'Applied' THEN 1 ELSE 0 END) AS
applied,
         SUM(CASE WHEN application_status = 'Interview' THEN 1 ELSE 0 END)
AS interviewed,
         SUM(CASE WHEN application_status = 'Rejected' THEN 1 ELSE 0 END) AS
rejected,
         SUM(CASE WHEN application status = 'Hired' THEN 1 ELSE 0 END) AS
hired,
         SUM(CASE WHEN application status = 'Saved' THEN 1 ELSE 0 END) AS
saved,
         SUM(CASE WHEN application status = 'Offered' THEN 1 ELSE 0 END) AS
offered
     FROM applications";
$result = $mysqli->query($query);
$data = $result ? $result->fetch_assoc() : null;
// Additional insights
$companies_result = $mysqli->query("SELECT company_name, COUNT(*) AS total
FROM applications GROUP BY company name ORDER BY total DESC LIMIT 5");
$months_result = $mysqli->query("SELECT DATE_FORMAT(applied_date, '%Y-%m')
AS month, COUNT(*) AS total FROM applications GROUP BY month ORDER BY
month ASC");
$titles_result = $mysqli->query("SELECT job_title, COUNT(*) AS total FROM
applications GROUP BY job title ORDER BY total DESC LIMIT 5");
// Conversion rate
$conversionRate = ($data && $data['total applications'] > 0)
  ? round(($\data['hired'] / $\data['total applications']) * 100, 2)
  : 0:
?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
  <title>Analytics</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
  <style>
     body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
   overflow-x: hidden:
  header {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   z-index: 50;
   background: white; /* Ensures header remains visible */
   box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
  }
  main {
   margin-top: 80px; /* Adjust for fixed header height */
  .text-dark { color:rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
 </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
  <!-- Navbar/Header -->
  <header class="w-full top-0 left-0">
    <div class="flex items-center justify-between p-4 mb-6">
       <h1 class="text-2xl font-bold text-dark"> Job Application Tracker</h1>
       <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
         <a href="applications.php">Applications</a>
         <a href="saved_jobs.php">Saved Jobs</a>
         <a href="calendar.php">Calendar</a>
         <a href="resume bank.php">Resume Bank</a>
         <a href="analytics.php"class="font-semibold border-b-2 border-black text-
dark">Analytics</a>
         <a href="interview prep.php" >Interview Prep</a>
         <a href="upcoming_interviews.php">Upcoming Interviews</a>
         <a href="settings.php">Settings</a>
       </nav>
    </div>
```

```
</header>
  <main>
  <!-- Main Analytics -->
  <div class="bg-white p-6 rounded-xl shadow-md">
    <h2 class="text-xl font-bold text-dark mb-6">|||| Analytics Overview</h2>
    <?php if ($data): ?>
      <div class="grid grid-cols-2 gap-6">
        <!-- Total Applications -->
        <div class="bg-blue-100 p-4 rounded-lg shadow-lg">
          <h3 class="text-lg font-semibold text-dark">Total Applications</h3>
          <?php echo</pre>
$data['total_applications']; ?>
        </div>
        <!-- Applications by Status -->
        <div class="bg-yellow-100 p-4 rounded-lg shadow-lg">
          <h3 class="text-lg font-semibold text-dark">Applications by Status</h3>
          Applied: <span class="font-bold text-green-</pre>
600"><?php echo $data['applied']; ?></span>
            Interview: <span class="font-bold text-yellow-</pre>
600"><?php echo $data['interviewed']; ?></span>
            Rejected: <span class="font-bold text-red-600"><?php</pre>
echo $data['rejected']; ?></span>
            Hired: <span class="font-bold text-blue-600"><?php</pre>
echo $data['hired']; ?></span>
            Saved: <span class="font-bold text-purple-600"><?php</pre>
echo $data['saved']; ?></span>
            Offered: <span class="font-bold text-pink-600"><?php</pre>
echo $data['offered']; ?></span>
          </div>
      </div>
    <?php else: ?>
      No data available for analytics.
    <?php endif; ?>
    <!-- Additional Insights -->
    <div class="mt-8">
      <h3 class="text-xl font-semibold text-dark mb-4">  Additional Insights</h3>
      <!-- Conversion Rate -->
      <div class="bg-green-100 p-4 rounded-lg shadow-md mb-4">
          Conversion Rate (Hired): <span class="font-bold text-</pre>
```

```
green-700"><?php echo $conversionRate; ?>%</span>
      </div>
      <!-- Top Companies -->
      <div class="bg-white p-4 rounded-lg shadow-md mb-4">
        <h4 class="text-lg font-bold mb-2 text-dark"> Top Companies Applied
To</h4>
        <?php while ($row = $companies_result->fetch_assoc()): ?>
             <?php echo htmlspecialchars($row['company_name']); ?> (<?php echo</pre>
$row['total']; ?> applications)
          <?php endwhile; ?>
        </div>
      <!-- Applications by Month -->
      <div class="bg-white p-4 rounded-lg shadow-md mb-4">
        <h4 class="text-lg font-bold mb-2 text-dark"> Applications by Month</h4>
        <?php while ($row = $months result->fetch assoc()): ?>
             <?php echo htmlspecialchars($row['month']); ?>: <?php echo</pre>
$row['total']; ?> applications
          <?php endwhile; ?>
        </div>
      <!-- Most Applied Job Titles -->
      <div class="bg-white p-4 rounded-lg shadow-md">
        <h4 class="text-lg font-bold mb-2 text-dark"> Most Applied Job Titles</h4>
        <?php while ($row = $titles result->fetch assoc()): ?>
             <?php echo htmlspecialchars($row['job_title']); ?> (<?php echo</pre>
$row['total']; ?> times)
          <?php endwhile; ?>
        </div>
    </div>
  </div>
</div>
</body>
</html>
Calendar.php
<?php
// DB connection
$conn = new mysqli("localhost", "root", "", "job_tracker");
if ($conn->connect error) die("Connection failed: " . $conn->connect error);
```

```
// Default month/year
$month = isset($_GET['month']) ? (int)$_GET['month'] : date('n');
$year = isset($_GET['year']) ? (int)$_GET['year'] : date('Y');
// Fetch schedules
$stmt = $conn->prepare("SELECT * FROM schedules WHERE MONTH(schedule_date)
= ? AND YEAR(schedule_date) = ?");
$stmt->bind_param("ii", $month, $year);
$stmt->execute();
$result = $stmt->get_result();
$schedules = [];
while ($row = $result->fetch_assoc()) {
  $schedules[$row['schedule_date']][] = $row;
}
function getMonthName($num) {
  return date("F", mktime(0, 0, 0, $num, 10));
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title><?= getMonthName($month) . " $year Calendar" ?></title>
  <style>
    .calendar {
       display: grid;
       grid-template-columns: repeat(7, 1fr);
       gap: 1px;
       background: #ccc;
       max-width: 1000px;
       margin: auto;
    .day, .header {
       background: white;
       min-height: 120px;
       padding: 8px;
       position: relative;
       overflow: auto;
    .header {
```

```
background:rgb(234, 115, 78);
  color: white;
  font-weight: bold;
  text-align: center;
.date-number {
  font-weight: bold;
  color: #444;
.event {
  background: #ffe082;
  color:rgb(126, 63, 26);
  padding: 4px 6px;
  border-radius: 5px;
  margin-top: 4px;
  font-size: 0.85em;
.event form {
  display: inline;
.event button {
  background: #dc3545;
  color: white;
  border: none;
  padding: 2px 6px;
  border-radius: 3px;
  font-size: 0.75em;
  cursor: pointer;
  margin-top: 4px;
}
.day:hover {
  background:rgb(172, 164, 89);
  cursor: pointer;
}
.controls select {
  padding: 5px 10px;
  margin: 0 5px;
/* Responsive */
@media (max-width: 768px) {
  .calendar {
```

```
grid-template-columns: repeat(2, 1fr);
       }
     }
  </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
 <head>
 <meta charset="UTF-8">
 <title>Job Application Tracker</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
 <style>
  body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
   overflow-x: hidden;
  header {
   position: fixed;
   top: 0;
   left: 0:
   width: 100%;
   z-index: 50;
   background: white; /* Ensures header remains visible */
   box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
  }
  main {
   margin-top: 80px; /* Adjust for fixed header height */
  .text-dark { color:rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
 </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
  <!-- Navbar/Header -->
  <header class="w-full top-0 left-0">
    <div class="flex items-center justify-between p-4 mb-6">
       <h1 class="text-2xl font-bold text-dark"> Job Application Tracker</h1>
       <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
         <a href="applications.php">Applications</a>
         <a href="saved_jobs.php">Saved Jobs</a>
```

```
<a href="calendar.php"class="font-semibold border-b-2 border-black text-
dark">Calendar</a>
         <a href="resume_bank.php">Resume Bank</a>
          <a href="analytics.php">Analytics</a>
          <a href="interview_prep.php" >Interview Prep</a>
          <a href="upcoming_interviews.php">Upcoming Interviews</a>
          <a href="settings.php">Settings</a>
       </nav>
     </div>
  </header>
  <main>
  <h2> | <?= getMonthName($month) . " $year" ?> Calendar</h2>
  <div class="controls">
     <form method="get">
       <select name="month" onchange="this.form.submit()">
          <?php for ($m = 1; $m <= 12; $m++): ?>
            <option value="<?= $m ?>" <?= ($m == $month) ? 'selected' : " ?>><?=</pre>
getMonthName($m) ?></option>
          <?php endfor; ?>
       </select>
       <select name="vear" onchange="this.form.submit()">
          <?php for ($y = 2023; $y <= 2030; $y++): ?>
            <option value="<?= $y ?>" <?= ($y == $year) ? 'selected' : " ?>><?= $y</pre>
?></option>
         <?php endfor; ?>
       </select>
     </form>
  </div>
  <div class="calendar">
     <?php
     // Weekday headers
     $weekdays = ['Sun', 'Mon', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat'];
     foreach ($weekdays as $day) {
       echo "<div class='header'>$day</div>";
     }
     $startDay = date('w', strtotime("$year-$month-01"));
     $daysInMonth = cal_days_in_month(CAL_GREGORIAN, $month, $year);
     for (\$i = 0; \$i < \$startDay; \$i++) echo "<div class='day'></div>";
     for (\text{$day = 1; $day <= $daysInMonth; $day++}) 
       $\date = \"\$\vec{\par}\". \str_pad(\$\month, 2, '0', \STR_PAD_LEFT) \. \"-\" \. \str_pad(\$\day, 2,
```

```
'0', STR_PAD_LEFT);
       echo "<div class='day' onclick=\"openForm('$date')\">";
       echo "<div class='date-number'>$day</div>";
       if (isset($schedules[$date])) {
         foreach ($schedules[$date] as $event) {
            echo "<div class='event'>
                <strong>{$event['title']}</strong><br>{$event['description']}
                <form method='POST' action='delete_schedule.php' onsubmit=\"return</pre>
confirm('Delete this schedule?')\">
                   <input type='hidden' name='id' value='{$event['id']}'>
                   <input type='hidden' name='month' value='$month'>
                   <input type='hidden' name='year' value='$year'>
                   <button type='submit'> Delete</button>
                </form>
               </div>";
         }
       }
       echo "</div>";
    ?>
  </div>
  <!-- Modal Form -->
  <div id="formModal" style="display:none; position:fixed; top:20%; left:35%;</pre>
background:white; border:1px solid #ccc; padding:20px; z-index:1000;">
    <h3> Add Schedule for <span id="selectedDate"></span></h3>
    <form method="POST" action="save_schedule.php">
       <input type="hidden" name="schedule date" id="scheduleDateInput">
       <input type="text" name="title" placeholder="Title" required><br><br>
       <textarea name="description" placeholder="Description" rows="3"
required></textarea><br><br>
       <button type="submit">Save</button>
       <button type="button" onclick="closeForm()">Cancel</button>
    </form>
  </div>
  <script>
    function openForm(date) {
       document.getElementById("selectedDate").innerText = date;
       document.getElementById("scheduleDateInput").value = date;
       document.getElementById("formModal").style.display = "block";
    function closeForm() {
       document.getElementById("formModal").style.display = "none";
```

```
</script>
 </div>
</body>
</html>
Db_connection.php
<?php
// Replace these with your actual database credentials
$servername = "localhost";
$username = "root"; // Default username for XAMPP is 'root'
$password = ""; // Default password for XAMPP is empty
$dbname = "job_tracker"; // Change to your database name
// Create connection
$conn = mysqli_connect($servername, $username, $password, $dbname);
// Check connection
if (!$conn) {
  die("Connection failed: " . mysqli_connect_error());
?>
Delete_application.php
<?php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
$id = isset($ GET['application id']) ? (int)$ GET['application id'] : 0;
if ($id > 0) {
  // Optionally delete the attachment file
  $stmt = $mysqli->prepare("SELECT attachment FROM applications WHERE
application_id = ?");
  $stmt->bind_param("i", $id);
  $stmt->execute();
  $res = $stmt->get result();
  $row = $res->fetch_assoc();
  if ($row && !empty($row['attachment'])) {
    $file path = 'uploads/' . $row['attachment'];
    if (file_exists($file_path)) {
       unlink($file_path);
     }
```

```
// Delete the record
  $delete = $mysqli->prepare("DELETE FROM applications WHERE application id =
?");
  $delete->bind_param("i", $id);
  $delete->execute();
}
header("Location: applications.php");
exit;
Delete_resume.php
<?php
// delete_resume.php
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['resume_id'])) {
  $resume_id = $_POST['resume_id'];
  $mysqli = new mysqli("localhost", "root", "", "job_tracker");
  if ($mysqli->connect_error) {
    die("Connection failed: " . $mysqli->connect_error);
  }
  // First get the file path
  $stmt = $mysqli->prepare("SELECT file_path FROM resumes WHERE resume_id =
?");
  $stmt->bind_param("i", $resume_id);
  $stmt->execute();
  $stmt->bind_result($file_path);
  $stmt->fetch();
  $stmt->close();
  if ($file_path) {
    $full_path = "uploads/resumes/" . $file_path;
    // Delete file from server
    if (file_exists($full_path)) {
       unlink($full_path);
    // Delete record from database
    $stmt = $mysqli->prepare("DELETE FROM resumes WHERE resume id = ?");
    $stmt->bind_param("i", $resume_id);
    $stmt->execute();
    $stmt->close();
  $mysqli->close();
```

```
header("Location: resume bank.php");
exit();
delete_schedule.php
<?php
// DB connection
$conn = new mysqli("localhost", "root", "", "job_tracker");
if ($conn->connect_error) die("Connection failed: " . $conn->connect_error);
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST['id'])) {
  id = (int) POST['id'];
  $month = isset($_POST['month']) ? (int)$_POST['month'] : date('n');
  $year = isset($_POST['year']) ? (int)$_POST['year'] : date('Y');
  // Delete query
  $stmt = $conn->prepare("DELETE FROM schedules WHERE id = ?");
  $stmt->bind_param("i", $id);
  $stmt->execute();
header("Location: calendar.php?month=$month&year=$year");
exit;
edit application.php
<?php
// Include database connection
include('db_connection.php');
// Check if the form has been submitted
if ($ SERVER['REQUEST METHOD'] == 'POST') {
  // Collect form data
  $application_id = $_POST['application_id'];
  $job title = $ POST['job title'];
  $company_name = $_POST['company_name'];
  $location = $_POST['location'];
  $iob type = $ POST['iob type'];
  $application_status = $_POST['application_status'];
  $applied date = $ POST['applied date'];
  $source = $_POST['source'];
  $salary = $ POST['salary'];
  $notes = $ POST['notes'];
  // Handle file upload for attachments
  $attachment = ";
  $upload dir = 'uploads/';
  if (!is_dir($upload_dir)) {
```

```
mkdir($upload_dir, 0777, true); // Create directory if not exists
  }
  if (isset($_FILES['attachment']) && $_FILES['attachment']['error'] == 0) {
    $attachment = $upload_dir . basename($_FILES['attachment']['name']);
    move_uploaded_file($_FILES['attachment']['tmp_name'], $attachment);
  // Use a prepared statement to update the application
  $stmt = $conn->prepare("UPDATE applications
               SET job title = ?, company name = ?, location = ?, job type = ?,
                  application_status = ?, applied_date = ?, source = ?,
                  salary = ?, notes = ?, attachment = ?
                WHERE application id = ?");
  $stmt->bind_param("sssssssssi", $job_title, $company_name, $location, $job_type,
            $application_status, $applied_date, $source, $salary, $notes, $attachment,
$application_id);
  if ($stmt->execute()) {
    echo " ✓ Application updated
successfully!";
  } else {
    echo " X Error: " . $stmt->error . "";
  // Close the prepared statement
  $stmt->close();
}
// Fetch the application to edit based on application id
if (isset($_GET['application_id'])) {
  $application_id = $_GET['application_id'];
  // Use a prepared statement to fetch the application
  $stmt = $conn->prepare("SELECT * FROM applications WHERE application_id = ?");
  $stmt->bind_param("i", $application_id); // "i" indicates that the parameter is an
integer
  $stmt->execute();
  $result = $stmt->get_result();
  if (\$result && \$result->num_rows > 0) {
    $applications = $result->fetch assoc();
  } else {
    echo " X Application not found!";
    exit;
```

```
// Close the prepared statement
  $stmt->close();
} else {
  echo " X No application ID provided!";
  exit;
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Edit Job Application</title>
  <style>
    body {
       font-family: Arial, sans-serif;
       background-color: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
rgb(191, 203, 121));
       margin: 0;
       padding: 0;
    }
    h1 {
       background-color: rgb(215, 61, 104);
       color: white;
       text-align: center;
       padding: 20px;
       margin: 0;
    .container {
       width: 60%;
       margin: 20px auto;
       padding: 25px;
       background-color: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
rgb(191, 203, 121));
       border-radius: 10px;
       box-shadow: 0px 4px 6px rgba(0, 0, 0, 0.1);
    label {
       font-size: 16px;
       margin-bottom: 8px;
       display: block;
       color: #333;
    }
    input[type="text"],
```

```
input[type="date"],
input[type="file"],
select,
textarea {
  width: 100%;
  padding: 10px;
  margin: 8px 0 20px;
  border: 1px solid #ccc;
  border-radius: 5px;
  font-size: 15px;
textarea {
  resize: vertical;
.status-group input[type="radio"] {
  margin-right: 8px;
.status-group label {
  display: inline-block;
  margin-right: 20px;
button {
  background-color: rgb(175, 76, 81);
  color: white;
  padding: 10px 25px;
  border: none;
  border-radius: 5px;
  font-size: 16px;
  cursor: pointer;
button:hover {
  background-color: rgb(160, 69, 78);
/* Back Button in Top-Left Corner */
.back-button {
  background-color: #4CAF50;
  color: white;
  padding: 10px 25px;
  border: none;
  border-radius: 5px;
  font-size: 16px;
  cursor: pointer;
```

```
text-decoration: none;
       position: absolute;
       top: 20px;
       left: 20px;
     .back-button:hover {
       background-color: #45a049;
  </style>
</head>
<body>
  <!-- Back Button -->
  <a href="applications.php" class="back-button">Back</a>
  <h1>Edit Job Application</h1>
  <div class="container">
     <form action="edit_application.php" method="POST" enctype="multipart/form-
data">
       <input type="hidden" name="application id" value="<?php echo</pre>
$applications['application_id']; ?>">
       <label for="job_title">Job Title:</label>
       <input type="text" name="job_title" id="job_title" value="<?php echo</pre>
$applications['job_title']; ?>" required>
       <label for="company name">Company Name:</label>
       <input type="text" name="company_name" id="company_name" value="<?php</pre>
echo $applications['company name']; ?>" required>
       <label for="location">Location:</label>
       <input type="text" name="location" id="location" value="<?php echo</pre>
$applications['location']; ?>" required>
       <label for="iob type">Job Type:</label>
       <select name="job_type" id="job_type" required>
          <option value="Full-time" <?php if ($applications['job type'] == 'Full-time')</pre>
echo 'selected'; ?>>Full-time</option>
          <option value="Part-time" <?php if ($applications['job type'] == 'Part-time')</pre>
echo 'selected'; ?>>Part-time</option>
          <option value="Freelance" <?php if ($applications['job type'] == 'Freelance')</pre>
echo 'selected'; ?>>Freelance</option>
          <option value="Internship" <?php if ($applications['job_type'] == 'Internship')</pre>
echo 'selected'; ?>>Internship</option>
       </select>
```

```
<label>Application Status:</label>
       <div class="status-group">
          <label><input type="radio" name="application_status" value="Applied" <?php</pre>
if ($applications['application status'] == 'Applied') echo 'checked'; ?>> Applied</label>
          <label><input type="radio" name="application_status" value="Interview"</pre>
<?php if ($applications['application_status'] == 'Interview') echo 'checked'; ?>>
Interviewed</label>
          <label><input type="radio" name="application_status" value="Offer" <?php if</pre>
($applications['application_status'] == 'Offered') echo 'checked'; ?>> Offered</label>
          <label><input type="radio" name="application_status" value="Rejected" <?php
if ($applications['application status'] == 'Rejected') echo 'checked'; ?>> Rejected</label>
          <label><input type="radio" name="application_status" value="Hired" <?php if</pre>
($applications['application_status'] == 'Hired') echo 'checked'; ?>> Hired</label>
       </div>
       <label for="applied_date">Date Applied:</label>
       <input type="date" name="applied_date" id="applied_date" value="<?php echo</pre>
$applications['applied_date']; ?>" required>
       <label for="source">Source:</label>
       <input type="text" name="source" id="source" value="<?php echo</pre>
$applications['source']; ?>" required>
       <label for="salary">Salary:</label>
       <input type="text" name="salary" id="salary" value="<?php echo</pre>
$applications['salary']; ?>">
       <label for="notes">Notes:</label>
       <textarea name="notes" id="notes" rows="4"><?php echo $applications['notes'];
?></textarea>
       <label for="attachment">Attachment (Resume, etc.):</label>
       <input type="file" name="attachment" id="attachment">
       <button type="submit">Update Application</button>
     </form>
  </div>
</body>
</html>
Interview_prep.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
```

```
// Handle file upload
if ($ SERVER['REQUEST METHOD'] == 'POST' && isset($ FILES['mock file'])) {
  $title = $mysqli->real_escape_string($_POST['title']);
  $file = $ FILES['mock file'];
  $targetDir = "uploads/mock_interviews/";
  // Ensure the directory exists
  if (!file_exists($targetDir)) {
    mkdir($targetDir, 0777, true);
  $filename = basename($file['name']);
  $targetFile = $targetDir . time() . "_" . $filename;
  // Move the file to the target directory
  if (move_uploaded_file($file['tmp_name'], $targetFile)) {
    $stmt = $mysqli->prepare("INSERT INTO mock_interviews (title, file_path)
VALUES (?, ?)");
    $stmt->bind_param("ss", $title, $targetFile);
    $stmt->execute();
    $stmt->close();
  }
}
// Handle file deletion
if (isset($ GET['delete'])) {
  $id = intval($_GET['delete']);
  $res = $mysqli->query("SELECT file_path FROM mock_interviews WHERE id =
$id");
  if ($row = $res->fetch_assoc()) {
    // Delete the file from the server
    if (file_exists($row['file_path'])) {
       unlink($row['file_path']);
    // Delete the record from the database
    $mysqli->query("DELETE FROM mock_interviews WHERE id = $id");
}
$uploads = $mysqli->query("SELECT * FROM mock_interviews ORDER BY
uploaded at DESC");
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Interview Prep</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
  <style>
    body {
      background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237,
126),rgb(191, 203, 121));
      margin: 0;
      font-family: Arial, sans-serif;
    }
    .text-dark { color:rgb(221, 112, 149); }
  </style>
</head>
<body>
<div class="max-w-6xl mx-auto">
  <!-- Navbar/Header -->
  <header class="fixed w-full top-0 left-0 bg-white shadow-md z-50">
    <div class="flex items-center justify-between p-4 mb-6">
      <h1 class="text-2xl font-bold text-dark"> Dob Application Tracker</h1>
      <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
         <a href="applications.php">Applications</a>
         <a href="saved_jobs.php">Saved Jobs</a>
         <a href="calendar.php">Calendar</a>
         <a href="resume_bank.php">Resume Bank</a>
         <a href="analytics.php">Analytics</a>
         <a href="interview_prep.php" class="font-semibold border-b-2 border-black">- border-black</a>
text-dark">Interview Prep</a>
        <a href="upcoming_interviews.php">Upcoming Interviews</a>
         <a href="settings.php">Settings</a>
      </nav>
    </div>
  </header>
  <!-- Main Content -->
  <div class="mt-20 bg-white p-6 rounded-xl shadow-md space-y-8">
    <section>
      <h2 class="text-2xl font-bold text-dark mb-4">□ Interview Preparation</h2>
      Get ready to ace your interviews with top
questions and tips!
      <!-- Common Questions -->
      <div class="mb-6">
         <h3 class="text-xl font-semibold text-dark mb-2"> Common Interview
Questions</h3>
        Tell me about yourself.
           Why do you want to work for our company?
```

```
Describe a challenge you've faced and how you handled it.
          Where do you see yourself in 5 years?
          Why should we hire you?
          Tell me about a successful project you worked on.
        </div>
      <!-- Tips Section -->
      <div class="mb-6">
        <h3 class="text-xl font-semibold text-dark mb-2">\Q Tips for Success</h3>
        Research the company and the role thoroughly.
          Practice answering questions out loud or with a friend.
          Dress professionally, even for virtual interviews.
          Prepare questions to ask the interviewer.
          Use the STAR method for behavioral questions.
          Be confident, but not arrogant.
          Follow up with a thank-you email after the interview.
        </div>
      <!-- Resources -->
      <div>
        <h3 class="text-xl font-semibold text-dark mb-2"> Resources</h3>
        <a href="https://www.geeksforgeeks.org/hr-interview-questions/"</a>
target=" blank" class="underline">GeeksforGeeks HR Questions</a>
          <a href="https://www.interviewbit.com/hr-interview-questions/"</a>
target=" blank" class="underline">InterviewBit Interview Questions</a>
          <a href="https://www.linkedin.com/learning/" target="_blank"</li>
class="underline">LinkedIn Learning</a>
          <a href="https://www.pramp.com/" target="_blank"</li>
class="underline">Pramp - Practice Interviews</a>
        </div>
    </section>
    <!-- Upload Form -->
    <section>
      <h3 class="text-xl font-semibold text-dark mb-4">₩ Upload Your Mock
Interviews</h3>
      <form method="POST" enctype="multipart/form-data" class="space-y-4 bg-gray-
50 p-4 rounded-lg">
        <input type="text" name="title" placeholder="Enter title" required class="w-
full p-2 border border-gray-300 rounded">
        <input type="file" name="mock file" required class="w-full">
```

What are your strengths and weaknesses?

```
<button type="submit" class="bg-blue-600 text-white px-4 py-2 rounded
hover:bg-blue-700">Upload</button>
     </form>
   </section>
   <!-- Uploaded Files -->
   <section>
     <h3 class="text-xl font-semibold text-dark mb-4">  Uploaded Mock
Interviews</h3>
     <?php if ($uploads && $uploads->num_rows > 0): ?>
       <thead class="bg-gray-100 text-gray-700">
           Title
            Uploaded At
            Actions
           </thead>
         <?php while ($row = $uploads->fetch_assoc()): ?>
           <?php echo htmlspecialchars($row['title']);
?>
            <?php echo $row['uploaded_at']; ?>
            <a href="<?php echo $row['file_path']; ?>" target="_blank"
class="bg-green-600 text-white px-3 py-1 rounded hover:bg-green-700">View</a>
              <a href="?delete=<?php echo $row['id']; ?>" onclick="return
confirm('Are you sure you want to delete this file?')" class="bg-red-600 text-white px-3"
py-1 rounded hover:bg-red-700">Delete</a>
            <?php endwhile; ?>
         <?php else: ?>
       No mock interviews uploaded yet.
     <?php endif; ?>
   </section>
 </div>
</div>
</body>
</html>
Login.php
<?php
session_start();
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
```

```
if ($mysqli->connect error) {
  die("Connection failed: " . $mysqli->connect_error);
$message = "; // Initialize message variable
// Handle form submission
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
  $email = $mysqli->real_escape_string($_POST['email']);
  $password = $_POST['password'];
  // Query to find the user by email
  $query = "SELECT id, name, password FROM users WHERE email = '$email'";
  $result = $mysqli->query($query);
  if (sesult->num_rows > 0) {
    $user = $result->fetch_assoc();
    // Verify password
    if (password_verify($password, $user['password'])) {
       // Store user data in session
       $_SESSION['user_id'] = $user['id'];
       $_SESSION['user_name'] = $user['name'];
       // Redirect to the home page or dashboard
       header("Location: index.php");
       exit:
     } else {
       $message = "Incorrect password. Please try again.";
  } else {
    $message = "No user found with this email.";
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Login</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
  <style>
    body {
       background: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
```

```
rgb(191, 203, 121));
       margin: 0;
       font-family: Arial, sans-serif;
       height: 100vh; /* Full viewport height */
       display: flex;
      justify-content: center;
       align-items: center;
    .text-dark { color: #2C2C2C; }
  </style>
</head>
<body>
<div class="max-w-6xl mx-auto">
  <!-- Heading -->
  <h1 class="text-4xl font-bold text-dark text-center my-8">Job Application
Tracker</h1>
  <!-- Login Content -->
  <div class="bg-white p-6 rounded-xl shadow-md space-y-8 w-full max-w-md">
    <section>
       <h2 class="text-2xl font-bold text-dark mb-4"> \text{\text} Login</h2>
       <!-- Message Display -->
       <?php if ($message): ?>
         <div class="bg-red-100 text-red-800 p-4 rounded-lg mb-4">
           <?php echo $message; ?>
         </div>
       <?php endif; ?>
       <!-- Login Form -->
       <form method="POST" class="space-y-4 bg-gray-50 p-4 rounded-lg">
         <input type="email" name="email" required class="w-full p-2 border border-
gray-300 rounded" placeholder="Your Email">
         <input type="password" name="password" required class="w-full p-2 border</pre>
border-gray-300 rounded" placeholder="Password">
         <button type="submit" class="bg-blue-600 text-white px-4 py-2 rounded
hover:bg-blue-700">Login</button>
       </form>
       <!-- Redirect to sign-up page -->
       Don't have an account? <a</pre>
href="signup.php" class="text-blue-600 hover:underline">Sign up here</a>
    </section>
  </div>
</div>
</body>
</html>
```

```
Remove_saved_job.php
<?php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
}
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST['saved_id'])) {
  $saved_id = intval($_POST['saved_id']);
  $stmt = $mysqli->prepare("DELETE FROM saved jobs WHERE saved id = ?");
  $stmt->bind_param("i", $saved_id);
  $stmt->execute();
  $stmt->close();
}
$mysqli->close();
header("Location: saved_jobs.php");
exit;
resume_bank.php
<?php
// resume_bank.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: ". $mysqli->connect error);
}
$query = "SELECT * FROM resumes ORDER BY uploaded at DESC";
$result = $mysqli->query($query);
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Resume Bank</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <style>
  body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
```

```
overflow-x: hidden;
  header {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   z-index: 50;
   background: white; /* Ensures header remains visible */
   box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
  main {
   margin-top: 80px; /* Adjust for fixed header height */
  .text-dark { color: rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
  .btn-delete {
   background-color: #ef4444;
   color: white;
   padding: 4px 10px;
   border-radius: 4px;
  .btn-delete:hover {
   background-color: #dc2626;
  .btn-view {
   background-color: #2563eb;
   color: white;
   padding: 4px 10px;
   border-radius: 4px;
  .btn-view:hover {
   background-color: #1d4ed8;
 </style>
</head>
<body>
 <div class="max-w-7xl mx-auto">
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
  <!-- Navbar/Header -->
  <header class="w-full top-0 left-0">
    <div class="flex items-center justify-between p-4 mb-6">
       <h1 class="text-2xl font-bold text-dark"> Dob Application Tracker</h1>
       <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
```

```
<a href="applications.php">Applications</a>
       <a href="saved_jobs.php">Saved_Jobs</a>
       <a href="calendar.php">Calendar</a>
       <a href="resume bank.php"class="font-semibold border-b-2 border-black text-
dark">Resume Bank</a>
       <a href="analytics.php">Analytics</a>
       <a href="interview prep.php" >Interview Prep</a>
       <a href="upcoming interviews.php">Upcoming Interviews</a>
       <a href="settings.php">Settings</a>
     </nav>
   </div>
 </header>
 <main>
 <!-- Content -->
 <div class="bg-white p-6 rounded-xl shadow-md">
  <div class="flex justify-between items-center mb-4">
   <h2 class="text-xl font-bold text-dark"> \bigcap \text{Resume Bank</h2>
   <a href="upload_resume.php" class="bg-orange-500 hover:bg-orange-600 text-white"
font-medium py-2 px-4 rounded">
    + Upload Resume
   </a>
  </div>
  <thead class="bg-gray-100 text-gray-700">
    Resume ID
     Candidate Name
     Position
     Uploaded At
     Actions
    </thead>
   <?php while($row = $result->fetch_assoc()): ?>
    <?php echo htmlspecialchars($row['resume_id']); ?>
     <?php echo htmlspecialchars($row['candidate name']);
?>
     <?php echo htmlspecialchars($row['position']); ?>
     <?php echo htmlspecialchars($row['uploaded_at']);
?>
     <a href="uploads/resumes/<?php echo rawurlencode($row['file_path']); ?>"
target=" blank" class="btn-view"> View</a>
```

```
<form method="POST" action="delete_resume.php" style="display:inline;">
         <input type="hidden" name="resume id" value="<?php echo</pre>
$row['resume_id']; ?>">
         <button type="submit" class="btn-delete" onclick="return confirm('Are you
sure you want to delete this resume?')"> Delete</button>
        </form>
       <?php endwhile; ?>
    </div>
 </div>
</body>
</html>
Save_job.php
<?php
// save job.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
}
if (isset($_GET['application_id'])) {
  $application_id = intval($_GET['application_id']);
  // Check if already saved
  $check = $mysqli->query("SELECT * FROM saved_jobs WHERE application_id =
$application id");
  if ($check && $check->num_rows > 0) {
    header("Location: saved_jobs.php?msg=already_saved");
    exit();
  }
  $stmt = $mysqli->prepare("INSERT INTO saved_jobs (application_id) VALUES (?)");
  $stmt->bind_param("i", $application_id);
  $stmt->execute();
  $stmt->close();
}
header("Location: saved_jobs.php?msg=saved");
exit();
?>
Save_schedule.php
<?php
```

```
$conn = new mysqli("localhost", "root", "", "job_tracker");
if ($conn->connect error) die("Connection failed: " . $conn->connect error);
$date = $ POST['schedule date'];
$title = $_POST['title'];
$desc = $_POST['description'];
$stmt = $conn->prepare("INSERT INTO schedules (schedule_date, title, description)
VALUES (?, ?, ?)");
$stmt->bind_param("sss", $date, $title, $desc);
$stmt->execute();
header("Location: calendar.php");
?>
Saved_jobs.php
<?php
// saved_jobs.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect error) {
  die("Connection failed: " . $mysqli->connect_error);
$query = "SELECT s.saved_id, a.job_title, a.company_name, a.location, a.job_type,
s.saved at
      FROM saved_jobs s
      JOIN applications a ON s.application_id = a.application_id
      ORDER BY s.saved at DESC";
$result = $mysqli->query($query);
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Saved Jobs</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <style>
   body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
   overflow-x: hidden;
```

```
header {
 position: fixed;
 top: 0;
 left: 0;
 width: 100%;
 z-index: 50;
 background: white; /* Ensures header remains visible */
 box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
main {
 margin-top: 80px; /* Adjust for fixed header height */
.text-dark { color: rgb(221, 112, 149); }
.btn-orange { background-color: #FF5722; color: white; }
table {
 width: 100%;
 border-collapse: collapse;
 background-color: white;
 box-shadow: 0 2px 10px rgba(0, 0, 0, 0.05);
 border-radius: 12px;
 overflow: hidden;
th, td {
 padding: 14px 16px;
 text-align: left;
 border-bottom: 1px solid #E0E0E0;
th {
 background-color: #F7F9FC;
 color: #2C2C2C;
 font-weight: 600;
tr:hover {
 background-color: #F3F4F6;
.action-buttons {
 display: flex;
 gap: 8px;
.apply-btn {
 background-color: #7ED6DF;
 color: #2C2C2C;
```

```
font-weight: 500;
   padding: 6px 12px;
   border: none;
   border-radius: 6px;
   cursor: pointer;
   transition: background-color 0.2s;
  .apply-btn:hover {
   background-color: #6FC8CF;
  .remove-btn {
   background-color: #FF7675;
   color: white;
   font-weight: 500;
   padding: 6px 12px;
   border: none;
   border-radius: 6px;
   cursor: pointer;
   transition: background-color 0.2s;
  .remove-btn:hover {
   background-color: #E55B5B;
  </style>
</head>
<body class="min-h-screen p-4 font-sans">
 <div class="max-w-7xl mx-auto">
  <!-- Navbar/Header -->
  <header class="w-full top-0 left-0">
    <div class="flex items-center justify-between p-4 mb-6">
       <h1 class="text-2xl font-bold text-dark"> Dob Application Tracker</h1>
       <nav class="space-x-4 text-gray-700 text-sm">
         <a href="index.php">Home</a>
         <a href="applications.php">Applications</a>
         <a href="saved_jobs.php"class="font-semibold border-b-2 border-black text-
dark">Saved Jobs</a>
         <a href="calendar.php">Calendar</a>
         <a href="resume_bank.php">Resume Bank</a>
         <a href="analytics.php">Analytics</a>
         <a href="interview_prep.php" >Interview Prep</a>
         <a href="upcoming interviews.php">Upcoming Interviews</a>
         <a href="settings.php">Settings</a>
       </nav>
    </div>
  </header>
```

```
<main>
  <div class="bg-white p-6 rounded-xl shadow-md">
   <h2 class="text-xl font-bold text-dark mb-4">  Saved Jobs</h2>
   <?php if ($result && $result->num_rows > 0): ?>
   <div class="overflow-x-auto rounded-xl">
    <thead>
      Job Title
       Company
       Location
       Job Type
       Date Saved
       Actions
      </thead>
     <?php while($row = $result->fetch assoc()): ?>
      <!= htmlspecialchars($row['job_title']) ?>
       <?= htmlspecialchars($row['company_name']) ?>
       <?= htmlspecialchars($row['location']) ?>
       <?= htmlspecialchars($row['job_type']) ?>
       <?= htmlspecialchars($row['saved_at']) ?>
       <button class="apply-btn" onclick="alert('Redirect to application page or open</pre>
modal');">Apply</button>
        <form method="POST" action="remove_saved_job.php"</pre>
style="display:inline;">
         <input type="hidden" name="saved_id" value="<?= $row['saved_id'] ?>">
         <button type="submit" class="remove-btn">Remove</button>
        </form>
       <?php endwhile; ?>
     </div>
   <?php else: ?>
   No saved jobs found.
   <?php endif; ?>
  </div>
 </div>
</body>
</html>
```

```
Signup.php
<?php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
$message = "; // Initialize message variable
// Handle form submission
if ($ SERVER['REQUEST METHOD'] == 'POST') {
  $name = $mysqli->real_escape_string($_POST['name']);
  $email = $mysqli->real_escape_string($_POST['email']);
  $password = $_POST['password'];
  // Hash the password
  $hashedPassword = password_hash($password, PASSWORD_DEFAULT);
  // Check if email already exists
  $query = "SELECT id FROM users WHERE email = '$email'";
  $result = $mysqli->query($query);
  if (\$result->num rows > 0) {
    $message = "Email already exists. Please use another email.";
  } else {
    // Insert the new user into the database
    $query = "INSERT INTO users (name, email, password) VALUES ('$name',
'$email', '$hashedPassword')";
    if ($mysqli->query($query) === TRUE) {
       $message = "Account created successfully. You can now log in.";
       $message = "Error: " . $mysqli->error;
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Sign Up</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
  <style>
    body {
```

```
background: linear-gradient(to bottom right, #FFE3D3, rgb(239, 237, 126),
rgb(191, 203, 121));
       margin: 0;
       font-family: Arial, sans-serif;
       height: 100vh; /* Full viewport height */
       display: flex;
       justify-content: center;
       align-items: center;
    .text-dark { color: #2C2C2C; }
  </style>
</head>
<body>
<div class="max-w-6xl mx-auto">
  <!-- Heading -->
  <h1 class="text-4xl font-bold text-dark text-center my-8">Job Application
Tracker</h1>
  <!-- Signup Content -->
  <div class="bg-white p-6 rounded-xl shadow-md space-y-8 w-full max-w-md">
    <section>
       <h2 class="text-2xl font-bold text-dark mb-4">\overline{\pi} \text{ Sign Up</h2>
       <!-- Message Display -->
       <?php if ($message): ?>
         <div class="bg-red-100 text-red-800 p-4 rounded-lg mb-4">
            <?php echo $message; ?>
         </div>
       <?php endif; ?>
       <!-- Sign Up Form -->
       <form method="POST" class="space-y-4 bg-gray-50 p-4 rounded-lg">
         <input type="text" name="name" required class="w-full p-2 border border-
gray-300 rounded" placeholder="Your Name">
         <input type="email" name="email" required class="w-full p-2 border border-
gray-300 rounded" placeholder="Your Email">
         <input type="password" name="password" required class="w-full p-2 border</pre>
border-gray-300 rounded" placeholder="Password">
         <button type="submit" class="bg-blue-600 text-white px-4 py-2 rounded
hover:bg-blue-700">Sign Up</button>
       </form>
       <!-- Redirect to login page -->
       Already have an account? <a</pre>
href="login.php" class="text-blue-600 hover:underline">Login here</a>
    </section>
  </div>
</div>
```

```
</body>
</html>
Upcoming_interviews.php
<?php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
}
$result = $mysqli->query("SELECT * FROM applications WHERE application_status =
'Interview' ORDER BY applied_date DESC");
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Upcoming Interviews</title>
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
 <style>
body {
   background: linear-gradient(to bottom right, #FFE3D3,rgb(239, 237, 126),rgb(191,
203, 121));
   margin: 0;
   padding-top: 60px; /* Space for fixed header */
   overflow-x: hidden;
  header {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   z-index: 50;
   background: white; /* Ensures header remains visible */
   box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1); /* Optional: for shadow effect */
  main {
   margin-top: 80px; /* Adjust for fixed header height */
  .text-dark { color: rgb(221, 112, 149); }
  .btn-orange { background-color: #FF5722; color: white; }
 </style>
</head>
<body class="min-h-screen p-4 font-sans">
```

```
<div class="max-w-7xl mx-auto">
 <!-- Navbar/Header -->
 <header class="w-full top-0 left-0">
   <div class="flex items-center justify-between p-4 mb-6">
     <h1 class="text-2xl font-bold text-dark"> Job Application Tracker</h1>
     <nav class="space-x-4 text-gray-700 text-sm">
       <a href="index.php">Home</a>
       <a href="applications.php">Applications</a>
       <a href="saved_jobs.php">Saved Jobs</a>
       <a href="calendar.php">Calendar</a>
       <a href="resume_bank.php">Resume Bank</a>
       <a href="analytics.php">Analytics</a>
       <a href="interview_prep.php" >Interview Prep</a>
       <a href="upcoming_interviews.php"class="font-semibold border-b-2 border-
black text-dark">Upcoming Interviews</a>
       <a href="settings.php">Settings</a>
     </nav>
   </div>
 </header>
 <main>
 <div class="bg-white p-6 rounded-xl shadow-md">
  <h2 class="text-xl font-semibold mb-4 text-dark">Interviews Scheduled</h2>
  <?php if ($result && $result->num rows > 0): ?>
   <thead>
     Job Title
      Company
      Location
      Job Type
      Applied Date
      Notes
      Actions
     </thead>
    <?php while($row = $result->fetch_assoc()): ?>
      <?= htmlspecialchars($row['job_title']) ?>
       <?= htmlspecialchars($row['company name']) ?>
       <?= htmlspecialchars($row['location']) ?>
       <?= htmlspecialchars($row['job_type']) ?>
       <?= htmlspecialchars($row['applied date']) ?>
       <?= htmlspecialchars($row['notes']) ?>
       <a href="view_application.php?application_id=<?= $row['application_id'] ?>"
```

```
class="text-blue-600 hover:underline">Q View</a>
          <a href="edit_application.php?application_id=<?= $row['application_id'] ?>"
class="text-green-600 hover:underline">  Edit</a>
         <?php endwhile; ?>
     <?php else: ?>
    No upcoming interviews found.
   <?php endif; ?>
  </div>
 </div>
</body>
</html>
View_application.php
$mysqli = new mysqli("localhost", "root", "", "job_tracker");
if ($mysqli->connect_error) {
  die("Connection failed: " . $mysqli->connect_error);
}
$id = isset($_GET['application_id']) ? (int)$_GET['application_id'] : 0;
$stmt = $mysqli->prepare("SELECT * FROM applications WHERE application_id = ?");
if (\$stmt === false) \{
  die("Error preparing the SQL query: " . $mysqli->error);
}
$stmt->bind_param("i", $id);
if (!$stmt->execute()) {
  die("Error executing the query: " . $stmt->error);
$result = $stmt->get_result();
$application = $result->fetch_assoc();
if (!$application) {
  die("Application not found.");
?>
<!DOCTYPE html>
<html lang="en">
<head>
```


```
<meta charset="UTF-8">
  <title>View Application</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
</head>
<body class="min-h-screen flex items-center justify-center"
   style="background: linear-gradient(135deg, #FFE3D3, rgb(239, 237, 126), rgb(191,
203, 121));">
  <div class="max-w-3xl w-full mx-4 sm:mx-auto bg-white rounded-2xl shadow-lg p-8</pre>
border border-gray-200">
    <h2 class="text-3xl font-bold text-green-700 mb-6 text-center">Q Application
Details</h2>
    <div class="grid grid-cols-1 gap-4 text-gray-800">
       <strong>Job Title:</strong> <?php echo
htmlspecialchars($application['job_title']); ?>
       <strong>Company:</strong> <?php echo
htmlspecialchars($application['company_name']); ?>
       <strong>Location:</strong> <?php echo
htmlspecialchars($application['location']); ?>
       <strong>Job Type:</strong> <?php echo
htmlspecialchars($application['job_type']); ?>
       <strong>Status:</strong> <?php echo
htmlspecialchars($application['application_status']); ?>
       <strong>Date Applied:</strong> <?php echo
htmlspecialchars($application['applied_date']); ?>
       <strong>Source:</strong> <?php echo
htmlspecialchars($application['source']); ?>
       <strong>Salary:</strong> <?php echo htmlspecialchars($application['salary']);
?>
       <strong>Notes:</strong> <?php echo
nl2br(htmlspecialchars($application['notes'])); ?>
       <strong>Attachment:</strong>
         <?php
           if (!empty($application['attachment'])):
             $filename = basename($application['attachment']);
             $encodedFilename = rawurlencode($filename);
             $filePath = 'uploads/' . $encodedFilename;
              if (file_exists($filePath)):
                echo '<a href="' . $filePath . "' target="_blank" class="text-blue-600"
hover:underline"> View</a>';
             else:
                echo '<span class="text-red-500">File not found!</span>';
```


```
endif;
else:
echo '-';
endif;
?>


</div>

<div class="mt-6 text-center">
<a href="applications.php" class="text-blue-700 hover:underline font-medium">← Back to Applications</a>
</div>
</div>
</div>
</body>
</body>
</body>
</body>
</body>
```

Output:











Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings




№ Job Application Tracker

Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings



★ Job Application Tracker

Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings




♠ Job Application Tracker

Home Applications Saved Jobs <u>Calendar</u> Resume Bank Analytics Interview Prep Upcoming Interviews Settings




≜ Job Application Tracker


Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings



★ Job Application Tracker

Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings






♠ Job Application Tracker

Home Applications Saved Jobs Calendar Resume Bank Analytics Interview Prep Upcoming Interviews Settings





Reference:

- **R. Elmasri and S. B. Navathe**, *Fundamentals of Database Systems*, 7th ed., Pearson, 2017.
- https://www.mysql.com/
- https://www.jobscan.co/job-tracker
- https://simplify.jobs/job-application-tracker
- https://developer.mozilla.org/

