🏴 Flag 1 – Install Flutter SDK


Objective: Install the Flutter SDK.

Verify:

flutter --version

Screenshot:

- The results of the command





🏴 Flag 2 – Install Android Studio

Objective: Install Android Studio.

Screenshot:

- Android Studio installed
- SDK Manager opened (or Welcome screen)







🏴 Flag 3 – Install VS Code & Flutter Extension

Objective: Install VS Code and the Flutter (which also installs Dart) extension.

Screenshot:

- Flutter extension installed
- Dart extension installed (or shown as installed)





🏴 Flag 4 – Run Flutter Doctor


Objective: Check whether everything is configured correctly.

Run:

flutter doctor

Screenshot:

- flutter doctor results




🏴 Flag 5 – Build Your Virtual Device


Objective: Create your first Android Emulator (AVD).

Screenshot:

- Device Manager
- Your newly created virtual device

- Emulator successfully booted


Device Manager
Name
...
T...
No devices connected.
Add a new device...



🏴 Flag 6 – Forge Your Project


Objective: Create your first Flutter project.

Run:

flutter create my_first_flutter_app

Screenshot:

- Successful creation of project




🏴 Flag 7 – Unlock the Workspace

Objective: Open the project in VS Code.

Screenshot:

- Your project opened in VS Code



🏴 Flag 8 – Launch


Objective: Run your Flutter application.


Run:


flutter run

Screenshot:

- Terminal
- Emulator running
- Default Flutter app


MINGW64:/c/Users/Lenovo/my_first_flutter_app
Lenovo@Arsene MINGW64 ~/my_first_flutter_app
$ flutter run
Launching lib\main.dart on sdk gphone16k x86 64 in debug mode...
Running Gradle task 'assembleDebug'... 58.4s
√ Built build\app\outputs\flutter-apk\app-debug.apk
Installing build\app\outputs\flutter-apk\app-debug.apk... 2,931ms
I/FlutterActivityAndFragmentDelegate(6844): If you are attempting to set --enable-dart-profiling via Intent extras to launch a Flutter component outside of using the Flutter CLI, note that support for setting engine flags on Android via Intent will soon be dropped; see https://github.com/flutter/flutter/issues/180686 for more information on this breaking change. To migrate, set --enable-dart-profiling or any other flags specified via Intent extras on the command line instead or see https://github.com/flutter/flutter/blob/main/docs/engine/Flutter-Android-Engine-Flags.md for alternative methods.
D/FlutterJNI(6844): Beginning load of flutter...
D/FlutterJNI(6844): flutter (null) was loaded normally!
I/flutter (6844): [IMPORTANT:flutter/shell/platform/android/android_context_gl_impeller.cc(104)] Using the Impeller rendering backend (OpenGLES).
D/FlutterRenderer(6844): Width is zero. 0,0
Syncing files to device sdk gphone16k x86 64... 455ms
Flutter run key commands.
r Hot reload.
R Hot restart.


Device Manager
Name
API
Type
Pixel 8
Android 17.0 ("CinnamonBun") | x86_64
37.1-...
Virtual




🏴 Flag 9 – Find the Entry Point

Figure out where the default Flutter page comes from.

Screenshot:

- The location of the file where the default page is from (the one showing on the emulator)




🏴 Flag 10 – Claim Your App

Replace the default screen with:

- Full Name
- Course & Section
- "My First Flutter Application"
- Today's Date

Screenshot:

- Your updated content of the code
- The updated UI



🏴 Flag 11 – Personalize It


Research and implement at least **three** visual changes.

Examples:

- Change the background colour.
- Change the text colour.
- Centre the content.
- Increase font size.
- Add a border or rounded card.
- Change the font.
- Add an emoji or icon.

Screenshot:

- The code changed for personalizing
- The updated UI


my_first_flutter_app
Version Control
Windows (desktop)
main.dart
Project
ios
lib
main.dart
linux
macos
test
web
windows
.gitignore
.metadata
analysis_options.yaml
my_first_flutter_app.iml
pubspec.lock
pubspec.yaml
README.md
External Libraries
Dart Packages
Dart SDK
KotlinJavaRuntime
main.dart
pubspec.yaml
ub get
Pub upgrade
Pub outdated
Flutter doctor
For information on the generic Dc
following page: https://dart.dev/tools/pub
The following section is specific to Flutt
flutter:
The following line ensures that the Mate
included with your application, so that
the material Icons class.
uses-material-design: true
assets:
- assets/Kanade-L.jpg
To add assets to your application, add a
assets:
- images/a_dot_burr.jpeg
- images/a_dot_ham.jpeg
An image asset can refer to one or more
Pixel 8 API 37.1
My First Flutter Application
Carl Joshua Santos
BSIT-3
My First Flutter Application
Kanade Yoisaki
20%
Terminal
Local
I/Surface (6035): Creating surface for consumer da493ba SurfaceView[com.example.my_first_flutter_app/com.example.my_first_flutter_app.MainActivity]#1(BLAST Consumer)1 with slotExpansion=1 for 64 slots
I/rst_flutter_app(6035): Compiler allocated 5567KB to compile void android.view.ViewRootImpl.performTraversals(long)
D/ProfileInstaller(6035): Installing profile for com.example.my_first_flutter_app
I/Choreographer(6035): Skipped 74 frames! The application may be doing too much work on its main thread.
D/FlutterJNI(6035): Sending viewport metrics to the engine.
D/WindowLayoutComponentImpl(6035): Register WindowLayoutInfoListener on Context=com.example.my_first_flutter_app.MainActivity@aaf3261, of which baseContext=android.app.ContextImpl@9842c0c
D/FlutterJNI(6035): Sending viewport metrics to the engine.
D/FlutterJNI(6035): Sending viewport metrics to the engine.
D/InsetsController(6035): hide(ime())
I/ImeTracker(6035): com.example.my_first_flutter_app:921ccb88: onCancelled at PHASE_CLIENT_ALREADY_HIDDEN
my_first_flutter_app
pubspec.yaml
63:12
CRLF
UTF-8
2 spaces
Schema: pubspec.json


9:38
5G
My First Flutter Application
Carl Joshua Santos
BSIT-3
My First Flutter Application
August 4, 2026
Kanade Yoisaki

🏴 Flag 12 – Add an Image

Research how to:

- Create an `assets` folder
- Register assets
- Display an image

Screenshot:

- The steps it took to add an image
- The updated UI



