新增MPP程序

本章节展示如何新增MPP程序。主要展示新增文件内容及位置。

1.修改Makefile文件

package/allwinner/eyesee-mpp/middleware/Makefile

```
export MPPCFG_SAMPLE_HELLO
ifeq ($(CONFIG_mpp_sample_hello_100ask),y)
        MPPCFG_SAMPLE_HELLO_100ASK := Y
else
        MPPCFG_SAMPLE_HELLO_100ASK := N
endif
```

2.修改Config.in文件

package/allwinner/eyesee-mpp/middleware/Config.in

```
config mpp_sample_hello_100ask
        bool "mpp sample hello 100ask"
        depends on mpp_sample
        help
          mpp sample hello 100ask.
```

2.修改tina.mk文件

external/eyesee-mpp/middleware/sun8iw21/sample/tina.mk

```
ifeq ($(TARGET), sample_hello_100ask)
SRCCS := sample_hello_100ask/sample_hello_100ask.c
LOCAL_TARGET_BIN := sample_hello_100ask/sample_hello_100ask
endif
```

external/eyesee-mpp/middleware/sun8iw21/tina.mk

```
ifeq ($(MPPCFG_SAMPLE_HELLO_100ASK),Y)
        make -C sample -f tina.mk TARGET=sample_hello_100ask  all
endif
```

3.新建MPP程序

```
ubuntu@ubuntu1804:~/tina-v853-100ask/external/eyesee-mpp/middleware/sun8iw21/sample$ ls sample_hello_100ask/
sample_hello_100ask      sample_hello_100ask.c.o      sample_hello.h
sample_hello_100ask.c    sample_hello_100ask.c.o.d
```