1

ASSIGNMENT-1

AI1110:Probability and random variables

K.PRUDHVI CS22BTECH11031

12.13.1.10

QUESTION: Given that the two numbers appearing on throwing two dice are different. Find the probability of the event 'the sum of numbers on the dice is 4'.

ANSWER: $\frac{1}{15}$

SOLUTION:Let S be the sample space of the event.

$$S = \begin{bmatrix} (1,1) & (2,1) & (3,1) & (4,1) & (5,1) & (6,1) \\ (2,1) & (2,2) & (3,2) & (4,2) & (5,2) & (6,2) \\ (3,1) & (2,3) & (3,3) & (4,3) & (5,3) & (6,3) \\ (4,1) & (2,4) & (3,4) & (4,4) & (5,4) & (6,4) \\ (5,1) & (2,5) & (3,5) & (4,5) & (5,5) & (6,5) \\ (6,1) & (2,6) & (3,6) & (4,6) & (5,6) & (6,6) \end{bmatrix}$$

n(S) = 36

Let X be a random variable represents the event "the sum of numbers on the dice".

Let X_1, X_2 represents the numbers on each dice respectively.

Parameter	Value	Description
X	$2 \le X \le 12$	Sum of the numbers on two dice
X_1	$1 \le X_1 \le 6$	Number on die 1
X_2	$1 \le X_2 \le 6$	Number on die 2

TABLE 0 DEFINITIONS

$$X = X_1 + X_2 \tag{2}$$

$$p_X(n) = \begin{cases} 0 & n < 1\\ \frac{n-1}{36} & 2 \le n \le 7\\ \frac{13-n}{36} & 7 < n \le 12\\ 0 & n > 12 \end{cases}$$
 (3)

Here n=4,

$$p_X(4) = \frac{3}{36} \tag{4}$$

Given that $X_1 \neq X_2$

$$(X_1 = X_2) = \{(1, 1), (2, 2), (3, 3), (4, 4), (5, 5), (6, 6)\}$$
(5)

$$n(X_1 = X_2) = 6 (6)$$

$$Pr(X_1 \neq X_2) = 1 - Pr(X_1 = X_2)$$
 (7)

$$From(6)$$
 (8)

$$=1-\frac{6}{36}$$
 (9)

$$=\frac{30}{36}$$
 (10)

$$(X = 4) \cap (X_1 \neq X_2) = \{(1, 3), (3, 1)\}\$$
 (11)

$$n((X = 4) \cap (X_1 \neq X_2)) = 2 \tag{12}$$

$$\Pr((X=4) \cap (X_1 \neq X_2)) = \frac{2}{36}$$
 (13)

Sum	Numbers(X_1, X_2)
4	(1,3)
4	(3,1)

TABLE 0
Values satisfying given condition

Hence required probability is,

$$\Pr((X=4)|(X_1 \neq X_2)) = \frac{\Pr((X=4) \cap (X_1 \neq X_2))}{\Pr(X_1 \neq X_2)}$$
(14)

Substituting (10) and (13) in (14)

$$\Pr\left((X=4)|(X_1 \neq X_2)\right) = \frac{\frac{2}{36}}{\frac{30}{36}} = \frac{2}{30} = \frac{1}{15}$$
 (15)