




OSPF - Open Shortest Path First AS 18






Fig 1. Probe 10 traceroute packet capture-r1 to r2




Fig 2.10 probe traceroute packet capture and Wireshark icmp packet capture. R1 to R5

```
R1
192.168.12.2 28 msec
192.168.15.5 36 msec
192.168.12.2 20 msec
192.168.15.5 36 msec
192.168.12.2 20 msec
192.168.15.5 32 msec
192.168.12.2 24 msec
2 192.168.35.3 60 msec
192.168.23.3 60 msec
192.168.35.3 56 msec
192.168.23.3 64 msec
192.168.35.3 72 msec
192.168.23.3 48 msec
192.168.35.3 64 msec
192.168.23.3 60 msec
192.168.35.3 72 msec
192.168.23.3 56 msec
3 192.168.34.4 96 msec 84 msec 92 msec 92 msec 92 msec 92 msec 96 msec 96 msec
100 msec 84 msec
R1#traceroute 4.4.4.4 probe 10
Type escape sequence to abort.
Tracing the route to 4.4.4.4
VRF info: (vrf in name/id, vrf out name/id)
 1 192.168.15.5 20 msec
192.168.12.2 28 msec
192.168.15.5 32 msec
192.168.12.2 24 msec
192.168.15.5 32 msec
192.168.12.2 24 msec
192.168.15.5 28 msec
192.168.12.2 36 msec
192.168.15.5 28 msec
192.168.12.2 28 msec
2 192.168.35.3 56 msec
192.168.23.3 60 msec
192.168.35.3 60 msec
192.168.23.3 68 msec
192.168.35.3 52 msec
192.168.23.3 52 msec
192.168.35.3 68 msec
192.168.23.3 60 msec
192.168.35.3 68 msec
192.168.23.3 44 msec
3 192.168.34.4 108 msec 84 msec 92 msec 108 msec 84 msec 88 msec 92 msec 92 ms
ec 92 msec 100 msec
R1#
```

Fig: 10 Probe traceroute from R1 to R4
Demonstrating OSPF ECMP Path Selection