




Console

GNS3 management console.
 Running GNS3 version 2.2.61 on Windows (64-bit) with Python 3.13.14 Qt 6.10.0 and PyQt 6.10.2.
 Copyright (c) 2006-2026 GNS3 Technologies.
 Use Help -> GNS3 Doctor to detect common issues.

=>

PC1 x PC2 R1 R2

```
*10.10.10.1 icmp_seq=2 ttl=255 time=16.042 ms (ICMP type:3, code:1, Destination
*10.10.10.1 icmp_seq=3 ttl=255 time=16.021 ms (ICMP type:3, code:1, Destination
*10.10.10.1 icmp_seq=4 ttl=255 time=15.421 ms (ICMP type:3, code:1, Destination
*10.10.10.1 icmp_seq=5 ttl=255 time=15.425 ms (ICMP type:3, code:1, Destination

PC1> ping 203.0.110.10
84 bytes from 203.0.110.10 icmp_seq=1 ttl=255 time=15.534 ms
84 bytes from 203.0.110.10 icmp_seq=2 ttl=255 time=15.677 ms
84 bytes from 203.0.110.10 icmp_seq=3 ttl=255 time=16.426 ms
84 bytes from 203.0.110.10 icmp_seq=4 ttl=255 time=15.595 ms
84 bytes from 203.0.110.10 icmp_seq=5 ttl=255 time=16.095 ms

PC1> ping 20.20.20.20
20.20.20.20 icmp_seq=1 timeout
84 bytes from 20.20.20.20 icmp_seq=2 ttl=62 time=61.207 ms
84 bytes from 20.20.20.20 icmp_seq=3 ttl=62 time=59.982 ms
84 bytes from 20.20.20.20 icmp_seq=4 ttl=62 time=62.662 ms
84 bytes from 20.20.20.20 icmp_seq=5 ttl=62 time=62.855 ms

PC1> █
```

PC1 x PC2 R1 R2

```
*20.20.20.1 icmp_seq=2 ttl=255 time=14.934 ms (ICMP type:3, code:1, Destination
*20.20.20.1 icmp_seq=3 ttl=255 time=15.584 ms (ICMP type:3, code:1, Destination
*20.20.20.1 icmp_seq=4 ttl=255 time=15.891 ms (ICMP type:3, code:1, Destination
*20.20.20.1 icmp_seq=5 ttl=255 time=16.448 ms (ICMP type:3, code:1, Destination

PC2> ping 203.0.110.10
84 bytes from 203.0.110.10 icmp_seq=1 ttl=254 time=45.836 ms
84 bytes from 203.0.110.10 icmp_seq=2 ttl=254 time=45.577 ms
84 bytes from 203.0.110.10 icmp_seq=3 ttl=254 time=46.651 ms
84 bytes from 203.0.110.10 icmp_seq=4 ttl=254 time=46.923 ms
84 bytes from 203.0.110.10 icmp_seq=5 ttl=254 time=47.696 ms

PC2> ping 10.10.10.10
84 bytes from 10.10.10.10 icmp_seq=1 ttl=62 time=48.158 ms
84 bytes from 10.10.10.10 icmp_seq=2 ttl=62 time=61.666 ms
84 bytes from 10.10.10.10 icmp_seq=3 ttl=62 time=61.458 ms
84 bytes from 10.10.10.10 icmp_seq=4 ttl=62 time=63.473 ms
84 bytes from 10.10.10.10 icmp_seq=5 ttl=62 time=61.118 ms

PC2> █
```

Capturing from Standard input [R1 GigabitEthernet3/0 to R2 GigabitEthernet3/0]						
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help						
Apply a display filter ... <Ctrl-/>						
No.	Time	Source	Destination	Protocol	Length	Info
186	770.491374	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
187	774.446588	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
188	780.499908	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
189	781.709202	ca:01:16:b8:00:54	CDP/VTP/DTP/PAgP/UD...	CDP	379	Device ID: HYD Port ID: GigabitEthernet3/0
190	784.452488	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
191	788.097474	20.20.20.20	203.0.110.10	ICMP	98	Echo (ping) request id=0x7b32, seq=1/256, ttl=63 (reply in 192)
192	788.113093	203.0.110.10	20.20.20.20	ICMP	98	Echo (ping) reply id=0x7b32, seq=1/256, ttl=255 (request in 191)
193	789.171799	20.20.20.20	203.0.110.10	ICMP	98	Echo (ping) request id=0x7c32, seq=2/512, ttl=63 (reply in 194)
194	789.186837	203.0.110.10	20.20.20.20	ICMP	98	Echo (ping) reply id=0x7c32, seq=2/512, ttl=255 (request in 193)
195	790.247267	20.20.20.20	203.0.110.10	ICMP	98	Echo (ping) request id=0x7d32, seq=3/768, ttl=63 (reply in 196)
196	790.262958	203.0.110.10	20.20.20.20	ICMP	98	Echo (ping) reply id=0x7d32, seq=3/768, ttl=255 (request in 195)
197	790.508387	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
198	791.305294	20.20.20.20	203.0.110.10	ICMP	98	Echo (ping) request id=0x7e32, seq=4/1024, ttl=63 (reply in 199)
199	791.320597	203.0.110.10	20.20.20.20	ICMP	98	Echo (ping) reply id=0x7e32, seq=4/1024, ttl=255 (request in 198)
200	792.088633	ca:02:29:cc:00:54	CDP/VTP/DTP/PAgP/UD...	CDP	379	Device ID: BLR Port ID: GigabitEthernet3/0
201	792.381264	20.20.20.20	203.0.110.10	ICMP	98	Echo (ping) request id=0x7f32, seq=5/1280, ttl=63 (reply in 202)
202	792.396378	203.0.110.10	20.20.20.20	ICMP	98	Echo (ping) reply id=0x7f32, seq=5/1280, ttl=255 (request in 201)
203	794.456783	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
204	800.520492	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
205	804.465836	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
206	810.525044	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
207	814.464943	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
208	817.291374	203.0.110.10	203.0.110.20	ISAKMP	206	Identity Protection (Main Mode)
209	817.337638	203.0.110.20	203.0.110.10	ISAKMP	146	Identity Protection (Main Mode)
210	817.353341	203.0.110.10	203.0.110.20	ISAKMP	318	Identity Protection (Main Mode)
211	817.383890	203.0.110.20	203.0.110.10	ISAKMP	338	Identity Protection (Main Mode)
212	817.415004	203.0.110.10	203.0.110.20	ISAKMP	134	Identity Protection (Main Mode)
213	817.429842	203.0.110.20	203.0.110.10	ISAKMP	110	Identity Protection (Main Mode)
214	817.444934	203.0.110.10	203.0.110.20	ISAKMP	214	Quick Mode
215	817.475418	203.0.110.20	203.0.110.10	ISAKMP	214	Quick Mode
216	817.551230	203.0.110.10	203.0.110.20	ISAKMP	94	Quick Mode
217	819.299294	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
218	819.329669	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
219	820.373522	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
220	820.404941	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)

> Frame 1: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface -, id 0

0000 ca 01 16 b8 00 54 ca 01 16 b8 00 54 90 00 00 00T... ..T....

Capturing from Standard input [R1 GigabitEthernet3/0 to R2 GigabitEthernet3/0]

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
206	810.525044	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
207	814.464943	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
208	817.291374	203.0.110.10	203.0.110.20	ISAKMP	206	Identity Protection (Main Mode)
209	817.337638	203.0.110.20	203.0.110.10	ISAKMP	146	Identity Protection (Main Mode)
210	817.353341	203.0.110.10	203.0.110.20	ISAKMP	318	Identity Protection (Main Mode)
211	817.383890	203.0.110.20	203.0.110.10	ISAKMP	338	Identity Protection (Main Mode)
212	817.415004	203.0.110.10	203.0.110.20	ISAKMP	134	Identity Protection (Main Mode)
213	817.429842	203.0.110.20	203.0.110.10	ISAKMP	110	Identity Protection (Main Mode)
214	817.444934	203.0.110.10	203.0.110.20	ISAKMP	214	Quick Mode
215	817.475418	203.0.110.20	203.0.110.10	ISAKMP	214	Quick Mode
216	817.551230	203.0.110.10	203.0.110.20	ISAKMP	94	Quick Mode
217	819.299294	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
218	819.329669	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
219	820.373522	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
220	820.404941	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
221	820.528695	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
222	821.438386	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x7f55265d)
223	821.469255	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
224	822.503733	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
225	822.535040	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
226	824.457529	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
227	826.712271	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
228	826.742023	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
229	827.778316	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
230	827.806736	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
231	828.852746	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
232	828.884552	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
233	829.927740	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
234	829.958409	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
235	830.539835	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply
236	831.014582	203.0.110.20	203.0.110.10	ESP	150	ESP (SPI=0x67293d1a)
237	831.045320	203.0.110.10	203.0.110.20	ESP	150	ESP (SPI=0x7f55265d)
238	834.457410	ca:02:29:cc:00:54	ca:02:29:cc:00:54	LOOP	60	Reply
239	837.177154	ca:02:29:cc:00:54	DEC-MOP-Remote-Cons...	0x6002	77	DEC DNA Remote Console
240	840.551051	ca:01:16:b8:00:54	ca:01:16:b8:00:54	LOOP	60	Reply

Wireshark · Packet 217 · Standard input

> Destination: ca:02:29:cc:00:54 (ca:02:29:cc:00:54)

> Source: ca:01:16:b8:00:54 (ca:01:16:b8:00:54)

Type: IPv4 (0x0800)

[Stream index: 6]

> Internet Protocol Version 4, Src: 203.0.110.10, Dst: 203.0.110.20

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

> Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 136

Identification: 0x0027 (39)

> 000. = Flags: 0x0

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 255

Protocol: Encap Security Payload (50)

Header Checksum: 0x48fd [validation disabled]

[Header checksum status: Unverified]

Source Address: 203.0.110.10

Destination Address: 203.0.110.20

[Stream index: 1]

> Encapsulating Security Payload

ESP SPI: 0x7f55265d (2136286813)

ESP Sequence: 1

Protocol (ip.proto), 1 byte

☒ Show packet bytes

Layout: Vertical (Stacked)

Close Help