

MQTT ! " # \$

1. MQTT % ?

¥ MQTT(Message Queuing Telemetry Transport)! " # \$ % & ' .

¥ IoT(() * + ,) - M2M(Machine-to-Machine) . / O 1 2 3 (4 .

¥ 5 6

7 8 9 : & 8 ; < = : > ? @ A B C O 1 D E F G H I J .

7 Pub/Sub K L : M % N O . P Q R(Publish) S T U(Subscribe) V W X % Y Z [9 \ .

7 QoS [E : Y Z [9] ^ / _ ` a b c G ! 3 d [e f (QoS 0, 1, 2) g h .

7 [i j k l m [: PINGREQ/PINGRESP O . n k l o p q * d r .

2. MQTT & ' ()

2.1 * + , - . / O (CONNECT 1 CONNACK)

¥ s t

1. u v B w x d M % N O k l y z

{ CONNECT | } 9] ~ u v B w x ID , * • € b , KeepAlive • € , f .

2. M % N d y z a , * ...! † ‡

{ CONNACK | } ^ % ~ ` h Z k l m [, Š | Z † ‡ < € 9] .

2.2 2 3 4 5 6 (PUBLISH 1 PUBACK/PUBREC/PUBREL/PUBCOMP)

¥ s t

1. uvBwx d M%N% YZ [9] (PUBLISH)
2. QoSO • v M%Nd YZ [q*
{ QoS 0: Ž Z 9] , q* • • .
{ QoS 1: PUBACKX% 9] q* .
{ QoS 2: PUBREC 1 PUBREL 1 PUBCOMP ' 1 % q* .

2.3 234 78 (SUBSCRIBE 1 SUBACK)

¥ s t

1. uvBwx d M%NO 5€ &' TUyz (SUBSCRIBE)
2. M%Nd yz a „ * G" SUBACK ^ %₀₀
{ TUyz O ; n QoS " • a —.
{ TUŠ | Z 0x80 —.

2.4 234 9: (PUBLISH 1 SUBSCRIBERS)

¥ s t

1. M%Nd TU ~ * K™ uvBwx OH YZ [9\
2. QoS O • v ^ %₀₀ q* (QoS 1 ~ PUBACK, QoS 2 ~ PUBREC/PUBREL/PUBCOMP).

2.5 78 ; < (UNSUBSCRIBE 1 UNSUBACK)

¥ s t

1. $uvBwx d \in \mathbb{Z} \cdot J \check{z} FJB \cdot X\ddot{Y} \text{ PINGREQ } 9]$
2. $M\%Nd \text{ UNSUBACK } | \} a \wedge \%G \succ q^*.$

2.6 / O = 4 (PINGREQ 1 PINGRESP)

¥ st

1. $uvBwx d \in \mathbb{Z} \cdot J \check{z} FJB \cdot X\ddot{Y} \text{ PINGREQ } 9]$
2. $M\%Nd \text{ PINGRESP } \wedge \%a b \quad kl B \in oj \mid a q^*.$

2.7 / O >? (DISCONNECT)

¥ st

1. $uvBwx d kl \ a \notin \mathbb{R} \ \text{¥ DISCONNECT } | \} 9]$
2. $M\%N! \ uvBwx \mid \S a \notin.$

3. QoS (Quality of Service)

¥ MQTT! $YZ[\ 9 \setminus / _ \ ` \ a \ bcG \ddot{\cdot} \ \text{©} P3d[\ QoS \ " \cdot a \ gh^a \ll \neg.$

QoS @A	BC	DE ()
QoS 0	- > 9] (At most once) (®Š dr)	PUBLISH
QoS 1	- > 1 ⁻ 9] (At least once)	PUBLISH 1 PUBACK
QoS 2	€q [°] 1 ⁻ 9] (Exactly once)	PUBLISH 1 PUBREC 1 PUBREL 1 PUBCOMP

¥ QoS 2! $dc \pm^2 / _ \ ` \ a \ ghG[\ ^3, 4' \mu YZ[\ \P \!-\!B \cdot yG \succ \ ` \ r B8G_{\cdot} \ ^1 \circ \cdot.$

4. MQTT & ' F G (H I ())

4.1 F G 3 J K L (QoS 1)

1. $u \vee Bwx$ Ad MQTT M%NO k I .
2. $u \vee Bwx$ Bd "sensor/temp" & ' a QoS 1% T U.
3. $u \vee Bwx$ Ad "sensor/temp" & ' O "25.3C" Y Z [O QoS 1% Q R.
7 A ~ PUBLISH(QoS 1) ~ M%N
7 M%N ~ PUBACK ~ A » (Publisher d PUBACK a $\frac{1}{4}$ •)
4. M%Nd BOH Y Z [9 \ .
7 M%N ~ PUBLISH(QoS 1) ~ B
5. $u \vee Bwx$ Ad k I € £ .
7 B S € O 1 MQTT! Pub/Sub K L a . P Y Z [O $\frac{1}{2}$ $\frac{3}{4}$ j X % 9] - ¿ 3.

5. MQTT DE 7 M

¥ MQTT | } ² " € Å Å (Fixed Header), d Å Å Å (Variable Header), Å B % E (Payload) | ‡ Å X % T ` Å « ¬.

MQTT | } ² ¬ • S Æ ² T Ç % T ` Å « ¬:

- ¥ Fixed Header (NO PQ): $| \} \wedge \cdot \ddot{E} \in bO, \mathcal{f}(| \} \acute{E}\acute{E}, \acute{E}\grave{I} \acute{I}, \acute{I} B \grave{I})$
- ¥ Variable Header (RS PQ): $5 \in | \} O1^3 (4\mathfrak{D}! \tilde{N}d \in b (\grave{O}: \text{Packet ID, Topic Name})$
- ¥ Payload (T, " U): $YZ [\wedge \check{S}g \acute{O}B+ (\mathfrak{a}\ddot{\pm} | \} O1^3 (4)$

5.1 Fixed Header (NO PQ)

- ¥ MQTT $| \} \geq " \in \hat{O} \cdot \cdot \wedge \hat{A}\hat{A}(\text{Fixed Header}) O d \tilde{O}$.

5.1.1 Fixed Header 7M (2 V, . , W)

XU	YZ	BC
Packet Type	4Öx	MQTT $ \} m?$ (CONNECT, PUBLISH Ĩ)
Flags	4Öx	$ \} \times \tilde{N}d \acute{E}\grave{I} \acute{I}$
Remaining Length	1~4 ABx	$9\emptyset \} \hat{O} \cdot \cdot (d\hat{A} \hat{I} B^* < \grave{U})$

5.1.2 Packet Type (4[.)

- ¥ MQTT $| \} \wedge \Phi \acute{U}O \acute{U}\acute{E} ! 4\acute{O}x \ddot{U}$.

DE \]	$16^{\wedge} _ \sim$	BC
CONNECT	0x1	$uvBwx d M\%NO kI yz$
CONNACK	0x2	$M\%Nd uvBwx \wedge \text{CONNECT} yz a , * \dots! \uparrow \ddot{\pm}$
PUBLISH	0x3	$uvBwx \dots! M\%Nd YZ [OQR$
PUBACK	0x4	$\text{PUBLISH } YZ [(QoS 1) O ; n \wedge \% (ACK)$
PUBREC	0x5	$\text{PUBLISH } YZ [(QoS 2) - 1 \acute{'} \mu (\text{Received})$
PUBREL	0x6	$\text{PUBLISH } YZ [(QoS 2) - 2 \acute{'} \mu (\text{Release})$
PUBCOMP	0x7	$\text{PUBLISH } YZ [(QoS 2) - 3 \acute{'} \mu (\text{Complete})$
SUBSCRIBE	0x8	$uvBwx d 5 \in \&' a TU yz$
SUBACK	0x9	$M\%Nd \text{SUBSCRIBE } yz a , * \dots! \uparrow \ddot{\pm}$
UNSUBSCRIBE	0xA	$uvBwx d TUa \check{S} >$

UNSUBACK	0xB	M%Nd UNSUBSCRIBE yz a „ *
PINGREQ	0xC	uvBwx d M%NO k l m[yz
PINGRESP	0xD	M%Nd PINGREQO ; n ^ %o
DISCONNECT	0xE	uvBwx d k l P g yz

5.1.3 Flags (4[.)

¥ MQTT YZ[^ Ñdj * i ` a • €G! 4Öx · ÆÊ« ¬.

¥ ÖO ÝÐ, PUBLISH | } O1! QoS " • - Retain ÊÌ Í O ÛÉß« ¬.

7 DUP: ~ à YZ[> ‡

7 QoS: YZ[^ QoS " • (0, 1, 2)

7 RETAIN: YZ[O b¿ ¢[> ‡

5.1.4 Remaining Length (1~4 V, .)

¥ 9Ø MQTT | } Ô¨ O ÛÉá.

¥ dÂ Î B * < Û (Variable Length Encoding) (4.

¥ 7Öx â (4G" , ã[ä ABx! MSB=0.

¥ Òg

7 0x7F (127) ~ 1 ABx (4

7 0x80 0x01 (128) ~ 2 ABx (4

7 0x80 0x80 0x01 (16384) ~ 3 ABx (4

5.2 Variable Header (RS PQ)

¥ dÂ ÄÁ! | } m?O • v · y ¢ ¥³ , f.

¥ Òg

7 CONNECT ~ \$%&' å9, uvBwx ID , f

7 PUBLISH ~ &' Bæ, | } ID , f

5.3 Payload (T, " U)

ÃB%Ê! Šg 9] ¢ ÓB+d ÝÐd! ç<Ê« ¬.

¥ Òg

7 CONNECT | } ~ uvBwx ID, (4è Bæ, Öéêë

7 PUBLISH | } ~ YZ[4

7 SUBSCRIBE | } ~ TU ¢ &' 3Cx

5.4 MQTT DE F G

5.4.1 CONNECT DE (* +, - . / O a b)

¥ Fixed Header

7 Control Packet Type: CONNECT(0x01)

7 Remaining Length : variable header Î B + payload Î B(19)

¥ Variable Header

7 Protocol Name Length: \$%&' Bæ Î B("4")

7 Protocol Name: \$%&' Bæ("MQTT")

7 Flags: (4è Bæ, | Cî Æ, Retain, QoS, Will Flag, uí | \$, * • €b , f > ‡

7 KeepAlive: k l m[Z • (60î)

{ k l m[Z • a [Ū1î [µi m[G¨ ©P1! k l q* YZ[9] (PINGREQ)

¥ Payload

7 Client ID Length: uvBwx ID Î B(6)

7 ClientID: uvBwx ID("Client1")

7 ð§(Î B + ÓB+)

{ User Name: (4è Bæ

{ Password: | Cî Æ

{ Will Topic: Will flag • €Z , 8c ¢ topic

{ Will Message: Will flag • €Z , 8c ¢ YZ[

5.4.2 PUBLISH DE (234 Hc)

¥ Fixed Header

- 7 Control Packet Type: PUBLISH(0x03)
- 7 Flags: DUP(0), QoS(1), RETAIN(0)
- 7 Remaining Length: variable header 1 B + payload 1 B(20)

✂ Variable Header

- 7 Topic Length: YZ[1 B(11)
- 7 Topic: YZ[1 B("sensor/data")
- 7 Packet ID: | } W×è(1234)

✂ Payload

- 7 Message: YZ[("25.3C")

5.4.3 PUBACK (QoS 1 234 de) DE 7M

✂ PUBACK | } 2 QoS 1 0 1 PUBLISH YZ[0 0 0 j X% ¼ ò • a q * G! ^ % ò Ê « ¬.

✂ FixedHeader

- 7 Control Packet Type: PUBACK(0x4)
- 7 Flags: • •
- 7 Remaining Length: variable header 1 B(2)

✂ Variable Header

- 7 Packet ID: PUBLISH 0 , f Ð Ð ° ™ | } W×è(2)

✂ PUBACK a ¼ X ÿ PUBLISH YZ[d ` h j X% 9 \ ó ô X% • ñ õ.

5.4.4 SUBSCRIBE DE (7 8 a b)

¥ Fixed Header

7 Control Packet Type: SUBSCRIBE(0x8)

7 Flags: " € (0x2)

7 Remaining Length: variable header Î B + payload Î B(12)

¥ Variable Header

7 Packet ID: | } W×è(2 ABx)

¥ Payload

7 Topic Filter Length: 1 / ¤ ñg("temp/data") ^ Î B

7 Topic Filter: 1 / ¤ ñg("temp/data")

7 Requested QoS: YZ[] 1 / ef 1 ö(1)

5.4.5 SUBACK (7 8 a b f g) DE 7M

¥ SUBACK | } º uvBwx d b ÷ SUBSCRIBE yz O ; n M%N ^ ^ %.

¥ Fixed Header

Control Packet Type: SUBACK(0x9)

Flags: • • ** Remaining Length: variable header Î B + payload Î B(3)

¥ Variable Header

7 Packet ID : SUBSCRIBE yz Z ¼² | } W×è

¥ Payload

7 Return Code: Ø &' O ; n T U I S (QoS 1 ö ...! Š | < (E)

·	BC
0x00	QoS 0X% T U ` h
0x01	QoS 1X% T U ` h
0x02	QoS 2% T U ` h
0x80	T U Š

¥ SUBACKa ¼XŸ uvBwx! Pù &' a ` hj X% T U n ôX% • ñ.

5.4.6 UNSUBSCRIBE (7 8 ; < a b) DE 7M

¥ UNSUBSCRIBE | } ² uvBwx d 5€ &' ^ T U a Š > ¨ ¥ (4.

¥ Fixed Header

7 Control Packet Type: UNSUBSCRIBE(0xA)

7 Flags: 0x01 " €

7 Remaining Length: variable header Î B + payload Î B(13)

¥ Variable Header

7 Packet ID: T U Š > y z ^ ID

¥ Payload

7 Topic Filters: T U a Š > ¨ &' 3C x

{ &' · + Î B ú &' · +

{ G Ū B o – à , ¹ ° •

⌘ M%N! uvBwx ^ UNSUBSCRIBE yz a û3n ü, UNSUBACKa ^ %X% bß« ¬.

5.4.7 UNSUBACK (78 ; < a b f g) DE 7M

⌘ UNSUBACK | } ² uvBwx d b ÷ UNSUBSCRIBE yz O ; n M%N ^ ^ %.

⌘ Fixed Header

Control Packet Type: UNSUBACK(0xB)

Flags: • • (0) ** Remaining Length: variable header Î B (2)

⌘ Variable Header

7 Packet ID : UNSUBSCRIBE yz Z ¼² | } Wxè

⌘ UNSUBACKa ¼Xÿ uvBwx! Pù &' a ` hj X% TU š > n ô X% • ñ.

5.4.8 PINGREQ (/ O = 4 a b) DE 7M

⌘ PINGREQ | } ² uvBwx d M%NO k l B m [Đ" ° ! [q * G ¨ © P b á.

⌘ Fixed Header

7 Control Packet Type: PINGREQ(0xC)

7 Flags: 0x00 " €

7 Remaining Length: 0

⌘ M%N! PINGRESP | } a ^ %X% b á.

5.4.9 PINGRESP (/ O = 4 f g) DE 7M

⌘ PINGRESP | } ² M%Nd PINGREQ yz a ¼ò a ⌘ ^ %G! YZ [Ê « ¬.

⌘ Fixed Header

7 Control Packet Type: PINGRESP(0xD)

7 Flags: 0x00 " €

7 Remaining Length: 0

¥ PINGRESP ¼XŸ uvBwx! kI B€oj X%m[Đ" ° • a q* dr .

5.4.10 DISCONNECT (/ O hZ) DE 7M

¥ DISCONNECT | } ² uvBwx d M%NOH kI a ýXŸ b ! ã[ä YZ[.

¥ Fixed Header

7 Control Packet Type: DISCONNECT(0xE)

7 Flags: 0x00 " €

7 Remaining Length: 0