






BEETLE SPECIES	Target (<i>Chrysolina americana</i>)	Calibration (<i>Pyrochroa coccinea</i>)	Human population density (per ward) (Proxy of) level of urbanisation (Proxy of) plant habitat availability
Occurrence (observed raw count)			
Presence (at least 1 count in a ward)			Temperature grid (average values 1981-2000)
Abundance (counts in a ward)			Additional pictograms Density over time Jump dispersal Time Observer

The diagram is divided into four main sections illustrating the relationship between recording effort bias, abundance, and climate sensitivity analysis.

- Recording effort bias:** Shows a beetle icon & a group of people icon. Below, a blue arrow pointing down is labeled "DC in" (with a building icon) and a red arrow pointing up is labeled "maps heavily correlate" (with a beetle icon).
- Abundance:** Shows a red arrow pointing up labeled "w/" (with a group of people icon) and a blue arrow pointing down labeled "w/" (with a beetle icon). Both are followed by a plus sign and an hourglass icon.
- Climate sensitivity analysis:** Shows a map of the UK with a red arrow pointing up labeled "w/" (with a group of people icon) and a blue arrow pointing down labeled "w/" (with a beetle icon). Both are followed by a plus sign and a thermometer icon.
- Interaction of human pop. vs time:** Shows a graph with "PAAI" on the y-axis and "Time" on the x-axis. The graph shows three lines: a blue line (highest), a red line (middle), and a green line (lowest). The blue line is labeled "Impact of population density annually drops" and the red line is labeled "Urban carrying capacity, suburban & rural growth".