

**Výsledkový list k žiadanke číslo: BA_L21/79317930**

Pacient DAVID VOGEL	Rodné číslo 051031/9051	Dátum narodenia 2005-10-31	Platiteľ LO lab.online
Kód lekára / PZS X12345678 / X00001BA1101	Ordinujúci lekár Lekár NEUVEDENÝ	Zariadenie CORONA Drive-By - Bratislava	Odporúčajúci alebo zastupovaný lekár /
Dátum žiadanky 31.03.2022 20:42	Príjem vzorky 01.04.2022 11:43	Identifikačné údaje Identifikácia: LOB_91012891	Dátum odberu 01.04.2022 09:07
Diagnózy -;	Komentár k prijatému materiálu, klinické informácie Dátum žiadanky: 20220331 Identifikácia platby: 91012891 Druh dokladu totožnosti: Občiansky preukaz Číslo dokladu totožnosti: JG918544 lab.online ID osoby kto vykonal odber: 1567		

Výsledky laboratórnych vyšetrení

Unilabs Slovensko, s.r.o., Laboratórium klinickej mikrobiológie Bratislava
Polianky 7
841 01 BRATISLAVA

Výter z nazofaryngu a orofaryngu
Koronavírus SARS-CoV-2 RNA (výter)
Vyšetrené metódou RT-PCR

Interpretácia
negatívne

Schválil
KSR 01.04.2022 12:13


COVID-19 RESULT related to the Request No...: BA_L21/79317930

Patient / The Paying Client DAVID VOGEL	Birth Certificate No 051031/9051	Date of Birth 2005-10-31	Paid by LO lab.online
Physician's ID / HCP X12345678 / X00001BA1101	Physician's name Lekár NEUVEDENÝ	Mobile Testing Facility CORONA Drive-By - Bratislava	Referrer or substitute doctor /
Date of Request 31.03.2022 20:42	Sample Intake 01.04.2022 11:43	Identification data Identification: LOB_91012891	Date of Sample Collection 01.04.2022 09:07
Diagnoses -;	Commentary on received material; clinical information Date of Request: 20220331 Payment Identification: 91012890 Personal ID type: ID-card Personal ID nuber: JG918544 lab.online ID of a person responsible for sample collection: 1567		

RESULTS OF LABORATORY EXAMINATION

Unilabs Slovensko, s.r.o., Laboratórium klinickej mikrobiológie Bratislava
Polianky 7
841 01 BRATISLAVA

Nasopharyngeal and oropharyngeal swab Coronavirus SARS-CoV-2 RNA (swab) <i>Examined by RT-PCR method</i>	Interpretation Negative	Confirmed by KSR 01.04.2022 12:13