

1.) When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, \dots, x_r)$, where r is the number of predictors, which of the following statements will be true?

- a) $\beta_0, \beta_1, \dots, \beta_r$ are the regression coefficients.
- b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
- c) E is the random interval
- d) Both a and b

ANSWER:- d) Both a and b

2.) What indicates that you have a perfect fit in linear regression?

- a) The value $R^2 < 1$, which corresponds to $SSR = 0$
- b) The value $R^2 = 0$, which corresponds to $SSR = 1$
- c) The value $R^2 > 0$, which corresponds to $SSR = 1$
- d) The value $R^2 = 1$, which corresponds to $SSR = 0$

ANSWER:- d) The value $R^2 = 1$, which corresponds to $SSR = 0$

3.) In simple linear regression, the value of what shows the point where the estimated regression line crosses the y axis?

- a) Y
- b) B_0
- c) B_1
- d) F

ANSWER:- b) B_0

4.) Check out these four linear regression plots:

Which one represents an underfitted model?

- a) The bottom-left plot
- b) The top-right plot

- c) The bottom-right plot
- d) The top-left plot

ANSWER:- d) The top-left plot

5.) There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
- b. Provide data to work with, and eventually do appropriate transformations.
- c. Apply the model for predictions.
- d. Import the packages and classes that you need.
- e. Create a regression model and fit it with existing data. However, those steps are currently listed in the wrong order. What's the correct order?

- a) e, c, a, b, d
- b) e, d, b, a, c
- c) d, e, c, b, a
- d) d, b, e, a, c

ANSWER:- d) d, b, e, a, c

6.) Which of the following are optional parameters to LinearRegression in scikit-learn?

- a) Fit
- b) fit_intercept
- c) normalize
- d) copy_X
- e) n_jobs
- f) reshape

ANSWER:- b) fit_intercept

c) normalize

d) copy_X

e) n_jobs

7.) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ?

a) Multiple linear regression

b) Simple linear regression

c) Polynomial regression

ANSWER:- c) Polynomial regression

8.) You should choose statsmodels over scikit-learn when:

A) You want graphical representations of your data.

b) You're working with nonlinear terms.

c) You need more detailed results.

d) You need to include optional parameters.

ANSWER:- c) You need more detailed results.

9.) _____ is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.

a) Pandas

- b) Numpy
- c) Statsmodel
- d) scipy

ANSWER:- b) Numpy

10.) _____ is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structure.

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash

ANSWER:- b) Seaborn

11.) Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

ANSWER:- d) Collinearity

- 12.) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
 - b) Random Forest
 - c) Classification
 - d) SVM

ANSWER:- b) Random Forest

- 13.) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
 - b) Factor analysis
 - c) Decision Tree are prone to overfit
 - d) all of the above

ANSWER:- c) Decision Tree are prone to overfit

- 14.) What is the term known as on which the machine learning algorithms build a model based on sample data?
- a) Data Training
 - b) Sample Data
 - c) Training data
 - d) None of the above

ANSWER:- c) Training data

- 15.) Which of the following machine learning techniques helps in detecting the outliers in data?
- a) Clustering
 - b) Classification
 - c) Anomaly detection
 - d) All of the above

ANSWER:- c) Anamoly detection

16.) Identify the incorrect numerical functions in the various function representation of machine learning.

- a) Support Vector
- b) Regression
- c) Case based
- d) Classification

ANSWER:- c) Case based

17.) Analysis of ML algorithm needs

- a) Statistical learning theory
- b) Computational learning theory
- c) None of the above
- d) Both a and b

ANSWER:- d) Both a and b

18.) Identify the difficulties with the k-nearest neighbor algorithm.

- a) Curse of dimensionality
- b) Calculate the distance of test case for all training cases
- c) Both a and b
- d) None

ANSWER:- c) Both a and b

19.) The total types of the layer in radial basis function neural networks is _____

- a) 1
- b) 2
- c) 3
- d) 4

ANSWER:- c) 3

20.) Which of the following is not a supervised learning

- a) PCA
- b) Naïve bayes
- c) Linear regression
- d) KMeans

ANSWER:- a) PCA