

Example Title of Conference

1st Myeongseok Ryu

Cho Chun Shik Graduate School of Mobility
Korean Advanced Institute of Science and Technology (KAIST)
Daejeon, Republic of Korea
dding_98@kaist.ac.kr

2nd Niklas Monzen

Laboratory for Mechatronic and Renewable Energy Systems
Hochschule München (HM) University of Applied Sciences
Munich, Germany
niklas.monzen@hm.edu

Abstract—Hallo, this is an example of an abstract. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Index Terms—Example, IEEEtran, journal, L^AT_EX, template.

NOTATION

In this study, the following notation is used:

- $\mathbb{R}^n$ denotes the n -dimensional Euclidean space.
- $\mathbb{R}^{n \times m}$ denotes the set of $n \times m$ real matrices.
- $\otimes$ denotes the Kronecker product [1, Chap. 7 Def. 7.1.2].
- A vector and a matrix are denoted by $\mathbf{x} = [x_i]_{i \in \{1, \dots, n\}} \in \mathbb{R}^n$ and $\mathbf{A} := [a_{ij}]_{i \in \{1, \dots, n\}, j \in \{1, \dots, m\}} \in \mathbb{R}^{n \times m}$, respectively.
- $\text{row}_i(\mathbf{A})$ denotes the i^{th} row of the matrix $\mathbf{A} \in \mathbb{R}^{n \times m}$.
- For $\mathbf{A} \in \mathbb{R}^{n \times m}$, denotes the vectorization of $\mathbf{A}$, $\text{vec}(\mathbf{A}) := (\text{row}_1(\mathbf{A}^\top), \dots, \text{row}_m(\mathbf{A}^\top))^\top \in \mathbb{R}^{nm}$.
- $\lambda_{\min}(\mathbf{A})$ denotes the minimum eigenvalue of the matrix $\mathbf{A} \in \mathbb{R}^{n \times n}$.
- $\mathbf{I}_n$ denotes the $n \times n$ identity matrix, and $\mathbf{0}_{n \times m}$ denotes the $n \times m$ zero matrix.

I. DUMMY SECTION

You can cite a reference like this [2].

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum.

This work was supported by my 10 fingers and Macbook Air M1.

TABLE I: Example of table.

Symbol	Description	Value
m_1, m_2	Mass	2.465 kg
l_1, l_2	Length	0.2 m
l_{c1}, l_{c2}	Center of mass	0.139 m
I_1, I_2	Inertia	0.069 kgm ²

Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

II. TABLES AND FIGURES

Refer the following table and figures for examples of tables and figures.

APPENDIX REFERENCES

- [1] D. S. Bernstein, *Matrix Mathematics: Theory, Facts, and Formulas (Second Edition)*. Princeton University Press, 2009. [Online]. Available:



(a) My love Spezi.



(b) My love Spezi.

Fig. 1: Example of subfigures. You can add colored lines like [—] or [—], i.e., you need to use in captions. By the way, the drinks in the figures are Spezi, which is my favorite drink in Munich, Germany.

- <http://www.jstor.org/stable/j.ctt7t833>
- [2] M. Ryu, J. Kim, and K. Choi, "Imposing a weight norm constraint for neuro-adaptive control," TechRxiv, Preprint, Oct. 2024, accepted for publication in 2025 23rd European Control Conference (ECC). [Online]. Available: <http://dx.doi.org/10.36227/techrxiv.173014412.26480551/v1>



(a) My love Spezi.



(b) My love Spezi.

Fig. 2: Example of subfigures in full width.