

Example Title of Journal Article

Myeongseok Ryu, and Kyunghwan Choi

Abstract—Hallo, this is an example of an abstract. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Index Terms—Example, IEEEtran, journal, LATEX, template.

NOTATION

In this study, the following notation is used:

- $\mathbb{R}^n$ denotes the n -dimensional Euclidean space.
- $\mathbb{R}^{n \times m}$ denotes the set of $n \times m$ real matrices.
- $\otimes$ denotes the Kronecker product [1, Chap. 7 Def. 7.1.2].
- A vector and a matrix are denoted by $\mathbf{x} = [x_i]_{i \in \{1, \dots, n\}} \in \mathbb{R}^n$ and $\mathbf{A} := [a_{ij}]_{i \in \{1, \dots, n\}, j \in \{1, \dots, m\}} \in \mathbb{R}^{n \times m}$, respectively.
- $\text{row}_i(\mathbf{A})$ denotes the i^{th} row of the matrix $\mathbf{A} \in \mathbb{R}^{n \times m}$.
- For $\mathbf{A} \in \mathbb{R}^{n \times m}$, denotes the vectorization of $\mathbf{A}$, $\text{vec}(\mathbf{A}) := (\text{row}_1(\mathbf{A}^\top), \dots, \text{row}_m(\mathbf{A}^\top))^\top \in \mathbb{R}^{nm}$.
- $\lambda_{\min}(\mathbf{A})$ denotes the minimum eigenvalue of the matrix $\mathbf{A} \in \mathbb{R}^{n \times n}$.
- $\mathbf{I}_n$ denotes the $n \times n$ identity matrix, and $\mathbf{0}_{n \times m}$ denotes the $n \times m$ zero matrix.

I. DUMMY SECTION

You can cite a reference like this [2].

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend,

Myeongseok Ryu and Kyunghwan Choi are with the Cho Chun Shik Graduate School of Mobility, Korean Advanced Institute of Science and Technology (KAIST), Daejeon 34051, Korea (e-mail: dding_98@kaist.ac.kr and kh.choi@kaist.ac.kr).

TABLE I: Example of table.

Symbol	Description	Value
m_1, m_2	Mass	2.465 kg
l_1, l_2	Length	0.2 m
l_{c1}, l_{c2}	Center of mass	0.139 m
I_1, I_2	Inertia	0.069 kgm ²

sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

II. TABLES AND FIGURES

Refer the following table and figures for examples of tables and figures.

APPENDIX

REFERENCES

- [1] D. S. Bernstein, *Matrix Mathematics: Theory, Facts, and Formulas (Second Edition)*. Princeton University Press, 2009. [Online]. Available: <http://www.jstor.org/stable/j.ctt7t833>
- [2] M. Ryu, J. Kim, and K. Choi, “Imposing a weight norm constraint for neuro-adaptive control,” TechRxiv, Preprint, Oct. 2024, accepted for publication in 2025 23rd European Control Conference (ECC). [Online]. Available: <http://dx.doi.org/10.36227/techrxiv.173014412.26480551/v1>



(a) My love Spezi.



(b) My love Spezi.

Fig. 1: Example of subfigures. You can add colored lines like `[—]` or `[ - - ]`, i.e., you need to use in captions. By the way, the drinks in the figures are Spezi, which is my favorite drink in Munich, Germany.



Kyunghwan Choi Kyunghwan Choi received his B.S., M.S., and Ph.D. degrees in Mechanical Engineering from KAIST, Daejeon, South Korea, in 2014, 2016, and 2020, respectively. Following his Ph.D., he worked at the Center for Eco-Friendly & Smart Vehicles at KAIST as a Postdoctoral Fellow and later as a Research Assistant Professor. In 2022, he joined GIST as an Assistant Professor in the Department of Mechanical and Robotics Engineering. Currently, he serves as an Assistant Professor at the Cho Chun Shik Graduate School of Mobility at KAIST, where he is also the Director of the Mobility Intelligence and Control Laboratory. His research focuses on optimal and learning-based control for connected, automated, and electrified vehicles (CAEVs).



Myeongseok Ryu received the B.S. degree in mechanical engineering from Incheon National University, South Korea, in 2023, and the M.S. degree in mechanical engineering from Gwangju Institute of Science and Technology (GIST), South Korea, in 2025. He is currently serving as a researcher at the Cho Chun Shik Graduate School of Mobility, Korea Advanced Institute of Science and Technology (KAIST), South Korea. His research interests include adaptive control, neural-networks, and constrained optimization.



(a) My love Spezi.



(b) My love Spezi.

Fig. 2: Example of subfigures in full width.