

Example Title of Conference Template

1st Myeongseok Ryu

School of Mechanical and Robotics Engineering
Gwangju Institute of Science and Technology
Gwangju, Republic of Korea
dding_98@gm.gist.ac.kr

2nd Niklas Monzen

Laboratory for Mechatronic and Renewable Energy Systems (LMRES)
Hochschule München (HM) University of Applied Sciences
Munich, Germany
niklas.monzen@hm.edu

Abstract—This project is built to provide a template for writing papers and simulation.

Index Terms—Scuderia Ferrari, Apple, Joan Gilbert, Gibson, Fender, Hugo BOSS

NOTATION

In this study, the following notation is used:

- \otimes denotes the Kronecker product [1, Definition 7.1.2].
- $\mathbf{x} = [x_i]_{i \in [1, \dots, n]} \in \mathbb{R}^n$ and $\mathbf{A} := [a_{ij}]_{i \in [1, \dots, n], j \in [1, \dots, m]} \in \mathbb{R}^{n \times m}$ denotes a vector and a matrix.
- $\text{row}_i(\mathbf{A})$ denotes the i^{th} row of the matrix $\mathbf{A} \in \mathbb{R}^{n \times m}$.
- $\text{vec}(\mathbf{A}) := [\text{row}_1(\mathbf{A}^\top), \dots, \text{row}_m(\mathbf{A}^\top)]^\top$ for $\mathbf{A} \in \mathbb{R}^{n \times m}$.
- $\lambda_{\min}(\mathbf{A})$ denotes the minimum eigenvalue of the matrix $\mathbf{A} \in \mathbb{R}^{n \times n}$.
- \mathbf{I}_n denotes the $n \times n$ identity matrix and $\mathbf{0}_{n \times m}$ denotes the $n \times m$ zero matrix.

I. INTRODUCTION

This template is designed to provide a consistent format for writing papers and simulation reports.

II. EXAMPLE SECTION

III. CONCLUSION

REFERENCES

- [1] D. S. Bernstein, *Matrix Mathematics: Theory, Facts, and Formulas (Second Edition)*. Princeton University Press, 2009.