Test Suit3

Execution Environment

Host name	OrCon - DESKTOP-3VGOKDA
Local OS	Windows 10 64bit
Katalon version	8.4.1.208
Browser	Chrome 105.0.0.0

Summary

ID	Test Suites/Test Suit3
Description	

Total	3		
Passed	2	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-09-23 15:57:14	End	2022-09-23 15:59:54
Elapsed	2m - 40.151s		

#	ID	Description	Status
1	Test Cases/ManualDemoTestCase		PASSED
2	Test Cases/ScriptModeTestCase		PASSED
3	Test Cases/Data Driven Demo		FAILED

ManualDemoTestCase

Information

ID   Test Cases/ManualDemoTestCase

Description

Tag

Start   2022-09-23 15:57:14   End   2022-09-23 15:57:41

Elapsed   26.886s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	3.448s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")	6.027s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully		
3	setText(findTestObject("ManualRecord/Page_OrangeHRM/input_Username_username"), "Admin")	3.670s	PASSED
	Text 'Admin' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Username_username'		
4	setEncryptedText(findTestObject("ManualRecord/Page_OrangeHRM/input_Password_password"), "hUKwJTbofgPU9eVIw/CnDQ==")	2.567s	PASSED
	Text ****** has been set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password'		
5	click(findTestObject("ManualRecord/Page_OrangeHRM/button_Login"))	1.465s	PASSED
	Object: 'Object Repository/ManualRecord/Page_OrangeHRM/button_Login' is clicked on		
6	delay(8)	8.077s	PASSED
	Delayed 8 second(s)		

ManualDemoTestCase

#	Description	Elapsed	Status
7	closeBrowser()	0.763s	PASSED

Browser is closed

ScriptModeTestCase

Information

ID | Test Cases/ScriptModeTestCase
Description |
Tag |

Start | 2022-09-23 15:57:41 | End | 2022-09-23 15:58:02
Elapsed | 20.487s
Status | PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.559s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/") Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	4.735s	PASSED
3	setText(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/input_Username_username"), "Admin") Text 'Admin' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Username_username'	3.525s	PASSED
4	setText(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password"), "admin123") Text 'admin123' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password'	2.759s	PASSED
5	click(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/button_Login")) Object: 'Object Repository/ManualRecord/Page_OrangeHRM/button_Login' is clicked on	1.418s	PASSED
6	delay(5) Delayed 5 second(s)	5.020s	PASSED

ScriptModeTestCase

#	Description	Elapsed	Status
7	closeBrowser()	0.745s	PASSED

Browser is closed

Data Driven Demo

Information

ID	Test Cases/Data Driven Demo		
Description			
Tag			
Start	2022-09-23 15:59:41	End	2022-09-23 15:59:54
Elapsed	13.229s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.008s	PASSED
2	navigateToUrl("https://admin-demo.nopcommerce.com/login?ReturnUrl=%2Fadmin%2F") Navigate to 'https://admin-demo.nopcommerce.com/login?ReturnUrl=%2Fadmin%2F' successfully	1.776s	PASSED
3	click(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/div_Email")) Object: 'Object Repository/Data Driven Demo/Page_Your store. Login/div_Email' is clicked on	1.537s	PASSED
4	setText(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/input_Email_Email"), username) Text '' is set on object 'Object Repository/Data Driven Demo/Page_Your store. Login/input_Email_Email'	2.766s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/input_Password_Password"), password) Text ****** has been set on object 'Object Repository/Data Driven Demo/Page_Your store. Login/input_Password_Password'	2.461s	PASSED

Data Driven Demo

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/button_Log in")) Object: 'Object Repository/Data Driven Demo/Page_Your store. Login/button_Log in' is clicked on	1.432s	PASSED

Data Driven Demo

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Data Driven Demo/Page_Dashboard nopCommerce administration/a_Logout"))	1.198s	FAILED

Unable to click on object 'Object Repository/Data Driven Demo/Page_Dashboard nopCommerce administration/a_Logout' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Data Driven Demo/Page_Dashboard nopCommerce administration/a_Logout'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call (Unknown Source)
        at Data Driven Demo.run(Data Driven Demo:33)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1663928830918.run(TempTestSuite1663928830918.groovy:36)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
from unknown error: web view not found
  (Session info: chrome=105.0.5195.127)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-3VGOKDA', ip: '172.22.68.56', os.name: 'Windows 10', os.

Data Driven Demo

#	Description	Elapsed	Status

arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...,
userDataDir: C:\Users\OrCon\AppData\Loca...}, goog:chromeOptions: {debuggerAddress:
localhost:58566}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 93f3982085823dcd9c1dc169e15ac737
*** Element info: {Using=xpath, value=//div[@id='navbarText']/ul/li[3]/a}
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)
        at com.sun.proxy.$Proxy10.findElements(Unknown Source)
        at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1016)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:733)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call (Unknown Source)		
	at Script1663839717680.run(Script1663839717680.groovy:33)		
	... 16 more		
	)		