

# Test Suite1

## Execution Environment

Host name	OrCon - DESKTOP-3VGOKDA
Local OS	Windows 10 64bit
Katalon version	8.5.1.208
Browser	null

## Summary

ID	Test Suites/Test Suite1		
Description			
Total	3		
Passed	0	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2022-10-12 15:04:36	End	2022-10-12 15:04:44
Elapsed	7.822s		

#	ID	Description	Status
1	Test Cases/MyFirstTestCase		FAILED
2	Test Cases/BookAppointment		FAILED
3	Test Cases/RecordModeTestCase		FAILED

# MyFirstTestCase

---

## Information

ID	Test Cases/MyFirstTestCase		
Description			
Tag			
Start	2022-10-12 15:04:37	End	2022-10-12 15:04:41
Elapsed	3.528s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.004s	PASSED

# MyFirstTestCase

#	Description	Elapsed	Status
2	openBrowser("google.com")  Unable to open browser with url: 'google.com' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'google.com' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at MyFirstTestCase.run(MyFirstTestCase:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)	2.648s	FAILED

# MyFirstTestCase

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.&lt;init&gt;(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.&lt;init&gt;(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:661) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:379) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1663747109107.run(Script1663747109107.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more )</pre>		
3	Start listener action : afterTestCase	0.002s	PASSED

# BookAppointment

## Information

ID	Test Cases/BookAppointment		
Description			
Tag			
Start	2022-10-12 15:04:41	End	2022-10-12 15:04:43
Elapsed	2.372s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.003s	PASSED

# BookAppointment

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at BookAppointment.run(BookAppointment:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)     at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p>	0.064s	FAILED

# BookAppointment

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.&lt;init&gt;(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.&lt;init&gt;(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:661) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:379) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
3	<p>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</p> <p>Unable to navigate to 'https://katalon-demo-cura.herokuapp.com/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://katalon-demo-cura.herokuapp.com/'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0.call(Unknown Source)</p> <p>at BookAppointment.run(BookAppointment:22)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)</p>	0.049s	FAILED



# BookAppointment

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl(WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_navigateToUrl\$0.call(Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:22) ... 13 more )		

# BookAppointment

#	Description	Elapsed	Status
4	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Make Appointment"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.</p>	0.201s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>findElementByNormalMethods(WebUiCommonHelper.java:1000)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at Script1663747635180.run(Script1663747635180.groovy:24)     ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
5	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/div_Demo account_input-group"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/div_Demo account_input-group' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/div_Demo account_input-group' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.136s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:26) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Username_username"), "John Doe")</p> <p>Unable to set text 'John Doe' of object 'Object Repository/Page_CURA Healthcare Service/input_Username_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/Page_CURA Healthcare Service/input_Username_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at BookAppointment.run(BookAppointment:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.136s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:28) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
7	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at BookAppointment.run(BookAppointment:30)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.129s	FAILED



# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:30) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
8	<p>setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM")</p> <p>Unable to set encrypted text for object 'Object Repository/Page_CURA Healthcare Service/input_Password_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Page_CURA Healthcare Service/input_Password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source) at BookAppointment.run(BookAppointment:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.150s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:32) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
9	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Login"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1000)</p>	0.101s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:34) ... 13 more )		

# BookAppointment

#	Description	Elapsed	Status
10	<p>selectOptionByValue(findTestObject("Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Seoul CURA Healthcare Center", true)</p> <p>Unable to select option by value 'Seoul CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to select option by value 'Seoul CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.selectOptionByValue(WebUiBuiltInKeywords.groovy:1168) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$selectOptionByValue\$4.call(Unknown Source) at BookAppointment.run(BookAppointment:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver</p>	0.103s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>(DriverFactory.java:970)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:956)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByValueKeyword\$_selectOptionByValue_closure1.doCall (SelectOptionByValueKeyword.groovy:86)     at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByValueKeyword\$_selectOptionByValue_closure1.call (SelectOptionByValueKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99)     at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1168)     at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$selectOptionByValue\$4.call(Unknown Source)     at Script1663747635180.run(Script1663747635180.groovy:36)     ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
11	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at BookAppointment.run (BookAppointment:39)     at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1665567272290.run (TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:956)</p>	0.095s	FAILED



# BookAppointment

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:39) ... 13 more )		

# BookAppointment

#	Description	Elapsed	Status
12	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at BookAppointment.run(BookAppointment:41)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.113s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:41) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
13	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at BookAppointment.run (BookAppointment:43)     at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1665567272290.run (TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:956)</p>	0.079s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:43) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
14	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/td_28"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/td_28' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/td_28' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:45) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1000)</p>	0.079s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:45) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
15	<p>setText(findTestObject("Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment"), "My appointment is on 28th SEP 22")</p> <p>Unable to set text 'My appointment is on 28th SEP 22' of object 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'My appointment is on 28th SEP 22' of object 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source)</p> <p>at BookAppointment.run(BookAppointment:47)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.</p>	0.078s	FAILED



# BookAppointment

#	Description	Elapsed	Status
	<pre>java:956)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source)     at Script1663747635180.run(Script1663747635180.groovy:47)     ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
16	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Book Appointment"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at BookAppointment.run(BookAppointment:49)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.078s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:49) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
17	<p>verifyElementText(findTestObject("Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation"), "Appointment Confirmation")</p> <p>Verify element text of test object 'Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source) at BookAppointment.run(BookAppointment:51) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.085s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source) at Script1663747635180.run(Script1663747635180.groovy:51) ... 13 more )</pre>		

# BookAppointment

#	Description	Elapsed	Status
18	<p>click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Go to Homepage"))</p> <p>Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Go to Homepage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Go to Homepage' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:53) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.</p>	0.079s	FAILED

# BookAppointment

#	Description	Elapsed	Status
	<pre>findElementByNormalMethods(WebUiCommonHelper.java:1000)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at Script1663747635180.run(Script1663747635180.groovy:53)     ... 13 more )</pre>		
19	<p>closeBrowser()</p> <p>Browser is closed</p>	0.021s	PASSED
20	Start listener action : afterTestCase	0.000s	PASSED

# RecordModeTestCase

---

## Information

ID	Test Cases/RecordModeTestCase		
Description			
Tag			
Start	2022-10-12 15:04:43	End	2022-10-12 15:04:44
Elapsed	1.166s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.002s	PASSED



## RecordModeTestCase

#	Description	Elapsed	Status
2	openBrowser("")  Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)	0.075s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.&lt;init&gt;(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.&lt;init&gt;(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:661) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:379) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more )</pre>		

# RecordModeTestCase

#	Description	Elapsed	Status
3	<p>navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")</p> <p>Unable to navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0.call(Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)</p>	0.012s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl(WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_navigateToUrl\$0.call(Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:22) ... 13 more )		

## RecordModeTestCase

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/input_username_username"), "Admin")</p> <p>Unable to set text 'Admin' of object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_username_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'Admin' of object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_username_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.</p>	0.099s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	<pre>java:956)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source)     at Script1663927437770.run(Script1663927437770.groovy:24)     ... 13 more )</pre>		

# RecordModeTestCase

#	Description	Elapsed	Status
5	<p>setEncryptedText(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password"), "hUKwJTbofgPU9eVlw/CnDQ==")</p> <p>Unable to set encrypted text for object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p>	0.099s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:26) ... 13 more )</pre>		



# RecordModeTestCase

#	Description	Elapsed	Status
6	<p>click(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/button_Login"))</p> <p>Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/button_Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/button_Login'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at RecordModeTestCase.run (RecordModeTestCase:28)     at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1665567272290.run (TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:956)</p>	0.088s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:28) ... 13 more )</pre>		

# RecordModeTestCase

#	Description	Elapsed	Status
7	<p>click(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd-icon bi-caret-down-fill oxd-userd_9ba5b3"))</p> <p>Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd-icon bi-caret-down-fill oxd-userd_9ba5b3' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd-icon bi-caret-down-fill oxd-userd_9ba5b3'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at RecordModeTestCase.run (RecordModeTestCase:30)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1665567272290.run (TempTestSuite1665567272290.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.</p>	0.108s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:30) ... 13 more )		

# RecordModeTestCase

#	Description	Elapsed	Status
8	<p>click(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/a_Logout"))</p> <p>Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/a_Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/a_Logout'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)     at RecordModeTestCase.run(RecordModeTestCase:32)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1665567272290.run(TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)</p>	0.107s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:32) ... 13 more )</pre>		

# RecordModeTestCase

#	Description	Elapsed	Status
9	verifyElementText(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/h5_Login"), "Login")  Verify element text of test object 'Object Repository/RecordModeObjects/Page_OrangeHRM/h5_Login' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/RecordModeObjects/Page_OrangeHRM/h5_Login' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.verifyElementText (VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute (VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText (WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$5.call (Unknown Source) at RecordModeTestCase.run (RecordModeTestCase:34) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1665567272290.run (TempTestSuite1665567272290.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:956)	0.105s	FAILED

# RecordModeTestCase

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:34) ... 13 more )</pre>		
10	closeBrowser()  Browser is closed	0.010s	PASSED
11	Start listener action : afterTestCase	0.001s	PASSED