### Test Suite1

#### **Execution Environment**

Host name OrCon - DESKTOP-3VGOKDA

Local OS Windows 10 64bit

Katalon version 8.5.1.208 Browser null

Summary

ID Test Suites/Test Suite1

Description

Total 3

Passed 0 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 2022-10-12 15:17:37 End 2022-10-12 15:17:52

Elapsed 14.931s

| # ID                            | Description | Status |
|---------------------------------|-------------|--------|
| 1 Test Cases/MyFirstTestCase    |             | FAILED |
| 2 Test Cases/BookAppointment    |             | FAILED |
| 3 Test Cases/RecordModeTestCase |             | FAILED |

# MyFirstTestCase

#### Information

ID Test Cases/MyFirstTestCase

Description

Tag

Start 2022-10-12 15:17:37 End 2022-10-12 15:17:42

Elapsed 4.881s Status FAILED

**Details** 

| # | Description                            | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : beforeTestCase | 0.002s  | PASSED |

# MyFirstTestCase

| # Description   | Elapsed | Status |
|---|---------|--------|
| 2 openBrowser("google.com")   | 3.971s  | FAILED |
| 2 Openblowser( google.com )   | 5.97 15 | TAILLD |
| Unable to open browser with url: 'google.com' (Root cause: com.kms.katalon.core.  |         |        |
| exception.StepFailedException: Unable to open browser with url: 'google.com'  |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
| (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword                     |         |        |
| (WebUIKeywordMain.groovy:26)  |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.   |         |        |
| openBrowser(OpenBrowserKeyword.groovy:81)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute  |         |        |
| (OpenBrowserKeyword.groovy:67)  |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser |         |        |
| (WebUiBuiltInKeywords.groovy:64)  |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call  |         |        |
| (Unknown Source)  |         |        |
| at MyFirstTestCase.run(MyFirstTestCase:20)  |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
| java:119)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
| java:439)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
| (TestCaseExecutor.java:418)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
| (TestCaseExecutor.java:410)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
| java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
| (CommonExecutor.java:65)  |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
| (TestSuiteExecutor.java:151)  |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
| 106)  |         |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
| 185)  |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |         |        |
| at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
| Caused by: org.openqa.selenium.SessionNotCreatedException: Unexpected error launching                                       |         |        |
| Internet Explorer. Browser zoom level was set to 150%. It should be set to 100%   |         |        |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |         |        |
| System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.  |         |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  |         |        |
| Driver info: driver.version: CInternetExplorerDriver remote stacktrace:   |         |        |
| remote stacktrace: at org.openqa.selenium.remote.W3CHandshakeResponse.  |         |        |
| lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)   |         |        |
| at org.openqa.selenium.remote.HandshakeResponse.  |         |        |
| lambda\$getResponseFunction\$0(HandshakeResponse.java:30)   |         |        |
| at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0  |         |        |
| (ProtocolHandshake.java:126)  |         |        |
| at org.openqa.selenium.remote.ProtocolHandshake.createSession   |         |        |
| (ProtocolHandshake.java:128)  |         |        |

### MyFirstTestCase

```
Description
                                                                                             Elapsed
                                                                                                                Status
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.execute
(CInternetExplorerDriver.java:21)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at org.openqa.selenium.ie.InternetExplorerDriver.run(InternetExplorerDriver.java:
221)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:213)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:190)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.<init>
(CInternetExplorerDriver.java:15)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewIEDriver
(DriverFactory.java:686)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:361)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
(OpenBrowserKeyword.groovy:67)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
          at Script1663747109107.run(Script1663747109107.groovy:20)
          ... 13 more
```

#### Information

ID Test Cases/BookAppointment

Description

Tag

Start 2022-10-12 15:17:42 End 2022-10-12 15:17:47

Elapsed 4.596s Status FAILED

#### **Details**

| # | Description                            | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : beforeTestCase | 0.004s  | PASSED |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | openBrowser("")   | 1.781s  | FAILED |
| 2 | openbiowsei( )  | 1.7015  | TAILLD |
|   | Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.   |         |        |
|   | StepFailedException: Unable to open browser with url: "   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|   | (WebUIKeywordMain.groovy:26)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.   |         |        |
|   | openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute  |         |        |
|   | (OpenBrowserKeyword.groovy:67)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser  |         |        |
|   | (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call   |         |        |
|   | (Unknown Source)  |         |        |
|   | at BookAppointment.run(BookAppointment:20)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448)   |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$   |         |        |
|   | java:439)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|   | (TestCaseExecutor.java:410)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:151)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|   | 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|   | Source)   |         |        |
|   | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: org.openqa.selenium.SessionNotCreatedException: Unexpected error launching |         |        |
|   | Internet Explorer. Browser zoom level was set to 150%. It should be set to 100%   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |         |        |
|   | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.  |         |        |
|   | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CInternetExplorerDriver   |         |        |
|   | remote stacktrace:  |         |        |
|   | at org.openqa.selenium.remote.W3CHandshakeResponse.   |         |        |
|   | lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)   |         |        |
|   | at org.openqa.selenium.remote.HandshakeResponse.<br>lambda\$getResponseFunction\$0(HandshakeResponse.java:30)   |         |        |
|   | at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0  |         |        |
|   | (ProtocolHandshake.java:126)  |         |        |
|   | at org.openqa.selenium.remote.ProtocolHandshake.createSession   |         |        |
|   | (ProtocolHandshake.java:128)  |         |        |

```
Description
                                                                                              Elapsed
                                                                                                                 Status
          at\ org. open qa. selenium. remote. Protocol Handshake. create Session
(ProtocolHandshake.java:74)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.execute
(CInternetExplorerDriver.java:21)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at org.openqa.selenium.ie.InternetExplorerDriver.run(InternetExplorerDriver.java:
221)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:213)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:190)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.<init>
(CInternetExplorerDriver.java:15)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewIEDriver
(DriverFactory.java:686)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:361)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
(OpenBrowserKeyword.groovy:67)
          at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
          at Script1663747635180.run(Script1663747635180.groovy:20)
          ... 13 more
```

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 3 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/")  | 0.075s  | FAILED |
|   | Unable to navigate to 'https://katalon-demo-cura.herokuapp.com/' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to navigate to 'https://katalon-demo-cura.herokuapp.com/'                                    |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0. call(Unknown Source)   |         |        |
|   | at BookAppointment.run(BookAppointment:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|   | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|   | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)  |         |        |
|   | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' |         |        |
|   | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen  |         |        |
|   | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)   |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |

at com.kms.katalon.core.webui.keyword.builtin.

NavigateToUrlKeyword\$\_navigateToUrl\_closure1.doCall(NavigateToUrlKeyword.groovy:80)

java:956)

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
          at\ com.kms. katalon.core. webui. keyword. builtin. Navigate ToUrl Keyword. execute
(NavigateToUrlKeyword.groovy:67)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl
(WebUiBuiltInKeywords.groovy:187)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$navigateToUrl$0.
call(Unknown Source)
          at Script1663747635180.run(Script1663747635180.groovy:22)
          ... 13 more
```

| Description  | Elapsed | Status |
|--|---------|--------|
| click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Make  | 0.137s  | FAILED |
| Appointment"))   | 0.1373  | TAILLD |
| Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)   |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)   |         |        |
| at BookAppointment.run(BookAppointment:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
| java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
| java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
| (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
| (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
| 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
| Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)  |         |        |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened   |         |        |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'                      |         |        |
| Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen  |         |        |
| (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver  |         |        |
| (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.  |         |        |
| java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.  |         |        |

```
Description
                                                                                         Elapsed
                                                                                                           Status
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:620)
         at\ com.kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$click \$1. call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:24)
         ... 13 more
```

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 5 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/div_Demo   | 0.094s  | FAILED |
| J | account_input-group"))  | 0.0343  | TAILLD |
|   | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/div_Demo account_input-group' (Root cause: com.kms.katalon.core.exception.StepFailedException:                |         |        |
|   | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/div_Demo account_input-group'   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)  |         |        |
|   | at BookAppointment.run(BookAppointment:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                           |         |        |
|   | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|   | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|   | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|   | Source)   |         |        |
|   | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser                              |         |        |
|   | is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. |         |        |
|   | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver                    |         |        |
|   | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |
|   | iava·056)   |         |        |

java:956)

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:26)
         ... 13 more
```

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 6 | setText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Username_username"), "John Doe")  | 0.101s  | FAILED |
|   | Unable to set text 'John Doe' of object 'Object Repository/Page_CURA Healthcare Service/input_Username_username' (Root cause: com.kms.katalon.core.exception.  |         |        |
|   | StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/Page_CURA Healthcare Service/input_Username_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed |         |        |
|   | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|   | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call                                 |         |        |
|   | (Unknown Source) at BookAppointment.run(BookAppointment:28)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
|   | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |         |        |
|   | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.                                       |         |        |
|   | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.                                       |         |        |
|   | java:956)  |         |        |

```
Description
                                                                                         Elapsed
                                                                                                           Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:980)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText \$2. call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:28)
         ... 13 more
```

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   |   | •       |        |
| 7 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control"))   | 0.079s  | FAILED |
|   | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control' (Root cause: com.kms.katalon.core.exception.StepFailedException:   |         |        |
|   | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Demo account_form-control' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed   |         |        |
|   | (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword  |         |        |
|   | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.   |         |        |
|   | groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute   |         |        |
|   | (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)  |         |        |
|   | at BookAppointment.run(BookAppointment:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
|   | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
|   | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|   | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|   | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened  |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' |         |        |
|   | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |         |        |
|   | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|   | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |

java:956)

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:30)
         ... 13 more
```

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 8 | setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM")   | 0.112s  | FAILED |
|   | Unable to set encrypted text for object 'Object Repository/Page_CURA Healthcare Service/input_Password_password' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set encrypted text for object 'Object Repository/Page_CURA Healthcare Service/input_Password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword |         |        |
|   | (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source)  |         |        |
|   | at BookAppointment.run(BookAppointment:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |         |        |
|   | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.ipva:070)  |         |        |
|   | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)   |         |        |

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
         at com.kms.katalon.core.webui.kevword.builtin.
SetEncryptedTextKeyword$ setEncryptedText closure1.call(SetEncryptedTextKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Encrypted Text
(WebUiBuiltInKeywords.groovy:1011)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$setEncryptedText$3.call(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:32)
         ... 13 more
```

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 9 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Login"))  | 0.087s  | FAILED |
|   | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Login'   |         |        |
|   | (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on   |         |        |
|   | object 'Object Repository/Page_CURA Healthcare Service/button_Login'  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
|   | (WebUlKeywordMain.groovy:64)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|   | (WebUIKeywordMain.groovy:26)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  |         |        |
|   | groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  |         |        |
|   | (ClickKeyword.groovy:40)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  |         |        |
|   | (WebUiBuiltInKeywords.groovy:620)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call   |         |        |
|   | (Unknown Source) at BookAppointment.run(BookAppointment:34)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java.194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. |         |        |
|   | java:119)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
|   | java:439)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
|   | (TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|   | (TestCaseExecutor.java:410)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285)   |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:151)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
|   | 106)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|   | 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|   | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|   | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser  |         |        |
|   | is not opened   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |         |        |
|   | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.  |         |        |
|   | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  |         |        |
|   | Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen  |         |        |
|   | (DriverFactory.java:985)  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver  |         |        |
|   | (DriverFactory.java:970)  |         |        |
|   | $at\ com. kms. katalon. core. we bui. driver. Driver Factory. get Web Driver (Driver Factory.)$   |         |        |
|   | java:956)   |         |        |

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1000)

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:34)
         ... 13 more
```

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 10 | selectOptionByValue(findTestObject("Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107"), "Seoul CURA Healthcare Center", true)  | 0.178s  | FAILED |
|    | Unable to select option by value 'Seoul CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression (Root cause: com.kms.katalon.core.exception.  StepFailedException: Unable to select option by value 'Seoul CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.execute(SelectOptionByValueKeyword.groovy:71) |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1168)   |         |        |
|    | at com.kms.katalon.core.webui.keyword.  WebUiBuiltInKeywords\$selectOptionByValue\$4.call(Unknown Source) at BookAppointment.run(BookAppointment:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
|    | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
|    | java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|    | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)  |         |        |
|    | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|    | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown   |         |        |
|    | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver  |         |        |

Status

```
Description
                                                                                         Elapsed
(DriverFactory.java:970)
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:956)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.kevword.builtin.
SelectOptionByValueKeyword$ selectOptionByValue closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com. kms. katalon. core. webui. keyword. builtin. Select Option By Value Keyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1168)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$selectOptionByValue$4.call(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:36)
         ... 13 more
```

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 11 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f"))  | 0.119s  | FAILED |
|    | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare |         |        |
|    | Service/input_Apply for hospital readmission_hospit_63901f' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
|    | (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:26)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)   |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)  |         |        |
|    | at BookAppointment.run(BookAppointment:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|    | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|    | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|    | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|    | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|    | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|    | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|    | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|    | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened  |         |        |
|    | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'                            |         |        |
|    | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |         |        |
|    | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|    | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |

java:956)

Status

```
Description
                                                                                        Elapsed
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:39)
         ... 13 more
```

| Descri         | otion  | Elapsed | Status |
|----------------|--|---------|--------|
| click(fir      | ndTestObject("Object Repository/Page_CURA Healthcare<br>e/input_Medicaid_programs")) | 0.082s  | FAILED |
| Unable         | to click on object 'Object Repository/Page_CURA Healthcare                           |         |        |
|                | e/input_Medicaid_programs' (Root cause: com.kms.katalon.core.exception.              |         |        |
|                | iledException: Unable to click on object 'Object Repository/Page_CURA Healthcare     |         |        |
| Service        | e/input_Medicaid_programs'   |         |        |
|                | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed           |         |        |
| (WebU          | IKeywordMain.groovy:64)  |         |        |
|                | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword           |         |        |
| (WebU          | IKeywordMain.groovy:26)  |         |        |
|                | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.       |         |        |
| groovy         |  |         |        |
| <b></b>        | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute                   |         |        |
| (ClickK        | eyword.groovy:40)  |         |        |
|                | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                            |         |        |
| execut         | eKeywordForPlatform(KeywordExecutor.groovy:74)                                       |         |        |
| () 4 ( ) 1 ( ) | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click                     |         |        |
| (vvebU         | iBuiltInKeywords.groovy:620)   |         |        |
| (1.1.1         | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call            |         |        |
| (Unkno         | wn Source)   |         |        |
|                | at BookAppointment.run(BookAppointment:41)   |         |        |
|                | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                 |         |        |
| iovo:11        | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.           |         |        |
| java:11        |  |         |        |
| java:44        | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.            |         |        |
| java.44        | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.            |         |        |
| java:43        |  |         |        |
| java.+c        | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                  |         |        |
| (TestC         | aseExecutor.java:418)  |         |        |
| (10310         | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                        |         |        |
| (TestC         | aseExecutor.java:410)  |         |        |
| (10010         | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.              |         |        |
| java:28        | · · · · · · · · · · · · · · · · · · ·  |         |        |
| ,              | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                |         |        |
| (Comm          | onExecutor.java:65)  |         |        |
| (              | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase              |         |        |
| (TestS         | uiteExecutor.java:151)   |         |        |
| · ·            | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:       |         |        |
| 106)           |  |         |        |
|                | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:          |         |        |
| 185)           |  |         |        |
|                | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown            |         |        |
| Source         |  |         |        |
|                | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)              |         |        |
|                | by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser          |         |        |
| is not c       | ·  |         |        |
|                | fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'         |         |        |
| -              | info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.        |         |        |
|                | md64', os.version: '10.0', java.version: '1.8.0_282'                                 |         |        |
| Driver         | nfo: driver.version: unknown   |         |        |
| (D.)           | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen             |         |        |
| (Driver        | Factory.java:985)  |         |        |
| (D :           | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver                   |         |        |
| (Driver        | Factory.java:970)  |         |        |
| levi or        | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.       |         |        |
| java:95        | 0)   |         |        |

```
Description
                                                                                         Elapsed
                                                                                                          Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:41)
         ... 13 more
```

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 13 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34"))  | 0.073s  | FAILED |
|    | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare |         |        |
|    | Service/span_Visit Date (Required)_glyphicon glyphi_cada34' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
|    | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword   |         |        |
|    | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.   |         |        |
|    | groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)  |         |        |
|    | at BookAppointment.run(BookAppointment:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|    | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|    | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|    | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|    | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|    | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|    | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|    | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|    | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened  |         |        |
|    | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'                            |         |        |
|    | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |         |        |
|    | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|    | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |

java:956)

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:43)
         ... 13 more
```

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/td_28"))   | 0.079s  | FAILED |
|    |   |         |        |
|    | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/td_28' (Root  |         |        |
|    | cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/td_28' |         |        |
|    | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
|    | (WebUIKeywordMain.groovy:64)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|    | (WebUIKeywordMain.groovy:26)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  |         |        |
|    | groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)   |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
|    | executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  |         |        |
|    | (WebUiBuiltInKeywords.groovy:620)   |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call   |         |        |
|    | (Unknown Source) at BookAppointment.run(BookAppointment:45)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
|    | java:119)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|    | java:448)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
|    | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
|    | (TestCaseExecutor.java:418)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|    | (TestCaseExecutor.java:410)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|    | java:285)   |         |        |
|    | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  |         |        |
|    | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|    | (TestSuiteExecutor.java:151)  |         |        |
|    | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
|    | 106)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|    | 185)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |         |        |
|    | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|    | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser  |         |        |
|    | is not opened   |         |        |
|    | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |         |        |
|    | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.  |         |        |
|    | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown   |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen  |         |        |
|    | (DriverFactory.java:985)  |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver  |         |        |
|    | (DriverFactory.java:970)  |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.  |         |        |
|    | java:956)   |         |        |
|    | at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1000)                          |         |        |
|    | inalianentoyrionnalivietrious(vveboloonimonnelper.java.1000)  |         |        |

```
Description
                                                                                         Elapsed
                                                                                                           Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at\ com.kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$click \$1. call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:45)
         ... 13 more
```

| Description  | Flores  | Ctatus |
|--|---------|--------|
| Description  | Elapsed | Status |
| setText(findTestObject("Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment"), "My appointment is on 28th SEP 22")                 | 0.078s  | FAILED |
| Unable to set text 'My appointment is on 28th SEP 22' of object 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment' (Root cause: |         |        |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'My appointment is  |         |        |
| on 28th SEP 22' of object 'Object Repository/Page_CURA Healthcare  |         |        |
| Service/textarea_Comment_comment   |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword   |         |        |
| (WebUlKeywordMain.groovy:26)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText   |         |        |
| (SetTextKeyword.groovy:66)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute   |         |        |
| (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText   |         |        |
| (WebUiBuiltInKeywords.groovy:980)  |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call  |         |        |
| (Unknown Source)   |         |        |
| at BookAppointment.run(BookAppointment:47)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
| java:448)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
| java:439)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
| (TestCaseExecutor.java:418)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:285)  |         |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
| (CommonExecutor.java:65)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
| (TestSuiteExecutor.java:151)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
| at com.kms.kataion.core.main. restCaseMain.start restSuite( restCaseMain.java: 185)  |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
| Source)  |         |        |
| at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)  |         |        |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser   |         |        |
| is not opened  |         |        |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'   |         |        |
| System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.   |         |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown  |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |         |        |
| (DriverFactory.java:985)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|  |         |        |

 $at\ com. kms. katalon. core. we bui. driver. Driver Factory. get Web Driver (Driver Factory.$ 

(DriverFactory.java:970)

Elapsed

Status

```
Description
java:956)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.kevword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:980)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText \$2. call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:47)
```

... 13 more

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 16 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Book Appointment"))   | 0.072s  | FAILED |
|    | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CURA Healthcare Service/button_Book |         |        |
|    | Appointment' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed   |         |        |
|    | (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:436)   |         |        |
|    | (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)   |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at BookAppointment.run(BookAppointment:49)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
|    | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|    | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
|    | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  |         |        |
|    | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|    | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|    | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser  |         |        |
|    | is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |         |        |
|    | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'   |         |        |
|    | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985)  |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)   |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956)   |         |        |

```
Description
                                                                                         Elapsed
                                                                                                          Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:49)
         ... 13 more
```

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 17 | verifyElementText(findTestObject("Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation"), "Appointment Confirmation")   | 0.085s  | FAILED |
|    | Verify element text of test object 'Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation' FAILED. (Root cause: com.kms.katalon.core. exception.StepFailedException: Verify element text of test object 'Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation' FAILED. |         |        |
|    | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|    | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.  |         |        |
|    | verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40)   |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword.  |         |        |
|    | WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source) at BookAppointment.run(BookAppointment:51)  |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
|    | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|    | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  |         |        |
|    | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  |         |        |
|    | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|    | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|    | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|    | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser  |         |        |
|    | is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.   |         |        |
|    | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  Driver info: driver.version: unknown  at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen  |         |        |
|    | (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|    | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |

java:956)

### BookAppointment

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.doCall
(VerifyElementTextKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$ verifyElementText closure1.call(VerifyElementTextKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKevwordMain.groovv:20)
         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
verifyElementText(VerifyElementTextKeyword.groovy:72)
         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
execute(VerifyElementTextKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
execute Keyword For Platform (Keyword Executor. groovy: 74)\\
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
verifyElementText(WebUiBuiltInKeywords.groovy:4749)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementText$5.call(Unknown Source)
         at Script1663747635180.run(Script1663747635180.groovy:51)
         ... 13 more
```

# BookAppointment

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 18 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Go to                                   | 0.074s  | FAILED |
| 10 | Homepage"))  | 0.07 43 | TAILLD |
|    | Unable to click on object 'Object Repository/Page_CURA Healthcare Service/a_Go to                              |         |        |
|    | Homepage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to                           |         |        |
|    | click on object 'Object Repository/Page_CURA Healthcare Service/a_Go to Homepage'                              |         |        |
|    | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed                                     |         |        |
|    | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword        |         |        |
|    | (WebUlKeywordMain.groovy:26)   |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.                                 |         |        |
|    | groovy:74)   |         |        |
|    | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute   |         |        |
|    | (ClickKeyword.groovy:40)   |         |        |
|    | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click   |         |        |
|    | (WebUiBuiltInKeywords.groovy:620)  |         |        |
|    | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call                                      |         |        |
|    | (Unknown Source)   |         |        |
|    | at BookAppointment.run(BookAppointment:53)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|    | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)                            |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.                                      |         |        |
|    | java:448)  |         |        |
|    | $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$                      |         |        |
|    | java:439)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)                |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|    | (TestCaseExecutor.java:410)  |         |        |
|    | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|    | java:285)  |         |        |
|    | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
|    | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase               |         |        |
|    | (TestSuiteExecutor.java:151)   |         |        |
|    | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                                 |         |        |
|    | 106)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                                    |         |        |
|    | 185)   |         |        |
|    | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)                              |         |        |
|    | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)  |         |        |
|    | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser                             |         |        |
|    | is not opened  |         |        |
|    | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'                           |         |        |
|    | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.                           |         |        |
|    | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown              |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen                                       |         |        |
|    | (DriverFactory.java:985)   |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|    | (DriverFactory.java:970)   |         |        |
|    | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.                                 |         |        |
|    | java:956) at com.kms.katalon.core.webui.common.WebUiCommonHelper.  |         |        |
|    | at com.kms.katalon.core.webal.common.weboloommonrelper.  |         |        |

# BookAppointment

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
|    | findElementByNormalMethods(WebUiCommonHelper.java:1000) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy:20) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.sclick(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeywords.click(Ulation.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeywords.click(Ulation.groovy:40) at com.kms.katalon.core.webui.keyword.groovy:74) at com.kms.katalon.core.webui.keyword.groovy:74) at com.kms.katalon.core.webui.keyword.groovy:74) at com.kms.katalon.core.webui.keyword.groovy:53) 13 more ) |         |        |
| 19 | closeBrowser() Browser is closed  | 0.619s  | PASSED |
| 20 | Start listener action : afterTestCase   | 0.004s  | PASSED |

#### Information

ID Test Cases/RecordModeTestCase

Description

Tag

Start 2022-10-12 15:17:47 End 2022-10-12 15:17:52

Elapsed 4.834s Status FAILED

#### **Details**

| # | Description                            | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : beforeTestCase | 0.002s  | PASSED |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | openBrowser("")  | 1.750s  | FAILED |
|   |  |         |        |
|   | Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.  |         |        |
|   | StepFailedException: Unable to open browser with url: "  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword   |         |        |
|   | (WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.  |         |        |
|   | openBrowser(OpenBrowserKeyword.groovy:81)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute   |         |        |
|   | (OpenBrowserKeyword.groovy:67)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser   |         |        |
|   | (WebUiBuiltInKeywords.groovy:64)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call   |         |        |
|   | (Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:20)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
|   | java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
|   | java:448)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
|   | java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
|   | (TestCaseExecutor.java:418)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|   | (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)   |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
|   | (CommonExecutor.java:65)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|   | (TestSuiteExecutor.java:151)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|   | 106)   |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. j$ |         |        |
|   | 185)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|   | Source)  |         |        |
|   | at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)  |         |        |
|   | Caused by: org.openqa.selenium.SessionNotCreatedException: Unexpected error launching Internet Explorer. Browser zoom level was set to 150%. It should be set to 100%  |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'   |         |        |
|   | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.   |         |        |
|   | arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'   |         |        |
|   | Driver info: driver.version: CInternetExplorerDriver   |         |        |
|   | remote stacktrace:   |         |        |
|   | at org.openqa.selenium.remote.W3CHandshakeResponse.  |         |        |
|   | lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)  |         |        |
|   | at org.openqa.selenium.remote.HandshakeResponse.   |         |        |
|   | lambda\$getResponseFunction\$0(HandshakeResponse.java:30)  |         |        |
|   | at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0   |         |        |
|   | (ProtocolHandshake.java:126)   |         |        |
|   | at org.openqa.selenium.remote.ProtocolHandshake.createSession  |         |        |
|   | (ProtocolHandshake.java:128)   |         |        |

```
Description
                                                                                              Elapsed
                                                                                                                Status
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.execute
(CInternetExplorerDriver.java:21)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at\ org. open qa. selenium. ie. Internet Explorer Driver. run (Internet Explorer Driver. java:
221)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:213)
          at org.openqa.selenium.ie.InternetExplorerDriver.<init>(InternetExplorerDriver.
java:190)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.<init>
(CInternetExplorerDriver.java:15)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewIEDriver
(DriverFactory.java:686)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:361)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
(OpenBrowserKeyword.groovy:67)
          at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
          at Script1663927437770.run(Script1663927437770.groovy:20)
          ... 13 more
```

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")   | 0.022s  | FAILED |
|   | Unable to navigate to 'https://opensource-demo.orangehrmlive.com/web/index. php/auth/login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute  |         |        |
|   | (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0. call(Unknown Source)  |         |        |
|   | at RecordModeTestCase.run(RecordModeTestCase:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
|   | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.iava:454)   |         |        |
|   | (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |         |        |
|   | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened  |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown   |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver  |         |        |
|   | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.   |         |        |
|   | java:956)   |         |        |

at com.kms.katalon.core.webui.keyword.builtin.

NavigateToUrlKeyword\$\_navigateToUrl\_closure1.doCall(NavigateToUrlKeyword.groovy:80)

Description Elapsed Status at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$\_navigateToUrl\_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)  $at\ com.kms. katalon.core. webui. keyword. builtin. Navigate ToUrl Keyword. execute$ (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl$ (WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0. call(Unknown Source) at Script1663927437770.run(Script1663927437770.groovy:22) ... 13 more

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 4 | setText(findTestObject("Object<br>Repository/RecordModeObjects/Page_OrangeHRM/input_Username_username"), "Admin")  | 0.192s  | FAILED |
|   | Unable to set text 'Admin' of object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Username_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'Admin' of |         |        |
|   | object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Username_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed   |         |        |
|   | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|   | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call                                 |         |        |
|   | (Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:24)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|   | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|   | java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|   | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser   |         |        |
|   | is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'   |         |        |
|   | System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  Driver info: driver.version: unknown                          |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
|   | (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.  |         |        |

Status

```
Description
                                                                                          Elapsed
java:956)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.kevword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:980)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText \$2. call
(Unknown Source)
         at Script1663927437770.run(Script1663927437770.groovy:24)
         ... 13 more
```

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 5 | setEncryptedText(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password"), "hUKwJTbofgPU9eVlw/CnDQ==")   | 0.203s  | FAILED |
|   | Unable to set encrypted text for object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/RecordModeObjects/Page_OrangeHRM/input_Password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.  |         |        |
|   | execute(SetEncryptedTextKeyword.groovy:34)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.  WebUiBuiltInKeywords\$setEncryptedText\$3.call(Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
|   | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
|   | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|   | Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)  |         |        |

(DriverFactory.java:970)

Status

```
Description
                                                                                         Elapsed
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:956)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$ setEncryptedText_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
         at com.kms.katalon.core.webui.kevword.builtin.
SetEncryptedTextKeyword$ setEncryptedText_closure1.call(SetEncryptedTextKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
         at\ com. kms. katalon. core. we bui. keyword. builtin. Set Encrypted Text Keyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Encrypted Text
(WebUiBuiltInKeywords.groovy:1011)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$setEncryptedText$3.call(Unknown Source)
         at Script1663927437770.run(Script1663927437770.groovy:26)
```

... 13 more

| # Description  | Elapsed | Status |
|--|---------|--------|
| click(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/button_Login"))   | 0.208s  | FAILED |
| Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/button_Login' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object  |         |        |
| Repository/RecordModeObjects/Page_OrangeHRM/button_Login'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed<br>(WebUIKeywordMain.groovy:64)                          | l       |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywo (WebUIKeywordMain.groovy:26)  |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute                                      | l.      |        |
| (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)   |         |        |
| at RecordModeTestCase.run(RecordModeTestCase:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. |         |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor java:439)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                                    |         |        |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhasi (CommonExecutor.java:65)   | e       |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java               | ro:     |        |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java  |         |        |
| 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |         |        |
| at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:30 Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browse is not opened                           |         |        |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.                        |         |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen                       |         |        |
| (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory java:956)  |         |        |

```
Description
                                                                                         Elapsed
                                                                                                          Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663927437770.run(Script1663927437770.groovy:28)
         ... 13 more
```

| Description .   | Florida I | 01.1   |
|---|-----------|--------|
| Description   | Elapsed   | Status |
| click(findTestObject("Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd-icon bi-caret-down-fill oxd-userd_9ba5b3"))  | 0.239s    | FAILED |
| Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd-icon bi-caret-down-fill oxd-  |           |        |
| userd_9ba5b3' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/RecordModeObjects/Page_OrangeHRM/i_PIM_oxd- |           |        |
| icon bi-caret-down-fill oxd-userd_9ba5b3' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |           |        |
| (WebUIKeywordMain.groovy:64)  |           |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)   |           |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  |           |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)   |           |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)  |           |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  |           |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call   |           |        |
| (Unknown Source) at RecordModeTestCase.run(RecordModeTestCase:30)   |           |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.                         |           |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |           |        |
| java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |           |        |
| java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |           |        |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |           |        |
| (TestCaseExecutor.java:410)   |           |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)   |           |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  |           |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)  |           |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)   |           |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)  |           |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |           |        |
| Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)   |           |        |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser  |           |        |
| is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  |           |        |
| System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.  |           |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'  |           |        |
| Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |           |        |
| (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |           |        |
| (5)   |           |        |

 $at\ com. kms. katalon. core. we bui. driver. Driver Factory. get Web Driver (Driver Factory.$ 

(DriverFactory.java:970)

Status

```
Description
                                                                                        Elapsed
java:956)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663927437770.run(Script1663927437770.groovy:30)
         ... 13 more
```

| Description  | Elapsed | Status |
|--|---------|--------|
| click(findTestObject("Object   | 0.227s  | FAILED |
| Repository/RecordModeObjects/Page_OrangeHRM/a_Logout"))  |         |        |
| Unable to click on object 'Object  |         |        |
| Repository/RecordModeObjects/Page_OrangeHRM/a_Logout' (Root cause: com.kms.                            |         |        |
| katalon.core.exception.StepFailedException: Unable to click on object 'Object                          |         |        |
| Repository/RecordModeObjects/Page_OrangeHRM/a_Logout'  |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed                             |         |        |
| (WebUIKeywordMain.groovy:64)   |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.                         |         |        |
| groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute                                     |         |        |
| (ClickKeyword.groovy:40)   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click                                       |         |        |
| (WebUiBuiltInKeywords.groovy:620)  |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call                              |         |        |
| (Unknown Source)   |         |        |
| at RecordModeTestCase.run(RecordModeTestCase:32)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                                   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.                             |         |        |
| java:119)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)                     |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.                              |         |        |
| java:439)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                                    |         |        |
| (TestCaseExecutor.java:418)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
| (TestCaseExecutor.java:410)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                |         |        |
| java:285)  |         |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                                  |         |        |
| (CommonExecutor.java:65)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java                          |         |        |
| 106)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                            |         |        |
| 185)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown                              |         |        |
| Source)  |         |        |
| at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)                                |         |        |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not appeared.    |         |        |
| is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'     |         |        |
| System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.                   |         |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'   |         |        |
| Driver info: driver.version: unknown   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen                               |         |        |
| (DriverFactory.java:985)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver                                     |         |        |
| (DriverFactory.java:970)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.                         |         |        |
| java:956)  |         |        |

```
Description
                                                                                         Elapsed
                                                                                                          Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1000)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:720)
         at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1663927437770.run(Script1663927437770.groovy:32)
         ... 13 more
```

| Description  | Elapsed | Status |
|--|---------|--------|
| verifyElementText(findTestObject("Object   | 0.204s  | FAILED |
| Repository/RecordModeObjects/Page_OrangeHRM/h5_Login"), "Login")   | 0.2043  | TAILLE |
| Verify element text of test object 'Object   |         |        |
| Repository/RecordModeObjects/Page_OrangeHRM/h5_Login' FAILED. (Root cause: com.                                    |         |        |
| kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object                         |         |        |
| Repository/RecordModeObjects/Page_OrangeHRM/h5_Login' FAILED.  |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed   |         |        |
| (WebUIKeywordMain.groovy:64)   |         |        |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword   |         |        |
| (WebUIKeywordMain.groovy:26)   |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.  |         |        |
| verifyElementText(VerifyElementTextKeyword.groovy:72)  |         |        |
| at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute(VerifyElementTextKeyword.groovy:40) |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  |         |        |
| verifyElementText(WebUiBuiltInKeywords.groovy:4749)  |         |        |
| at com.kms.katalon.core.webui.keyword.   |         |        |
| WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source)  |         |        |
| at RecordModeTestCase.run(RecordModeTestCase:34)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
| java:119)  |         |        |
| $at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$                          |         |        |
| java:448)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
| java:439)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                          |         |        |
| (TestCaseExecutor.java:410)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:285)  |         |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
| (CommonExecutor.java:65)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
| (TestSuiteExecutor.java:151)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                                     |         |        |
| 106)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
| 185)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
| Source) at TempTestSuite1665568052752.run(TempTestSuite1665568052752.groovy:36)                                    |         |        |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser                                 |         |        |
| is not opened  |         |        |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'                               |         |        |
| System info: host: 'DESKTOP-3VGOKDA', ip: '10.22.20.100', os.name: 'Windows 10', os.                               |         |        |
| arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'   |         |        |
| Driver info: driver.version: unknown   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen   |         |        |
| (DriverFactory.java:985)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver   |         |        |
| (DriverFactory.java:970)   |         |        |
| at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.                                     |         |        |

java:956)

```
Description
                                                                                            Elapsed
                                                                                                             Status
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.
    findElementByNormalMethods(WebUiCommonHelper.java:1000)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.
    findElementsBySelectedMethod(WebUiCommonHelper.java:911)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.
    findElementsBySelectedMethod(WebUiCommonHelper.java:894)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.
    findElementsBySelectedMethod(WebUiCommonHelper.java:889)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.
    findElementsByDefault(WebUiCommonHelper.java:885)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
    (WebUiCommonHelper.java:720)
             at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
    (WebUiCommonHelper.java:1365)
             at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
    findWebElement(WebUIAbstractKeyword.groovy:27)
             at com.kms.katalon.core.webui.keyword.builtin.
    VerifyElementTextKeyword$_verifyElementText_closure1.doCall
    (VerifyElementTextKeyword.groovy:52)
             at com.kms.katalon.core.webui.keyword.builtin.
    VerifyElementTextKeyword$ verifyElementText closure1.call(VerifyElementTextKeyword.
    groovy)
             at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
    (WebUIKevwordMain.groovv:20)
             at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
    verifyElementText(VerifyElementTextKeyword.groovy:72)
             at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
    execute(VerifyElementTextKeyword.groovy:40)
             at com.kms.katalon.core.keyword.internal.KeywordExecutor.
    executeKeywordForPlatform(KeywordExecutor.groovy:74)
             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
    verifyElementText(WebUiBuiltInKeywords.groovy:4749)
             at com.kms.katalon.core.webui.keyword.
    WebUiBuiltInKeywords$verifyElementText$5.call(Unknown Source)
             at Script1663927437770.run(Script1663927437770.groovy:34)
             ... 13 more
10
    closeBrowser()
                                                                                             0.618s
                                                                                                            PASSED
    Browser is closed
```

0.006s

**PASSED** 

11

Start listener action : afterTestCase