

# Test Suit3

## Execution Environment

Host name	OrCon - DESKTOP-3VGOKDA
Local OS	Windows 10 64bit
Katalon version	8.4.1.208
Browser	Chrome 105.0.0.0

## Summary

ID	Test Suites/Test Suit3		
Description			
Total	3		
Passed	2	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-09-23 15:50:25	End	2022-09-23 15:55:49
Elapsed	5m - 24.075s		

#	ID	Description	Status
1	Test Cases/ManualDemoTestCase		PASSED
2	Test Cases/ScriptModeTestCase		PASSED
3	Test Cases/Data Driven Demo		FAILED

# ManualDemoTestCase

## Information

ID	Test Cases/ManualDemoTestCase		
Description			
Tag			
Start	2022-09-23 15:50:26	End	2022-09-23 15:50:55
Elapsed	29.455s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	3.299s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	8.456s	PASSED
3	setText(findTestObject("ManualRecord/Page_OrangeHRM/input_username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_username_username'	3.882s	PASSED
4	setEncryptedText(findTestObject("ManualRecord/Page_OrangeHRM/input_Password_password"), "hUKwJTbofgPU9eVlw/CnDQ==")  Text ***** has been set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password'	2.561s	PASSED
5	click(findTestObject("ManualRecord/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/ManualRecord/Page_OrangeHRM/button_Login' is clicked on	1.501s	PASSED
6	delay(8)  Delayed 8 second(s)	8.049s	PASSED

# ManualDemoTestCase

---

#	Description	Elapsed	Status
7	closeBrowser()  Browser is closed	0.793s	PASSED

# ScriptModeTestCase

## Information

ID	Test Cases/ScriptModeTestCase		
Description			
Tag			
Start	2022-09-23 15:50:55	End	2022-09-23 15:51:19
Elapsed	24.330s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.417s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	8.752s	PASSED
3	setText(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/input_username_username"), "Admin")  Text 'Admin' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_username_username'	3.415s	PASSED
4	setText(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password"), "admin123")  Text 'admin123' is set on object 'Object Repository/ManualRecord/Page_OrangeHRM/input_Password_password'	2.755s	PASSED
5	click(findTestObject("Object Repository/ManualRecord/Page_OrangeHRM/button_Login"))  Object: 'Object Repository/ManualRecord/Page_OrangeHRM/button_Login' is clicked on	1.405s	PASSED
6	delay(5)  Delayed 5 second(s)	5.008s	PASSED

# ScriptModeTestCase

---

#	Description	Elapsed	Status
7	closeBrowser()  Browser is closed	0.760s	PASSED

# Data Driven Demo

## Information

ID	Test Cases/Data Driven Demo		
Description			
Tag			
Start	2022-09-23 15:55:17	End	2022-09-23 15:55:49
Elapsed	32.428s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.084s	PASSED
2	navigateToUrl("https://admin-demo.nopcommerce.com/login?ReturnUrl=%2Fadmin%2F")  Navigate to 'https://admin-demo.nopcommerce.com/login?ReturnUrl=%2Fadmin%2F' successfully	2.147s	PASSED
3	click(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/div_Email"))  Object: 'Object Repository/Data Driven Demo/Page_Your store. Login/div_Email' is clicked on	1.570s	PASSED
4	setText(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/input_Email_Email"), username)  Text " is set on object 'Object Repository/Data Driven Demo/Page_Your store. Login/input_Email_Email'	3.247s	PASSED

# Data Driven Demo

#	Description	Elapsed	Status
5	<p>setEncryptedText(findTestObject("Object Repository/Data Driven Demo/Page_Your store. Login/input_Password_Password"), password)</p> <p>Unable to set encrypted text for object 'Object Repository/Data Driven Demo/Page_Your store. Login/input_Password_Password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Data Driven Demo/Page_Your store. Login/input_Password_Password'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.setEncryptedText(SetEncryptedTextKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.execute(SetEncryptedTextKeyword.groovy:34)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setEncryptedText\$2.call(Unknown Source)     at Data Driven Demo.run(Data Driven Demo:28)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1663928421925.run(TempTestSuite1663928421925.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: chrome not reachable     (Session info: chrome=105.0.5195.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-3VGOKDA', ip: '172.22.68.56', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p>	23.336s	FAILED

# Data Driven Demo

#	Description	Elapsed	Status
	<pre>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\OrCon\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58163}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 43f84faef86816c96771cf6ca3239a79     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)     at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106)     at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)     at com.sun.proxy.\$Proxy11.sendKeys(Unknown Source)     at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429)     at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. groovy:57)     at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword\$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1011)     at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setEncryptedText\$2.call(Unknown Source)     at Script1663839717680.run(Script1663839717680.groovy:28)     ... 16 more )</pre>		