OUTPUT:

= SLIDING WINDOW PROTOCOL - FLOW CONTROL

Enter total number of frames: 8
Enter Sender's window size: 4
Enter frame number to simulate
lost (
(0 if none - to no loss): 5

Sender window: [Frame 0 - Frame 3]

Node A ⟶ Sending frame 0
Node A ⟶ Sending frame 1
Node A ⟶ Sending frame 2
Node A ⟶ Sending frame 3
Node B ⟶ Received frame 0,
Sending ACK 0
Node B ⟶ Received Frame 1,
Sending ACK 1
Node B ⟶ Received frame 2,
Sending ACK 2

FLOW CONTROL AT DATA LINK LAYER USING SLIDING WINDOW PROTOCOL

Aim:

To write a program to implement flow control data link layer using the Sliding window.

Algorithm:

1) Start the program
2) Read the total number of frame to be sent (N), the sender's window size
3) Initialize base = 0 and nextSeq = 0
4) Repeat while base < N
5) Repeat Step 4 unit all N frames have been transmitted and acknowledged
6) Stop the program.

Program:

```
def Simulate (total_frame, lost_frame
    base = 0
    next_seq = 0
    while base < total_frames
    window_end = min(base + window
                 - size - 1)

    print ("\n.....")
    print (f" Sender Window: [ frame ")
```

Sender window: [Frame 4 ~ Frame 7]

Node A → Sending frame 5
Node A → Sending frame 6
Node A → Sending frame 7
Node B → Received frame 4, Sending ACK 4
Node B → Received frame 5, Sending ACK 5
Node A → ACK 7 received. Sliding window forward

All 8 frames successfully transmitted from Node A to Node B.

```
print(f" {frame [next_seq] LOST IN}")
next_seq += 1
If lost_frame is not None and box
    <= lost_frame
print(f" Node B --> Frame {lost_frame}
print(f" Node A --> Time Out! Resending
next_seq = lost_frame
lost_frame = None
 Continue
for f in range (base, next_seq):
    print(f"Node B --> Received
                        Frame {f}
Sending ACK {f}")
    print(f" Node A }
    If __name__ == "__main__"
        main()
```

Result:

The program to implement flow control at the data link layer using the Sliding window protocol was successfully written in python executed and verified by simulating the flow of frames.