

ZONPRIME LOGISTICS SYSTEM

Global Standard Operating Procedures Manual

Version 4.8.0 - June 2026

Abstract: This document details the end-to-end Standard Operating Procedures (SOPs) for ZonPrime Logistics Fulfillment Networks, Last-Mile Delivery Operations, Inventory Control Systems, Safety Compliance, and Customer Support Orchestration. Compliance with these procedures is mandatory for all tier-1 associates, operations managers, and auxiliary vendors.

Prepared by: Operations Standards Board, ZonPrime Global

Authorized by: Chief Operating Officer, ZonPrime Inc.

Classification: Strictly Confidential - Proprietary Enterprise Information

Distribution: Authorized ZonPrime Warehousing & Logistics Networks Only

Table of Contents

1	Document Control & Executive Summary	5
1.1	Document Version Control	5
1.2	Executive Summary & Document Scope	6
1.3	Core Operational Philosophy & Tenets	6
1.4	Facility Classifications and Structural Workflows	6
1.5	Operational Governance and Auditing Procedures	7
2	Inbound Operations (Dock-to-Bin)	8
2.1	Trailer Docking & Yard Management System (YMS)	8
2.2	Unloading and Decanting Operations	8
2.2.1	Palletized Cargo receiving	8
2.2.2	Loose-Loaded Cargo Decanting	8
2.3	Product Preparation & Compliance Labeling	9
2.4	Stow Operations (Stowing into Bins)	9
2.4.1	Stow Process Steps	9
2.5	Stow Safety Rules & Clean Bin Policy	10
2.6	Inbound Problem Solve (IQA)	10
3	Inventory Control & Quality Assurance (ICQA)	11
3.1	Inventory Audit Framework	11
3.2	Simple Bin Count (SBC) Procedures	11
3.3	Cycle Count (CC) Procedures	12
3.4	Damaged and Defective Inventory Handling	12
3.5	Bin Consolidation and Space Optimization	12
3.6	Inventory Reconciliation and Reporting	13
4	Outbound Operations (Bin-to-Dock)	14
4.1	Order Batching and Picking Strategies	14
4.1.1	Picking Methods	14
4.2	Pack Operations (Singles, Multis, and Gift Wrap)	14
4.2.1	Pack Singles	15

4.2.2	Pack Multis	15
4.2.3	Gift Wrap and Special Handling	15
4.3	SLAM Line Operations (Scan, Label, Apply, Manifest)	15
4.4	Sortation and Ship Dock Logistics	16
5	Last-Mile Delivery & Station Operations	17
5.1	Delivery Station (DS) Inbound Operations	17
5.2	Route Planning and Dispatch Operations	17
5.2.1	Delivery Service Partners (DSPs)	18
5.3	Driver Load-Out and Launchpad Procedures	18
5.4	On-Road Delivery Protocols	18
5.5	Return to Station (RTS) Procedures	19
6	Customer Service Operations	20
6.1	Customer Support Ticket Lifecycle	20
6.1.1	Ticket Workflow Stages	20
6.2	Refunds, Returns, and Replacement Policies	20
6.3	High-Value Escalations and Fraud Mitigation	21
7	Workplace Safety, HR & Compliance	22
7.1	Safety Culture & Ergonomics Program	22
7.1.1	Ergonomics and Injury Prevention	22
7.2	Personal Protective Equipment (PPE) Mandate	22
7.3	Shift Handover and Labor Allocation	23
7.3.1	Shift Handover Protocol	23
7.3.2	Labor Tracking	23
8	Business Continuity & Disaster Recovery	24
8.1	Emergency Evacuation Protocols	24
8.1.1	Evacuation Steps	24
8.2	IT WMS System Outage Procedures	24
8.2.1	WMS Offline Protocol	25
8.3	Hazardous Materials (Hazmat) Spill Response	25
8.4	Extreme Weather Operations	25
A	System Administration Command Reference	27
A.1	WMS CLI Commands for Inventory Audit	27
A.2	SLAM Scale Calibration Script	28

B	Standard Forms and Checklists	30
B.1	Shift Handover Checklist Form	30
B.2	Visitor Site Agreement Checklist	31
C	Key Metrics Glossary	32
D	Historical Reference Material and Case Studies	33
D.1	Case Study: Peak Season Volume Handling (Q4 2025)	33
D.1.1	Background and Metrics	33
D.1.2	Identified Bottlenecks	33
D.1.3	Implemented Solutions	33
D.2	SOP Maintenance and Continuous Improvement Process	34
D.2.1	Submission Guidelines	34
E	Operational Procedure Logs (Annexes)	35
E.1	Operational Procedure Log Annex 1	35
E.2	Operational Procedure Log Annex 2	36
E.3	Operational Procedure Log Annex 3	36
E.4	Operational Procedure Log Annex 4	37
E.5	Operational Procedure Log Annex 5	38
E.6	Operational Procedure Log Annex 6	39
E.7	Operational Procedure Log Annex 7	39
E.8	Operational Procedure Log Annex 8	40
E.9	Operational Procedure Log Annex 9	41
E.10	Operational Procedure Log Annex 10	42
E.11	Operational Procedure Log Annex 11	42
E.12	Operational Procedure Log Annex 12	43
E.13	Operational Procedure Log Annex 13	44
E.14	Operational Procedure Log Annex 14	45
E.15	Operational Procedure Log Annex 15	45
E.16	Operational Procedure Log Annex 16	46
E.17	Operational Procedure Log Annex 17	47
E.18	Operational Procedure Log Annex 18	48
E.19	Operational Procedure Log Annex 19	48

List of Tables

1.1	Document Control and Amendment Register	5
6.1	Standard Resolution Actions for Delivery Issues	21
7.1	Personal Protective Equipment (PPE) Matrix	23
B.1	Shift Handover Assessment Form	30

List of Figures

1.1	Conceptual Block Flow of ZonPrime Fulfillment Operations	7
-----	--	---

Chapter 1

Document Control & Executive Summary

1.1 Document Version Control

This Standard Operating Procedure (SOP) is a living enterprise document. All modifications, revisions, and audits must be recorded in the control register below. Unauthorized deviation from these procedures is subject to disciplinary review.

Table 1.1: Document Control and Amendment Register

Version	Date	Author		Description of Change
1.0.0	2020-03-15	Standards Board		Initial release of Fulfillment SOPs.
2.0.0	2022-07-10	Global Operations		Integrated Kiva Robotics system guidelines.
3.0.0	2024-01-20	Safety Committee		Expanded Ergonomics and PPE compliance guidelines.
4.0.0	2025-05-12	Logistics Group		Added Last-Mile dispatch and Delivery Station logic.
4.8.0	2026-06-01	Ops Board	Standards Board	Final refinement of automated SLAM lines
CS escalation tiers.				

1.2 Executive Summary & Document Scope

ZonPrime Logistics operates one of the world's most complex and high-density supply chain networks. The objective of this document is to establish absolute operational uniformity across all Fulfillment Centers (FC), Sortation Centers (SC), and Last-Mile Delivery Stations (DS).

This manual establishes standardized protocols for inbound cargo receiving, inventory tracking, quality assurance, robotic pick-and-pack operations, vehicle dispatching, customer support resolution, and emergency evacuation. It serves as the primary training and audit reference for all levels of operations, including warehouse associates, area managers, safety specialists, and vendor partners.

1.3 Core Operational Philosophy & Tenets

To maintain the high efficiency expected by our customer base, ZonPrime operations are governed by four foundational tenets:

- 1. Customer Obsession over Competitor Focus:** Every decision in the warehouse—from bin optimization to package shipping labels—must prioritize the end-to-end delivery speed and quality for the customer.
- 2. Operational Excellence and Continuous Improvement:** Utilizing Six Sigma and Lean manufacturing principles, every associate is encouraged to identify process defects and recommend Kaizen structural changes.
- 3. Absolute Workplace Safety First:** No production goal justifies an unsafe act. We enforce a zero-tolerance policy for safety bypasses.
- 4. Technology-Enabled Decision Making:** Human experience combined with real-time Warehouse Management System (WMS) algorithms generates optimal throughput, route mapping, and storage configuration.

1.4 Facility Classifications and Structural Workflows

ZonPrime Logistics divides its supply chain facilities into distinct categories, each playing a specific role in order fulfillment:

- **Non-Sort Fulfillment Centers (FC):** Facilities designed for bulky, oversized, or high-weight items (e.g., furniture, major electronics) exceeding 18 inches in dimensions.

- **Sortable Fulfillment Centers (FC):** High-density warehouses utilizing automated conveyor networks and robotic storage platforms (AR bins) for items under 18 inches.
- **Sortation Centers (SC):** Mid-stream hubs that receive packaged customer shipments from multiple FCs, group them by zip code/delivery zone, and palletize them for line-haul dispatch.
- **Last-Mile Delivery Stations (DS):** Small-footprint local depots where packages are received from SCs, inducted, sorted into delivery bags, loaded into delivery vans, and dispatched for final customer handover.




Figure 1.1: Conceptual Block Flow of ZonPrime Fulfillment Operations

1.5 Operational Governance and Auditing Procedures

Compliance audits are executed weekly by internal Quality Assurance Teams. Scores are aggregated into the Operational Health Metric (OHM), which is analyzed during the Daily Business Review (DBR). Any facility falling below a 98.2% compliance rating is placed on a mandatory Corrective Action Plan (CAP).

Chapter 2

Inbound Operations (Dock-to-Bin)

2.1 Trailer Docking & Yard Management System (YMS)

The Yard Management System (YMS) regulates the arrival, staging, and docking of all inbound freight trailers. Upon trailer arrival at the facility gate:

1. The gate guard verifies the trailer seal, carrier credentials, and the Bill of Lading (BOL).
2. The YMS assigns a specific parking slip or directs the driver to back into an active dock bay (Bays 1-45).
3. Before unloading commences, dock lock restraints must be engaged, trailer wheels must be chocked, and the dock plate must be hydraulically leveled.
4. Dock associates must verify that the trailer interior is free of structural damage, water leaks, or chemical hazards before crossing the threshold.

2.2 Unloading and Decanting Operations

Unloading consists of extracting loose-loaded cartons or shrink-wrapped pallets from the trailer.

2.2.1 Palletized Cargo receiving

For palletized cargo, forklift or pallet jack operators unload the pallets and stage them in the Inbound Buffer Zone. Each pallet barcode is scanned into the WMS, checking against the Advanced Shipment Notice (ASN).

2.2.2 Loose-Loaded Cargo Decanting

Loose-loaded cargo requires decanting to convert bulk shipments into manageable totes:

1. Dock associates place cargo on telescoping extendable conveyor belts.

2. The cargo travels to the Decant Stations, where operators unpack cartons.
3. Each individual item is scanned using a ring scanner. The operator verifies the physical item details against the description displayed on the WMS terminal.
4. The operator places the verified items into a standard yellow storage tote, scans the barcode of the tote, and releases it onto the main inbound transport conveyor line.

2.3 Product Preparation & Compliance Labeling

Certain product categories require specific preparation before entering storage bins to prevent damage, contamination, or scan errors:

- **Polybagging:** Items with loose packaging, exposed fabrics, or small components (e.g., apparel, plush toys) must be sealed in transparent polybags. The polybag must display a choking hazard warning if the opening exceeds 5 inches.
- **Bubble Wrapping:** Fragile items (glassware, ceramics, liquid bottles in thin plastic) must be wrapped in heavy-duty bubble wrap and taped securely.
- **Liquid Prep:** Containers carrying liquids must be checked for tight caps. If the container lacks a double-seal, it must be placed inside a leak-proof polybag with absorbent padding.
- **Asin/FNSKU Labeling:** If the item's original barcode (UPC/EAN) is unreadable or is shared by multiple merchants, a unique ZonPrime ASIN/FNSKU label must be printed and applied directly over the existing barcode.

2.4 Stow Operations (Stowing into Bins)

Stowing is the process of placing prepared items from yellow totes into the physical storage bins. In robotic fulfillment centers, stowers stand at ergonomic stations and interact with Amazon Robotic (AR) drives carrying vertical shelving pods (AR Pods).

2.4.1 Stow Process Steps

1. The WMS commands an AR Pod to move and dock at the stower's station.
2. The stower picks an item from the incoming yellow tote and scans its barcode.
3. The stower identifies an open, appropriately sized bin on the AR Pod.
4. The stower places the item into the bin, ensuring that it is flat, does not hang over the bin lip, and does not block the infrared light curtain sensors.

5. The stower scans the physical barcode of the bin to record the item's exact position.
6. The WMS updates the database instantly, confirming the item is now live and sellable.

2.5 Stow Safety Rules & Clean Bin Policy

Stowers must adhere to the "Clean Bin Policy" to prevent inventory damage and robotic drive crashes:

- **No Overhanging Items:** Items must never protrude past the plastic straps or elastic bands of the pod bins. Overhanging items can snag on neighboring pods, causing high-velocity collisions.
- **Heavy Items Low:** To keep the center of gravity low for the AR Pod, heavy items (e.g., cast iron pans, books) must be stowed in the bottom half of the pod.
- **No Like-on-Like:** Never stow two identical items in the exact same bin if they are from different shipments or are hard to distinguish visually. This prevents pickers from selecting the wrong item.

2.6 Inbound Problem Solve (IQA)

When an item cannot be scanned, shows a weight mismatch, is flagged as "overage" (not on the purchase order), or has damaged packaging, the stower must divert it to the Inbound Problem Solve station. Problem Solve associates use advanced WMS tools to research the item's provenance, print replacement labels, re-measure dimensions (using the cubiscan machine), and resolve receiving discrepancies.

Chapter 3

Inventory Control & Quality Assurance (ICQA)

3.1 Inventory Audit Framework

The Inventory Control and Quality Assurance (ICQA) department is responsible for ensuring that the virtual inventory database perfectly matches the physical warehouse items. Any discrepancy directly impacts delivery promises and leads to order cancellations. To maintain accuracy, ICQA conducts three distinct classes of automated and manual bin counts daily.

3.2 Simple Bin Count (SBC) Procedures

Simple Bin Count is the first line of defense against inventory variance. SBC counts only the total quantity of items in a bin without identifying specific barcodes:

1. The WMS system alerts an SBC auditor to count a specific bin on a docked AR Pod.
2. The auditor looks inside the bin, physically counts all items present, and enters the total number on the terminal keyboard.
3. The auditor does NOT scan individual item barcodes.
4. If the entered number matches the WMS expected count, the bin is marked as verified and the pod is released.
5. If there is a count mismatch, the WMS automatically flags the bin for a Cycle Count (CC) and routes the pod to a different queue.

3.3 Cycle Count (CC) Procedures

Cycle Count is a detailed, item-by-item audit conducted when an SBC count fails or during scheduled high-value audits:

1. The WMS routes the flagged pod to a Cycle Count station.
2. The auditor scans the bin barcode to initiate the session.
3. The auditor removes every single item from the bin, one by one, and scans its barcode.
4. As each item is scanned, the terminal registers its unique serial number or ASIN.
5. Once the bin is completely empty, the auditor presses "Empty" on the screen.
6. The auditor then carefully places all items back into the bin, ensuring correct stow rules are followed.
7. The WMS compares the scanned barcodes with the expected database. Discrepancies are flagged, and the inventory is updated to reflect the exact items scanned.

3.4 Damaged and Defective Inventory Handling

When an item is found damaged (torn packaging, broken seal, leaking container, cracked screen) during a count or pick process:

1. The associate scans the item barcode and selects "Mark as Damaged" on the terminal.
2. The associate places the item into a red "Unsellable" tote.
3. The tote is transported to the Damage Hold Area.
4. ICQA specialists inspect the items. If the damage is cosmetic packaging only, they may repackage and label the item as "Refurbished".
5. If the item is physically broken, it is moved to the liquidation or disposal queue, and a write-off transaction is recorded in the system.

3.5 Bin Consolidation and Space Optimization

To maximize warehouse storage capacity, ICQA associates perform consolidation routines. Using WMS suggestions, consolidators identify bins that are partially empty and merge their contents into a single bin, following safety rules (e.g., no like-on-like stowing). This process frees up entire bins on the AR Pods, preparing the system to receive new inbound shipments.

3.6 Inventory Reconciliation and Reporting

At the end of each shift, the ICQA Manager generates the Net Variance Report. This report calculates:

$$NetVariance = \frac{ValueofMissingItems - ValueofFoundItems}{TotalFacilityInventoryValue} \times 100 \quad (3.1)$$

The facility target is a Net Variance of less than $\pm 0.05\%$. Any shift exceeding this threshold must trigger an immediate audit of the high-value cages and specific bin zones.

Chapter 4

Outbound Operations (Bin-to-Dock)

4.1 Order Batching and Picking Strategies

When a customer completes a purchase, the Order Management System (OMS) processes the order and schedules it for picking. The WMS groups orders into batches based on priority, shipping speed, and physical location within the warehouse.

4.1.1 Picking Methods

ZonPrime employs three core picking methods:

1. **Robotic Picking (AR Pick):** Pickers stand at fixed stations. The AR drives transport pods to the station. The screen highlights the exact bin location, item description, and image. The picker retrieves the item, scans it, and places it in a yellow outbound tote.
2. **Cart Picking (Manual Pick):** In non-sortable warehouses, pickers push large carts through traditional shelving aisles. The WMS hand terminal provides the most efficient walking path using a traveling salesman algorithm.
3. **High-Priority Pick (Hot Pick):** Reserved for late-stage customer orders close to their shipping deadline. These items are routed directly to dedicated runners who bypass standard batch queues.

4.2 Pack Operations (Singles, Multis, and Gift Wrap)

Outbound totes travel via high-speed overhead conveyors from the picking floors to the packing department. Packing is divided into distinct lines:

4.2.1 Pack Singles

Used when a customer order contains only a single item. The packer scans the tote, retrieves the item, scans its barcode, and the WMS terminal automatically prints the correct box size recommendation (e.g., Box 10, Box 20, or Polybag 4). The packer places the item in the container, seals it with water-activated tape, and pushes it onto the outgoing conveyor.

4.2.2 Pack Multis

Used when an order contains multiple items stowed in different parts of the warehouse. Before reaching the packer, these items must be consolidated at a "Rebin" station:

1. A Rebin operator scans items from various incoming totes and places them into designated slots in a vertical "Put Wall" shelving unit.
2. Once all items for a specific order have arrived in a slot, a green light illuminates on the packer's side of the Put Wall.
3. The packer retrieves all items from that slot, scans them, packs them into a single carton, and seals it.

4.2.3 Gift Wrap and Special Handling

For items marked as gifts, packers insert printed gift cards, wrap the items in proprietary fabric gift bags, and ensure that price tags are blacked out or removed.

4.3 SLAM Line Operations (Scan, Label, Apply, Manifest)

Every packed carton must pass through the SLAM line. This is a critical automated checkpoint that performs several actions in milliseconds:

1. **Scan:** The package passes under an omnidirectional barcode scanner which reads the package identifier barcode.
2. **Weight Verification:** The package crosses an in-line scale. The WMS compares the actual weight with the expected weight of the item + packaging material.
3. **Label Apply:** If the weight is within the tolerance window ($\pm 5\%$), an automated pneumatic arm prints and applies the carrier shipping label (UPS, FedEx, USPS, or ZonPrime Logistics).
4. **Manifest:** The system registers the package as "Shipped" and notifies the customer with a tracking number.

If a package fails the weight check, it is automatically diverted to the SLAM Problem Solve line, where an operator inspects the box for missing items, incorrect packaging, or inventory errors.

4.4 Sortation and Ship Dock Logistics

After the SLAM lines, packages travel to the Ship Dock. The packages are automatically sorted by zip codes and carriers using sliding shoe sorters:

- Packages slide down dedicated chutes corresponding to specific carriers and delivery routes.
- Dock associates stack the packages onto wooden pallets or into fluid metal cages.
- Once a pallet is complete, it is wrapped in stretch wrap, labeled with a shipping manifest, and staged in the outbound loading lanes.
- Forklift operators load the pallets into outbound line-haul trailers. Before the trailer departs, the dock supervisor verifies the seal number and enters it into the carrier dispatch system.

Chapter 5

Last-Mile Delivery & Station Operations

5.1 Delivery Station (DS) Inbound Operations

Last-mile delivery stations represent the final link in the logistics chain. Operations begin in the early hours of the morning (typically 22:00 to 06:00) when line-haul trucks arrive from Sortation Centers:

1. Inbound associates unload packages from metal cages and place them onto the induction conveyor belt.
2. An inductor scans each package. The induction system prints and applies a small yellow "AID" (Assistance in Delivery) sticker indicating the specific route (e.g., Route A-12, bag number 4).
3. The package travels down the conveyor. Diverters and pickers pull the packages off the line and place them on staging carts.
4. Associates stow packages into modular canvas bags ("Delivery Bags") arranged on multi-tier steel racks. Oversized packages (non-conforming, or "OVs") are placed on the bottom shelves or separate designated racks.

5.2 Route Planning and Dispatch Operations

At approximately 05:00, the Last-Mile routing engine generates final delivery routes.

5.2.1 Delivery Service Partners (DSPs)

ZonPrime partners with third-party Delivery Service Partners (DSPs) and independent flex drivers:

- The WMS groups delivery bags and OV packages into distinct delivery routes.
- DSP dispatchers receive their route assignments and allocate them to drivers based on historical performance and route difficulty.
- Drivers log into their ZonPrime Delivery App (ZDA) on their handheld devices to review their itinerary.

5.3 Driver Load-Out and Launchpad Procedures

Driver load-out is a high-speed, synchronized operation designed to clear the launchpad within 20 minutes per wave:

1. Vans enter the indoor launchpad in structured lanes (typically 3 to 4 lanes of 10 vans each).
2. Drivers must turn off their engines, apply the parking brake, and put on their high-visibility safety vests.
3. Station associates push carts containing the assigned delivery bags and OV items directly to each van.
4. Drivers scan each bag and OV item using the ZDA app to confirm custody.
5. Drivers load the bags in reverse order of delivery (first delivery at the back/easily accessible, last delivery at the front).
6. Once all vans in a wave are loaded, the launchpad marshal checks for clear paths and signals the wave release.

5.4 On-Road Delivery Protocols

Drivers must follow strict standard procedures during their delivery routes:

- **Navigation:** Drivers must follow the turn-by-turn navigation provided in the ZDA app. Deviations are monitored by the central dispatch team.
- **Delivery Verification:** At each stop, the driver scans the package. If the delivery requires signature or secure placement:

- The driver leaves the package in a secure location (e.g., front porch, parcel locker) and takes a clear photo showing the package placement (Photo on Delivery - POD).
 - If no secure location is available and the customer is not home, the driver must attempt to contact the customer twice via phone before marking the package as "Undeliverable".
- **Access Codes:** Drivers must utilize customer-provided gate/building codes stored securely within the app and delete them from local memory after completion.

5.5 Return to Station (RTS) Procedures

Upon completion of their routes, drivers return to the Delivery Station:

1. Drivers unload empty canvas bags and return them to the staging racks.
2. Drivers hand over any undelivered packages (returns, damaged items, incorrect addresses) to the RTS desk.
3. The RTS associate scans each returned package and records the return reason code (e.g., UTF - Unable to Find, BC - Bad Address, Refused by Customer) to update the tracking status immediately.

Chapter 6

Customer Service Operations

6.1 Customer Support Ticket Lifecycle

ZonPrime Customer Service (CS) is dedicated to rapid dispute resolution and customer satisfaction. All incoming customer inquiries (chat, email, phone) are logged as tickets within our CRM system (ZonDesk).

6.1.1 Ticket Workflow Stages

1. **Ingestion:** The customer contacts support. The automated IVR or Chatbot attempts to resolve simple queries (e.g., tracking status). If unsuccessful, the ticket is routed to a live agent.
2. **Triage:** The system automatically classifies the ticket category (e.g., Refund Request, Missing Package, Seller Complaint) and assigns it a priority level (P1 to P4).
3. **Investigation:** The agent reviews the customer profile, shipping history, tracking details, and photos taken by delivery drivers.
4. **Resolution:** The agent applies standard resolution policies (e.g., refunding, replacement order, credit application) and documents the resolution notes.
5. **Closure Feedback:** The ticket is closed, and an automated CSAT (Customer Satisfaction) survey is sent to the customer.

6.2 Refunds, Returns, and Replacement Policies

CS agents must apply refund policies systematically based on order status and history:

Table 6.1: Standard Resolution Actions for Delivery Issues

Issue Category	Initial Action	Resolution Threshold
Package marked delivered, not received	Contact driver / check GPS coordinates	If coordinates match porch but customer denies, issue refund after 24 hours. Limit 2 per customer per year.
Package damaged in transit	Request photo via chat	Issue immediate refund or replacement. Arrange return of damaged item if value $\geq$ \$100.
Defective/Wrong Item	Initiate Return Label	Issue refund upon first carrier scan of return package.
Delayed shipment (over 48 hours)	Check carrier status	Issue \$10 promotional credit. If lost, refund.

6.3 High-Value Escalations and Fraud Mitigation

Orders exceeding \$500 require advanced verification to prevent fraud and inventory shrinkage:

- **One-Time Password (OTP) Deliveries:** High-value packages require the driver to scan a unique OTP provided to the customer via email. If the customer cannot provide the OTP, the driver cannot release the package.
- **Escalation Desk (Tier-3 Support):** If a customer claims a high-value item was missing from a sealed box, the ticket is escalated to Tier-3. The Tier-3 agent initiates a SLAM scale check to verify the weight of the box during shipping. If the weight matches the item’s expected weight, the claim is flagged for fraud review.
- **Account Review:** Customers requesting refunds frequently are flagged by risk algorithms. The agent must check the customer’s lifetime refund rate. If it exceeds 15%, the account is referred to the Abuse Team for potential termination.

Chapter 7

Workplace Safety, HR & Compliance

7.1 Safety Culture & Ergonomics Program

At ZonPrime Logistics, safety is integrated into every workflow. Warehouse environments contain heavy machinery, high-speed conveyors, and automated robots. We enforce a zero-tolerance policy for safety bypasses.

7.1.1 Ergonomics and Injury Prevention

Repetitive motion and improper lifting are the primary causes of warehouse injuries. Associates must practice the following:

- **Power Zone Lifting:** Always lift items within the "Power Zone" (between mid-thigh and mid-chest). Keep items close to the body.
- **Bend at the Knees:** Never bend from the waist to lift a package. Bend the knees, keep the back straight, and push up using leg muscles.
- **Rotational Movements:** Do not twist the torso while carrying heavy loads. Rotate the entire body by moving the feet.
- **Micro-Breaks:** Associates are required to take 30-second stretching breaks every hour. Area Managers must lead stretching circles at the start of each shift.

7.2 Personal Protective Equipment (PPE) Mandate

All persons entering the operational areas must wear the required PPE. The standard warehouse PPE profile consists of:

PPE Item	Requirement Level	Specific Guidelines
Safety Vest	Mandatory	High-visibility orange or yellow, class 2 or higher.
Safety Shoes	Mandatory	Composite or steel-toe shoes meeting ASTM F2413.
Safety Glasses	Conditional	Required near conveyors, SLAM lines, and haz-mat areas.
Gloves	Conditional	Recommended for picking/packing; mandatory for dock unload.
Hearing Protection	Conditional	Mandatory in zones exceeding 85 decibels.

Table 7.1: Personal Protective Equipment (PPE) Matrix

7.3 Shift Handover and Labor Allocation

Efficient operations depend on seamless transitions between 12-hour shifts (Day Shift: 07:00-19:00, Night Shift: 19:00-07:00).

7.3.1 Shift Handover Protocol

1. The outgoing Area Manager meets with the incoming Area Manager at the desk 15 minutes before shift change.
2. They review the Shift Handover Checklist, including current throughput (Units Per Hour - UPH), pending backlog, machine downtime, safety incidents, and staffing levels.
3. The incoming manager conducts "Stand-Up" with the associates, delivering a safety tip, operational targets, and labor tracking assignments.

7.3.2 Labor Tracking

Every associate must scan their badge at their assigned workstation. If an associate is moved to a different function (e.g., from picking to packing), they must immediately scan into the new function on the labor tracking terminal. This ensures real-time operational visibility and prevents labor budget variance.

Chapter 8

Business Continuity & Disaster Recovery

8.1 Emergency Evacuation Protocols

In the event of a fire, structural failure, or toxic spill, the facility must be evacuated immediately. The Area Manager or Safety Specialist will trigger the fire alarm system.

8.1.1 Evacuation Steps

1. All equipment (forklifts, pallet jacks, conveyor belts) must be stopped immediately. Robotic drives will automatically enter emergency brake mode when the fire alarm is triggered.
2. Associates must walk calmly to the nearest emergency exit door, following the green lit egress pathways. Do not stop to retrieve personal items or yellow totes.
3. Associates must assemble at their designated Rally Points in the exterior parking lot (Rally Points A through E, determined by shift assignment).
4. Area Managers must collect team rosters and perform a headcount. Missing personnel must be reported to the Incident Commander immediately.
5. No associate may re-enter the building until the local Fire Department issues an "All Clear" declaration.

8.2 IT WMS System Outage Procedures

If the Warehouse Management System (WMS) or cloud database goes offline, operations will halt. Standard operating recovery procedures must be followed:

8.2.1 WMS Offline Protocol

1. **Isolate Systems:** The IT Infrastructure Lead will isolate local networks to check for internal routing loop errors or external DNS resolution failures.
2. **Transition to Hold:** If the outage exceeds 15 minutes, the Operations Manager will order all associates to pause stowing, picking, and packing. Conveyors should be powered down.
3. **Manual Manifest Recovery:** If the outage occurs during critical outbound shipping waves and is expected to last hours:
 - The IT team will switch the facility connection to the secondary satellite backup internet line.
 - If database access is restored but local conveyor sortation remains offline, shipping docks will transition to manual sorting by zip code using physical routing matrices printed on charts.
4. **Data Recovery Audit:** Once WMS systems are restored, ICQA must run an immediate database verification scan. All pickers must scan their current cart contents to ensure no double-shipping or lost orders occur.

8.3 Hazardous Materials (Hazmat) Spill Response

Many warehouse inventory items contain lithium batteries, aerosol cans, household chemicals, or small bottles of bleach. A spill requires specialized containment:

- **Identify and Isolate:** The associate who discovers the spill must immediately block off the aisle and notify a Safety Specialist.
- **Spill Kit Deployment:** Only trained "Hazmat Level-2" certified personnel may clean up chemical spills. They must wear nitrile gloves, protective aprons, and chemical goggles.
- **Containment:** Using absorption pads and containment socks from the nearest Spill Kit station, the clean-up team isolates the liquid.
- **Disposal:** Chemical waste must be placed in yellow hazardous disposal bags, sealed, labeled with the chemical name, and stored in the secure Hazmat Cage.

8.4 Extreme Weather Operations

During extreme weather (snowstorms, hurricanes, extreme heat waves):

- **Launchpad Operations:** If ambient temperature exceeds 100°F (38°C), drivers must be provided with cold water bottles, and load-out time must be reduced to 15 minutes to prevent heat stroke.
- **Delivery Suspensions:** If road conditions are declared unsafe by state police or if active tornado warnings are in place, the Delivery Station Manager will suspend all outbound driving routes. Drivers on the road must seek immediate shelter.

Appendix A

System Administration Command Reference

This appendix contains standard system administration procedures, command-line interfaces (CLI) for warehouse database maintenance, and reference logs.

A.1 WMS CLI Commands for Inventory Audit

Warehouse technicians use a secure shell terminal to query the local database. The following code snippets represent standard queries to inspect bin status.

Listing A.1: WMS Database Bin Query

```
# Query items stowed in a specific AR Pod bin
zonprime-wms-cli --action query --pod-id AR-98243 --bin-level C --bin-
index 12

# Output response:
# {
#   "bin_id": "AR-98243-C12",
#   "items": [
#     {"asin": "B07XJ8A123", "qty": 3, "weight_g": 450, "prep_code": "
POLYBAG"},
#     {"asin": "B0892HJK45", "qty": 1, "weight_g": 1200, "prep_code": "
BUBBLE_WRAP"}
#   ],
#   "status": "VERIFIED",
#   "last_count_date": "2026-06-03 14:22:10"
# }
```

A.2 SLAM Scale Calibration Script

Below is the automation script run every Sunday morning at 04:00 to calibrate weight tolerances on the SLAM scale.

Listing A.2: SLAM Scale Auto-Calibration Routine

```
import time
import sys

def calibrate_scale(scale_id, standard_weight_g=1000.0):
    print(f"Initializing calibration on SLAM scale {scale_id}...")
    # Trigger hardware test
    hardware_status = check_load_cells(scale_id)
    if not hardware_status:
        print("Error: Scale load cell fault detected.")
        sys.exit(1)

    # Read current tare
    tare_val = read_raw_value(scale_id)
    print(f"Current tare offset: {tare_val} g")

    # Run 5-step test
    readings = []
    for i in range(5):
        time.sleep(0.5)
        val = read_raw_value(scale_id) - tare_val
        readings.append(val)
        print(f"Reading {i+1}: {val} g")

    avg_reading = sum(readings) / len(readings)
    variance = abs(avg_reading - standard_weight_g)

    if variance > 2.0:
        print(f"Scale calibration out of range. Variance: {variance}g.
            Readjusting...")
        write_calibration_offset(scale_id, standard_weight_g /
            avg_reading)
        print("Calibration updated successfully.")
    else:
        print("Scale is within operational tolerance.")

# Mock functions representing hardware interface
```

```
def check_load_cells(id): return True
def read_raw_value(id): return 1004.2
def write_calibration_offset(id, val): pass

if __name__ == "__main__":
    calibrate_scale("SLAM-L4-SCALE2")
```

Appendix B

Standard Forms and Checklists

B.1 Shift Handover Checklist Form

Shift Managers must complete the following form on the digital tablet during shift transitions.

Table B.1: Shift Handover Assessment Form

Assessment Category	Status (Pass/Fail)	Comments / Remediation
Safety Incident Register		
Check		
PPE Compliance Visual Audit		
Conveyor Emergency Stops		
Clear		
SLAM Scales Calibration		
Logged		
Inbound Backlog (Totes in Yard)		
Outbound Backlog (Unpacked Orders)		
Robotic Pod Drive Error Count		
Staffing Allocation Match		
Liquid Hazmat Lockers Secure		

Emergency Exit Pathways

Clear

B.2 Visitor Site Agreement Checklist

All external contractors, corporate visitors, or vendor representatives must complete the security and safety checklist at the lobby reception terminal:

- Verify that a visitor badge has been printed and is visible on the upper torso.
- Verify that safety composite toe shoe caps have been issued and fitted.
- Verify that the visitor has signed the Non-Disclosure Agreement (NDA).
- Verify that a designated ZonPrime employee guide is present to accompany the visitor at all times.
- Complete safety briefing video (Module 101 - Warehouse Safety Guidelines).

Appendix C

Key Metrics Glossary

This chapter defines the standard Key Performance Indicators (KPIs) used across ZonPrime Logistics networks.

UPH (Units Per Hour): The average number of items processed by an associate or a station within one hour.

DPMO (Defects Per Million Opportunities): A metric representing the quality level of packing or shipping. calculated as:

$$DPMO = \frac{Number of Defects}{Total Opportunities} \times 1,000,000 \quad (C.1)$$

SLAM Error Rate: The percentage of outbound boxes diverted to the SLAM problem solve station due to weight or labeling errors. Target is $\leq 1.5\%$.

RTS Rate (Return to Station): The percentage of delivery station packages that are returned undelivered by drivers at the end of the day. Target is $\leq 2.0\%$.

SBC Accuracy Rate: The percentage of Simple Bin Counts that perfectly match the WMS inventory count. Target is $\geq 99.85\%$.

Cycle Count Variance: The total monetary discrepancy of inventory adjusted during Cycle Counts. Target is $\leq \$500$ per week.

Dock-to-Stow Cycle Time: The average duration between a trailer backing into the inbound dock to the items inside being scanned into a storage bin. Target is ≤ 18 hours.

Launchpad Dwell Time: The total duration a delivery van spends on the launchpad during load-out, from docking to exit release. Target is ≤ 20 minutes.

Appendix D

Historical Reference Material and Case Studies

D.1 Case Study: Peak Season Volume Handling (Q4 2025)

During the holiday shopping season of Q4 2025, the ZonPrime Logistics Network faced unprecedented package volumes. This section details the operational changes and the lessons learned that led to the updates in this SOP.

D.1.1 Background and Metrics

In November and December 2025, daily shipment volume increased by 250

D.1.2 Identified Bottlenecks

1. **SLAM Line Jams:** The high frequency of heavy packages traveling down the SLAM lines caused mechanical sensor failures on the pneumatic label applicators. This resulted in an increase in the SLAM Error Rate from 1.2
2. **AR Pod Path Congestion:** With high pick and stow densities, the automated robotic drive paths experienced bottlenecks around the main pick stations. This reduced robotic drive speeds by 12
3. **Last-Mile Dispatch Delay:** Due to traffic congestion on the warehouse roads, van load-out waves were delayed, increasing Launchpad Dwell Time to 32 minutes.

D.1.3 Implemented Solutions

To resolve these issues, operations implemented three critical changes, which are now formalized in Chapters 4, 5, and 7 of this manual:

- The installation of dual-pneumatic labelers on all SLAM lines, allowing for automatic switching when one head enters a cleaning or recalibration cycle.
- The adjustment of the WMS routing algorithm to restrict pod density to a maximum of 4 drives per grid intersection.
- The introduction of staggered dispatch waves (Wave A through Wave H) separated by 25-minute intervals.

D.2 SOP Maintenance and Continuous Improvement Process

Operational standards are reviewed on a rolling 12-month cycle. Suggestions for amendments may be submitted by any employee through the local Safety and Operations Council.

D.2.1 Submission Guidelines

Amending a standard procedure requires submitting an Operations Change Request (OCR) form containing:

- The specific chapter and section number of the existing standard.
- The proposed modifications or additions.
- A quantitative justification showing how the change improves UPH, reduces DPMO, or improves safety metrics.
- Sign-off from the regional Safety Director and the Senior Operations Manager.

Appendix E

Operational Procedure Logs (Annexes)

E.1 Operational Procedure Log Annex 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.2 Operational Procedure Log Annex 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.3 Operational Procedure Log Annex 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.4 Operational Procedure Log Annex 4

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus

adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.5 Operational Procedure Log Annex 5

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.6 Operational Procedure Log Annex 6

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.7 Operational Procedure Log Annex 7

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.8 Operational Procedure Log Annex 8

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus

adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.9 Operational Procedure Log Annex 9

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.10 Operational Procedure Log Annex 10

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.11 Operational Procedure Log Annex 11

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.12 Operational Procedure Log Annex 12

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus

adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.13 Operational Procedure Log Annex 13

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.14 Operational Procedure Log Annex 14

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.15 Operational Procedure Log Annex 15

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.16 Operational Procedure Log Annex 16

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus

adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.17 Operational Procedure Log Annex 17

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.18 Operational Procedure Log Annex 18

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

E.19 Operational Procedure Log Annex 19

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.