

KANE-O'S HASHME

OPERATING MANUAL

+ TECHNICAL SPECIFICATION



FAST. SIMPLE. SECURE. SHA-256 ON THE GO.

VERSION 1.2 | WINDOWS 11+ x64

PRIVATE SOURCE-AVAILABLE CANDIDATE

KANE-O-TECH | SOVEREIGN / KANE-O | 20 SEPTEMBER 2026



1. Quick Start


PURPOSE HASHME calculates a file's SHA-256 fingerprint locally, identifies whether the content is new or already known, and places complete evidence-ready output one click away.




READY - the complete strip is a file drop target.

Standard workflow

1. Open HASHME from the Windows Start menu or launch the portable HASHME.exe.
2. Drag one file or several files from Windows Explorer onto any part of the strip.
3. Wait while HASHME reads each file and calculates its complete 64-character SHA-256.
4. Read the status badge, then press Copy to place every filename and SHA-256 on the clipboard.
5. Press CLEAR when finished. The visible result is reset; the private verification catalogue remains intact.



NEW - the content has not previously been recorded by this HASHME installation.



EXISTING - the recalculated fingerprint matches a known record or recognised sidecar.

PRECISION NOTE HASHME does not write a hash into the source file. It reads the file, calculates the fingerprint, and records the relationship in its own local catalogue. The source file is never rewritten.



2. Status and Evidence Guide

The badge colour is a fast signal; the text is the authoritative state. Hover over shortened status or result text to view the complete tooltip.

STATUS	SIGNAL	EXACT MEANING
READY	IDLE	Waiting for one or more files.
NEW	BLUE	No matching HASHME record or recognised SHA-256 sidecar was found. The calculated fingerprint is recorded locally.
EXISTING	ORANGE	The recalculated hash matches the prior path record, known identical content, or a recognised sidecar/manifest record.
CHANGED	RED	This path was recorded before, but its current bytes produce a different hash. The stored baseline is preserved.
MISMATCH	RED	The current hash does not match the expected value in a recognised sidecar or SHA256SUMS manifest.
MATCH	GREEN	Pair Match received two files whose complete SHA-256 values are identical.
DIFFERENT	RED	Pair Match received two files with different SHA-256 values.
ERROR	RED	The file could not be read or hashed. The displayed detail explains why.

Changed records are fail-closed

HASHME never silently replaces a changed baseline. If the change is authorised, right-click and choose Replace stored record with current hash. HASHME rehashes the file before replacing the catalogue record; if the bytes changed again, replacement is refused.

Recognised verification records


- Sidecars: filename.ext.sha256 or filename.sha256; a bare 64-character hash is accepted in a sidecar.
- Manifests: SHA256SUMS, SHA256SUMS.txt, or SHA256SUMS.sha256 in the file's directory.
- Supported lines include conventional 'hash filename' and BSD 'SHA256 (filename) = hash' formats.

CLEAR IS NOT DELETE CLEAR, Escape, or Delete removes the visible result and disarms Pair Match. It does not erase settings or the verification catalogue.




3. Pair Match and Multi-File Work

Pair Match is for direct evidence comparison: arm it first, then drop exactly two files together. The mode automatically disarms after that drop.



PAIR ARMED - the next drop must contain exactly two files.



MATCH - both recalculated SHA-256 fingerprints are identical.

Run a pair comparison

6. Right-click HASHME and select Pair Match - next drop.
7. Drag exactly two files onto any part of the strip.
8. Read MATCH or DIFFERENT, then press Copy for the complete paired evidence line.

```
FILE A: a3a38548-a510-430e-b965-9907226c33ae.png
SHA256: 1863f3b12ecb532a51b700ba69f1d6ead14c1ac82dbe5bd79d0e1888f74108bd

FILE B: KANEOS_HEAD.png
SHA256: 1863f3b12ecb532a51b700ba69f1d6ead14c1ac82dbe5bd79d0e1888f74108bd

MATCH: YES
```

Clipboard proof preserves both filenames, both SHA-256 values, and MATCH: YES or NO.

Multiple ordinary files


Outside Pair Match, drop any number of files together. HASHME processes them in deterministic drop order. The visible field remains a single truncated line; Copy returns every complete filename and SHA-256 on one continuous clipboard line separated by four spaces.

COPY FORMAT filename.ext SHA256: <64 hex characters> next-file.ext SHA256: <64 hex characters>



4. Controls and Settings

Right-click anywhere on the strip to open HASHME's control menu. Settings persist locally between launches.



The complete right-click menu, including position, verification, startup, tray and lifecycle controls.



WINDOW	Always on top; Lock position; Reset position. When unlocked, drag the strip from any non-button area.
EVIDENCE	Pair Match; Copy; Clear; Replace changed record; Open file location.
APPEARANCE	HashMe Dark, Graphite, Light, and High Contrast themes.
LIFECYCLE	Start with Windows; Hide to tray; About; Exit. Double-click the tray icon to restore HASHME.

ABOUT AND COPYRIGHT The About window identifies HASHME v1.2 and displays the interim notice: Copyright © 2026 KANE-O, trading as KANE-O-TECH. All rights reserved except as expressly permitted by the applicable licence.



5. Installation and Technical Specification

Use the MSI for a normal per-user installation or direct update from v1.0/v1.1. The portable ZIP may be extracted and HASHME.exe launched directly.



Windows 11 device evidence: explicit installer completion and installed application entry.

PRODUCT	HASHME - KANE-O's lightweight SHA-256 utility
RELEASE	v1.2.0; private source-available candidate; 20 September 2026
OWNER / PUBLISHER	KANE-O, trading as KANE-O-TECH
PLATFORM	Windows 11 or later, x64; Per-Monitor V2 high-DPI aware
APPLICATION	WPF, net10.0-windows; self-contained single-file PE32+ GUI
BUILD TOOLCHAIN	Official .NET SDK 10.0.401; 0 warnings/errors; 15/15 core tests passed
INTERFACE	600 x 54 device-independent pixels; whole-window drag/drop; notification-area support
HASHING	SHA-256; 64 lowercase hexadecimal characters; streaming, local and read-only
INSTALL SCOPE	Per-user, no elevation; %LOCALAPPDATA%\KANE-O\HASHME; Start-menu shortcut
LOCAL DATA	settings.json and hash-records.json under %LOCALAPPDATA%\KANE-O\HASHME
STARTUP	Optional HKCU Run entry: KANE-O.HASHME
NETWORK / SOURCE FILES	No network access requested or used; dropped source files are never rewritten
SUPPORT / SECURITY	hashme256@proton.me

Release integrity

HASHME.exe: [cb4e8165f0f5dd232ea8eae2bbd0b10f679a5b2aa9348a985e565bef6f451147](#)

v1.2 MSI: [c882a8e46ec0281a4b3f7d5b94a47ae8111990d4309e79dd5171dbc36ad85247](#)

HashMe mascot: [e115eee7ef8df70ac89337664dbe4a8efa4451527a1888565264b1773a4e3319](#)

FINAL RECORD Private source-available candidate rebuild: PASS (15/15). Windows device acceptance and explicit publication authorisation remain required. The installer is unsigned.