




```

1 clc; clear; close all;
2 TotalSlots = 8;
3 AllocatedSlots = 6;
4 FreeSlots = TotalSlots - AllocatedSlots;
5 Utilization = (AllocatedSlots/TotalSlots)*100;
6 disp('Frame Utilization (%)')
7 disp(Utilization)
8 figure
9 % Graph 1: Simple Line Plot (SAFE - no bar function)
10 subplot(2,1,1)
11 plot([1 2],[AllocatedSlots FreeSlots],'-o','LineWidth',2)
12 title('GSM Frame Utilization (Allocated vs Free)')
13 xlabel('Slot Type Index (1=Allocated, 2=Free)')
14 ylabel('Number of Slots')
15 grid on
16
17 % Graph 2: Pie Chart (SAFE)
18 subplot(2,1,2)
19 pie([AllocatedSlots FreeSlots])
20 title('Slot Distribution in GSM Frame')
21 legend('Allocated','Free')
    
```




```

1  clc; clear; close all;
2  FrameTime = 4.615; Slots = 8;
3  SlotDuration = FrameTime/Slots;
4  t = 0:SlotDuration:FrameTime;
5  figure
6  subplot(2,1,1)
7  stem(t,ones(size(t)),'filled')
8  title('TDMA Time Slot Structure')
9  xlabel('Time (ms)')
10 ylabel('Slot Level')
11 grid on
12 subplot(2,1,2)
13 plot(t,ones(size(t)),'-o','LineWidth',1.5)
14 title('Continuous View of Slot Allocation')
15
16 xlabel('Time (ms)')
17 ylabel('Slot Presence')
18 grid on
    
```

