



Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

Kanigasri M
192563010010

QUESTIONS

LEVEL 1 — EASY

Q1
Numbers

Q2
Loops

Q3
Strings

Q4
Array

4 / 4 submitted

Level 1 — Easy (E) Composite — Numbers

✓ Submitted

Write a program to print all the composite numbers between a and b?
Sample Input:
A = 12
B = 19
Sample Output
14, 15, 16, 18

1. A = 11, B = 11
2. A = 20, B = 10
3. A = 0, B = 0
4. A = -5, B = 5
5. A = 7, B = -12

Your Code

```
1 import java.util.Scanner;
2 class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int start=sc.nextInt();
6         int end=sc.nextInt();
7         for(int i=start;i<=end;i++){
8             int count=0;
9             for(int j=1;j<=i;j++){
10                 if(i%j==0)
11                     count++;
12             }
13             if(count>2)
14                 System.out.print(i+" ");
15         }
16     }
17 }
```

Output

```
12 14 15 16 18
```



Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

Kanigasri M
192563010010

QUESTIONS

LEVEL 1 — EASY

Q1
Numbers

Q2
Loops

Q3
Strings

Q4
Array

4 / 4 submitted

Level 1 — Easy (E) Factorial — Loops

✓ Submitted

Find the factorial of n?
Sample Input:
N = 4
Sample Output:
4 Factorial = 24

1. N = 0
2. N = -5
3. N = 1
4. N = 0
5. N = 3A

Your Code

```
1 import java.util.Scanner;
2 class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int n=sc.nextInt(),f=1;
6         for(int i=1;i<=n;i++)f*=i;
7         System.out.print(f);
8     }
9 }
```

Output

```
120
```

← Previous

Next →

© 2026 SIMATS Online Lab. All rights reserved.

Secure Exit

SIMATS Online Programming Lab
 JAVA PROGRAMMING

Kanigasri M
 192563010RD

QUESTIONS

LEVEL 1 — EASY

Q1 Numbers

Q2 Loops

Q3 Strings

Q4 Array

4 / 4 submitted

Level 1 — Easy (E) String Present — Strings

Submitted

Write a program that finds whether a given character is present in a string or not. In case it is present it prints the index at which it is present. Do not use built-in find functions to search the character.

Sample Input:

Enter the string: I am a programmer

Enter the character to be searched: p

Sample Output:

P is found in string at index: 8

Note: Check for non available Character in the given statement as Hidden Test case.

Your Code

```

1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String s =sc.nextLine();
6         char ch=sc.next().charAt(0);
7         int index=-1;
8         for (int i=0;i<s.length();i++){
9             if (s.charAt(i)==ch){
10                 index=i;
11                 break;
12             }
13         }
14         if(index !=-1)
15             System.out.println(ch + " is found in string at index : " + index);
16         else
17             System.out.println(ch + " is not found");
18     }
19 }

```

Output

```

p is found in string at index : 7

```

Previous

Next

Secure Exit

SIMATS Online Programming Lab
 JAVA PROGRAMMING

Kanigasri M
 192563010RD

QUESTIONS

LEVEL 1 — EASY

Q1 Numbers

Q2 Loops

Q3 Strings

Q4 Array

4 / 4 submitted

Level 1 — Easy (E) Frequency — Array

Submitted

Program to find the frequency of each element in the array.

Sample Input & Output:

{1, 2, 8, 3, 2, 2, 2, 5, 1}

Element	Frequency
1	2
2	4
8	1
3	1
5	1

Your Code

```

1 import java.util.*;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int n=sc.nextInt();
6         int[]a=new int[n];
7         boolean[] visited=new boolean[n];
8         for (int i=0;i<n;i++){
9             a[i]=sc.nextInt();
10         }
11         System.out.println("Elements|Frequency");
12         System.out.println("-----");
13         for (int i=0;i<n;i++){
14             if (visited[i])
15                 continue;
16             int count=1;
17             for (int j=i+1;j<n;j++){
18                 if (a[i]==a[j]){
19                     count++;
20                     visited[j]=true;
21                 }

```

Output

```

Elements|Frequency
-----
1 | 2
2 | 4
8 | 1

```