

## ASSIGNMENT-2

NAME: VOLLALA SHIVAKARTHIKEYA

1. <!DOCTYPE html>

<html>

<head>

<title>Responsive Pricing Table</title>

<style>

```
.pricing-container {  
display: flex;      justify-  
content: center;    gap:  
20px;      flex-wrap: wrap;  
padding: 20px;  
}
```

```
.plan {  
border: 1px solid #ccc;  
padding: 20px;      width:  
250px;      text-align: center;  
border-radius: 8px;  
transition: transform 0.3s;  
}
```

```
.plan:hover {  
transform: scale(1.05);  
}
```

```
.pro {      background-color:  
#f0f8ff;      border: 2px solid  
#007BFF; }
```

```
@media (max-width: 600px) {
```

```
        .pricing-container {            flex-
direction: column;            align-items:
center;
        }
    }
</style>
</head>
<body>
```

```
    <div class="pricing-container">
        <div class="plan">
<h2>Basic</h2>
            <p>$9/month</p>
            <ul>
                <li>1 User</li>
                <li>5GB Storage</li>
                <li>Email Support</li>
            </ul>
        </div>
```

```
        <div class="plan pro">
<h2>Pro</h2>
            <p>$19/month</p>
            <ul>
                <li>5 Users</li>
                <li>50GB Storage</li>
                <li>Priority Support</li>
            </ul>
        </div>
```

```
    <div class="plan">
```

```

<h2>Enterprise</h2>
<p>$49/month</p>
<ul>
  <li>Unlimited Users</li>
  <li>1TB Storage</li>
  <li>24/7 Support</li>
</ul>
</div>
</div>
</body>
</html>

```

Basic	Pro	Enterprise
\$9/month	\$19/month	\$49/month
<ul style="list-style-type: none"> <li>• 1 User</li> <li>• 5GB Storage</li> <li>• Email Support</li> </ul>	<ul style="list-style-type: none"> <li>• 5 Users</li> <li>• 50GB Storage</li> <li>• Priority Support</li> </ul>	<ul style="list-style-type: none"> <li>• Unlimited Users</li> <li>• 1TB Storage</li> <li>• 24/7 Support</li> </ul>

## 2. <!DOCTYPE html>

```

<html>
<head>
  <title>CSS Image Gallery</title>
  <style>
.gallery {
display: grid;
grid-template-
columns:
repeat(auto-fit,

```

```
minmax(200px,  
1fr));
```

```
    gap: 15px;  
padding: 20px;  
}
```

```
.gallery-item {  
position: relative;  
overflow: hidden;  
}
```

```
.gallery-item img {  
width: 100%;    transition:  
transform 0.3s;    display:  
block;  
}
```

```
.gallery-item::after {  
content: 'Image Caption';  
position: absolute;  
bottom: 0;  
    left: 0;    right: 0;  
background: rgba(0, 0, 0, 0.6);  
color: white;    padding: 10px;  
opacity: 0;    transition: opacity  
0.3s;    text-align: center;  
}
```

```
.gallery-item:hover img {  
    transform: scale(1.1);  
}
```

```
.gallery-item:hover::after {
opacity: 1;
}

@media (max-width: 600px) {
    .gallery {
        grid-template-columns: 1fr;
    }
}

</style>
</head>
<body>

<div class="gallery">
    <div class="gallery-item">
        
    </div>
    <div class="gallery-item">
        
    </div>
    <div class="gallery-item">
        
    </div>
</div>

</body>
</html>
```



3. <!DOCTYPE html>

<html>

<head>

<title>Themed Landing Page</title>

<style>

:root {

--main-color: #4CAF50;

--bg-color: #f4f4f4;

--text-color: #333;

--spacing: 20px;

}

body { margin: 0;

font-family: Arial, sans-serif;

color: var(--text-color);

background: var(--bg-color);

}

nav {

background: var(--main-color);

padding: var(--spacing); color:

white;

text-align: center;

```
}
```

```
.hero {      text-align: center;
padding:      60px      20px;
background: white;      opacity:
0;            transform:
translateY(20px);      transition:
all 1s ease;
}
```

```
.features {      display:
flex;            flex-wrap: wrap;
gap:            var(--spacing);
padding: var(--spacing);
}
```

```
.feature {      flex: 1 1 200px;
background: white;      padding: var(--
spacing);      box-shadow: 0 0 5px
rgba(0,0,0,0.1);
}
```

```
footer {      background: var(--
main-color);      color: white;
text-align: center;      padding: var(-
-spacing);
}
```

```
.visible {      opacity: 1;
transform: translateY(0);
}
```

```
@media (max-width: 600px) {
  .features {
    flex-
direction: column;
  }
}
</style>
</head>
<body>

<nav>
  <h1>My Landing Page</h1>
</nav>

<section class="hero" id="hero">
  <h2>Welcome!</h2>
  <p>This is a themed landing page with smooth scroll effects.</p>
</section>

<section class="features">
  <div class="feature">Feature One</div>
<div class="feature">Feature Two</div>
  <div class="feature">Feature Three</div>
</section>

<footer>
  &copy; 2025 My Website
</footer>

<div style="height: 500px;"></div>
```



```


<script>    function checkHeroVisible() {
const hero = document.getElementById('hero');
const rect = hero.getBoundingClientRect();    if
(rect.top < window.innerHeight) {
hero.classList.add('visible');
    }
    }

    window.addEventListener('scroll', checkHeroVisible);
window.addEventListener('load', checkHeroVisible);

</script>

</body>
</html>

```



```

4. <!DOCTYPE html> <html>

<head>

    <title>Vertical Timeline</title>

    <style>        .timeline {
position: relative;        margin:
50px auto;        padding-left:
40px;        border-left: 2px

```

```
solid gray;      max-width:
400px;
}
```

```
.event {      position: relative;
margin: 20px 0;      padding: 10px;
background: #f0f0f0;      border-left:
5px solid transparent;      transition:
0.3s;
}
```

```
.event::before {
    content: "";
position: absolute;
left: -10px;      top:
10px;      width: 10px;
height: 10px;
background: gray;
border-radius: 50%; }
```

```
.event:hover {
background: #e0f7fa;
border-left-color: #00acc1;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="timeline">
```

```
<div class="event">
```


```
<h4>January 2025</h4>
```

```

        <p>Started new project development.</p>
    </div>
    <div class="event">
        <h4>March 2025</h4>
        <p>Beta version released.</p>
    </div>
    <div class="event">
        <h4>June 2025</h4>
        <p>Official launch.</p>
    </div>
</div>

</body>
</html>

```



```

5. <!DOCTYPE html>

<html>

<head>

    <title>Tabbed Interface</title>

    <style>
        .tabs {
            display: flex;
            flex-

```

```
direction: column;      max-  
width: 500px;          margin:  
auto;  
    }
```

```
    input[type="radio"] {  
display: none;  
    }
```

```
    .labels {  
display: flex;  
    }  
    .labels label {  
        flex: 1;  
padding: 10px;  
background: #ddd;  
text-align: center;  
cursor: pointer;  
    }
```

```
    input#tab1:checked ~ .content #content1,  
input#tab2:checked ~ .content #content2,  
input#tab3:checked ~ .content #content3 {  
        display: block;  
    }
```

```
    .content div {  
display: none;  
padding: 20px;  
background: #f9f9f9;  
animation: fade 0.5s;
```

```
}
```

```
@keyframes fade {  
  from {opacity: 0;}  
  to {opacity: 1;}  
}
```

```
input#tab1:checked ~ .labels label[for="tab1"],  
input#tab2:checked ~ .labels label[for="tab2"],  
input#tab3:checked ~ .labels label[for="tab3"] {  
  background: #bbb;  
}
```

```
</style>  
</head>  
<body>
```

```
<div class="tabs">  
  <input type="radio" name="tab" id="tab1" checked>  
  <input type="radio" name="tab" id="tab2">  
<input type="radio" name="tab" id="tab3">
```

```
<div class="labels">  
  <label for="tab1">Tab 1</label>  
  <label for="tab2">Tab 2</label>  
<label for="tab3">Tab 3</label>  
</div>
```

```
<div class="content">  
  <div id="content1">This is content for Tab 1.</div>  
  <div id="content2">This is content for Tab 2.</div>  
  <div id="content3">This is content for Tab 3.</div>
```

</div>

</div>

</body>

</html>

Tab 1	Tab 2	Tab 3
This is content for Tab 1.		