Exp 10: Customize switch with Network modules using cisco packet tracer.

Aim:

To add networking Modules to a cisco switch and configure advanced features including VLAN's, port security, and trunk ports in cisco packet tracer.

Procedure:


1) Open packet tracer and add a catalyst 2960 switch.

2) click Switch → Physical Tab → Power off → drag 10M-1FE-Fx Module to Slot

3) Power on the switch and verify new interfaces appear.

4) Enable port security on Fa0/1: Switch port port-security MAXIMUM 1.

5) Test by connecting devices to correct VLANs and verifying isolation.


Switch> enable
Switch# configure terminal
Switch(config)# vlan 10
Switch(config-vlan)# name SALES
Switch(config-vlan)# vlan 20
Switch(config-vlan)# name HR
Switch(config-vlan)# exit
Switch(config)# interface FastEthernet0/1
Switch(config-if)# switchport mode access
Switch(config-if)# switchport access vlan 10
Switch(config-if)# switchport port-security
Switch(config-if)# switchport port-security maximum 1
Switch(config-if)# switchport port-security violation shutdown
Switch(config-if)# switchport port-security mac-address sticky
Switch(config-if)# exit
Switch(config)# interface FastEthernet0/24
Switch(config-if)# switchport mode trunk
Switch# show vlan brief
Switch# show interfaces trunk
Switch# show port-security interface Fa0/1

Result:

Network addresses were successfully added to the switch. VLANs were created and assigned to ports.