Exp 12: Nmap Host Discovery in TryHackMe Platform.

Aim:

To use Nmap to discover the live hosts using ARP scans, ICMP scan, and TCP/UDP ping scan techniques in the TryHackMe cybersecurity training platform

Procedure:

1) Connect to TryHackMe and start the target room Machine.

2) Launch AttackBox or connect via OpenVPN.

3) ICMP Timestamp: nmap -PP -sn <target_IP>

4) TCP ACK Ping: nmap -PA80 -sn <target_IP>

5) UDP Ping: nmap -PU53 -sn <target_IP>

6) Combined scan with verbose --reason -sn <target_IP> to see detection reason.

```
nmap -PR -sn 192.168.1.0/24

# ICMP Echo Ping Scan
nmap -PE -sn 10.10.x.x

# ICMP Timestamp Scan
nmap -PP -sn 10.10.x.x

# TCP SYN Ping (common ports)
nmap -PS22,80,443,8080 -sn 10.10.x.x

# TCP ACK Ping
nmap -PA80 -sn 10.10.x.x


# UDP Ping
nmap -PU53,161 -sn 10.10.x.x

# All scan types combined + verbose
nmap -PE -PS22,80 -PA443 -PU53 -sn -v 10.10.x.x/24

# Show reason for host status
nmap --reason -sn 10.10.x.x

# Save output to file
nmap -sn -oN discovery.txt 10.10.x.x/24
```

Result:



Various Nmap host discovery techniques were successfully executed in the TryHackMe environment.