



Tutorials ▾

Exercises ▾

Certificates ▾

Services ▾

Search...



Get Certified

Sign Up

Log in

HTML

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++

C#

BOOTSTRAP

REACT



Java Tutorial

Java HOME

Java Intro

Java Get Started

Java Syntax

Java Output

Java Comments

Java Variables

Variables

Print Variables

Multiple Variables

Identifiers

Real-Life Examples

Java Data Types

Java Type Casting

Java Operators

Java Strings

Java Math

Java Booleans

Java If...Else

Java Switch

Java While Loop

Java For Loop

Java Break/Continue

Java Arrays

Java Print Variables

< Previous

Next >

Display Variables

The `println()` method is often used to display variables.

To combine both text and a variable, use the `+` character:

Example

Get your own Java Server

```
String name = "John";  
System.out.println("Hello " + name);
```

Try it Yourself »

Up to
53%
On all Career pa
Start Today!
W3schools

COLOR
PICKER



Tutorials ▾

Exercises ▾

Certificates ▾

Services ▾



Get Certified

Sign Up

Log in

HTML

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++

C#

BOOTSTRAP

REACT



Java Tutorial

Java HOME

Java Intro

Java Get Started

Java Syntax

Java Output

Java Comments

Java Variables

Variables

Print Variables

Multiple Variables

Identifiers

Real-Life Examples

Java Data Types

Java Type Casting

Java Operators

Java Strings

Java Math

Java Booleans

Java If...Else

Java Switch

Java While Loop

Java For Loop

Java Break/Continue

Java Arrays

Example

```
String firstName = "John ";
String lastName = "Doe";
String fullName = firstName + lastName;
System.out.println(fullName);
```

Try it Yourself »

For numeric values, the `+` character works as a mathematical operator (notice that we use `int` (integer) variables here):

Example

```
int x = 5;
int y = 6;
System.out.println(x + y); // Print the value of x + y
```

Try it Yourself »

From the example above, you can expect:

- x stores the value 5



Tutorials ▾

Exercises ▾

Certificates ▾

Services ▾



Get Certified

Sign Up

Log in

HTML

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++

C#

BOOTSTRAP

REACT



Java Tutorial

Java HOME

Java Intro

Java Get Started

Java Syntax

Java Output

Java Comments

Java Variables ▾

Variables

Print Variables

Multiple Variables

Identifiers

Real-Life Examples

Java Data Types ▾

Java Type Casting

Java Operators

Java Strings ▾

Java Math

Java Booleans

Java If...Else ▾

Java Switch

Java While Loop ▾

Java For Loop ▾

Java Break/Continue

Java Arrays ▾

Exercise ?

Which method is often used to print variables?

☐ printline()☐ printvar()☐ echo()☐ println()

Submit Answer »

< Previous

Next >

Track your progress - it's free!

Sign Up

Log in



Tutorials ▼

Exercises ▼

Certificates ▼

Services ▼



Get Certified

Sign Up

Log in

HTML

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++

C#

BOOTSTRAP

REACT



Java Tutorial

Java HOME

Java Intro

Java Get Started

Java Syntax

Java Output

Java Comments

Java Variables

Variables

Print Variables

Multiple Variables

Identifiers

Real-Life Examples

Java Data Types

Java Type Casting

Java Operators

Java Strings

Java Math

Java Booleans

Java If...Else

Java Switch

Java While Loop

Java For Loop

Java Break/Continue

Java Arrays



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate



Tutorials ▾

Exercises ▾

Certificates ▾

Services ▾



Get Certified

Sign Up

Log in

HTML

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++

C#

BOOTSTRAP

REACT



Java Tutorial

Java HOME

Java Intro

Java Get Started

Java Syntax

Java Output

Java Comments

Java Variables

Variables

Print Variables

Multiple Variables

Identifiers

Real-Life Examples

Java Data Types

Java Type Casting

Java Operators

Java Strings

Java Math

Java Booleans

Java If...Else

Java Switch

Java While Loop

Java For Loop

Java Break/Continue

Java Arrays

jQuery Examples

XML Certificate



FORUM

ABOUT

ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

