

NORMALIZATION:

It is a relationship database concept and is done in the process of building ER. If the correct entity model is being built will conform to the rules of normalization. Each rule has corresponding data model interpretation, which can be used to validate placement of attributes in ER Model.

Normalization of car vehicle insurance company:

<u>Normal form</u>	<u>Table</u>
First Normal Form(1NF)	
Second Normal Form(2NF)	T10_DEPARTMENT T10_VEHICLE T10_NOK T10_INSURANCE_POLICY T10_CLAIM T10_CLAIM_SETTLEMENT T10_PREMIUM_PAYMENT T10_QUOTE
Third Normal Form(3NF)	T10_CUSTOMER T10_APPLICATION T10_INSURANCE_COMPANY T10_MEMBERSHIP T10_PRODUCT T10_COVERAGE T10_VEHICLE_SERVICE T10_INCIDENT

CREATE TABLES T10

1. T10_CUSTOMER

```
CREATE TABLE T10_CUSTOMER
(
  T10_1_Cust_Id VARCHAR(20) NOT NULL ,
  T10_1_Cust_FName VARCHAR(10) NOT NULL ,
  T10_1_Cust_LName VARCHAR(10) NOT NULL ,
  T10_1_Cust_DOB DATE NOT NULL ,
  T10_1_Cust_Gender VARCHAR(20) NOT NULL ,
  T10_1_Cust_Address VARCHAR(20) NOT NULL ,
  T10_1_Cust_MOB_Number VARCHAR(20) NOT NULL ,
  T10_1_Cust_Email VARCHAR(20) NULL ,
  T10_1_Cust_Passport_Number VARCHAR(20) NULL ,
  T10_1_Cust_Marital_Status VARCHAR(20) NULL ,
  T10_1_Cust_PPS_Number VARCHAR(20) NULL ,
  CONSTRAINT XPKCUSTOMER_1 PRIMARY KEY (T10_1_Cust_Id)
);
CREATE UNIQUE INDEX XPKCUSTOMER_1 ON T10_CUSTOMER
(T10_1_Cust_Id ASC);
```

2. T10_APPLICATION

```
CREATE TABLE T10_APPLICATION
(
  T10_2_Application_Id VARCHAR(20) NOT NULL ,
  T10_2_Vehicle_Id VARCHAR(20) NOT NULL ,
  T10_2_Application_Status VARCHAR(20) NOT NULL ,
  T10_2_Coverage VARCHAR(50) NOT NULL ,
  T10_1_Cust_Id VARCHAR(20) NOT NULL ,
  CONSTRAINT XPKAPPLICATION_2 PRIMARY KEY
(T10_2_Application_Id,T10_1_Cust_Id),
  CONSTRAINT R_93 FOREIGN KEY (T10_1_Cust_Id) REFERENCES T10_CUSTOMER
(T10_1_Cust_Id)
ON DELETE CASCADE
```

ON UPDATE CASCADE

);

CREATE UNIQUE INDEX XPKAPPLICATION_2 ON T10_APPLICATION

(T10_2_Application_Id ASC,T10_1_Cust_Id ASC);

3.T10_QUOTE

CREATE TABLE T10_QUOTE

(

T10_3_Quote_Id VARCHAR(20) NOT NULL,

T10_3_Issue_Date DATE NOT NULL,

T10_3_Valid_From_Date DATE NOT NULL,

T10_3_Valid_Till_Date DATE NOT NULL,

T10_3_Description VARCHAR(100) NULL,

T10_3_Product_Id VARCHAR(20) NOT NULL,

T10_3_Coverage_Level VARCHAR(20) NOT NULL,

T10_2_Application_Id VARCHAR(20) NOT NULL,

T10_1_Cust_Id VARCHAR(20) NOT NULL,

CONSTRAINT XPKQUOTE_3 PRIMARY KEY

(T10_3_Quote_Id,T10_2_Application_Id,T10_1_Cust_Id),

CONSTRAINT R_94 FOREIGN KEY (T10_2_Application_Id, T10_1_Cust_Id)
REFERENCES

T10_APPLICATION (T10_2_Application_Id, T10_1_Cust_Id) on delete cascade on update
CASCADE

);

CREATE UNIQUE INDEX XPKQUOTE_3 ON T10_QUOTE

(T10_3_Quote_Id ASC,T10_2_Application_Id ASC,T10_1_Cust_Id ASC);

4. T10_INSURANCE_POLICY

```
CREATE TABLE T10_INSURANCE_POLICY
(
T10_4_Agreement_id VARCHAR(20) NOT NULL ,
T10_4_Department_Name VARCHAR(25) NULL ,
T10_4_Policy_Number VARCHAR(20) NULL ,
T10_4_Start_Date DATE NULL ,
T10_4_Expiry_Date DATE NULL ,
T10_4_Term_Condition_Description VARCHAR(200) NULL ,
T10_2_Application_Id VARCHAR(20) NOT NULL ,
T10_1_Cust_Id VARCHAR(20) NOT NULL ,
CONSTRAINT XPKINSURANCE_POLICY_4 PRIMARY KEY
(T10_4_Agreement_id,T10_2_Application_Id,T10_1_Cust_Id),
CONSTRAINT R_95 FOREIGN KEY (T10_2_Application_Id, T10_1_Cust_Id)
REFERENCES
T10_APPLICATION (T10_2_Application_Id,T10_1_Cust_Id)
);

CREATE UNIQUE INDEX XPKINSURANCE_POLICY_4 ON T10_INSURANCE_POLICY
(T10_4_Agreement_id ASC,T10_2_Application_Id ASC,T10_1_Cust_Id ASC);
```

5. T10_PREMIUM_PAYMENT

```
CREATE TABLE T10_PREMIUM_PAYMENT
(
T10_5_Premium_Payment_Id VARCHAR(20) NOT NULL ,
T10_4_Policy_Number VARCHAR(20) NOT NULL ,
T10_5_Premium_Payment_Amount INTEGER NOT NULL ,
T10_5_Premium_Payment_Schedule DATE NOT NULL ,
T10_5_Receipt_Id VARCHAR(20) NOT NULL ,
```

```

T10_1_Cust_Id VARCHAR(20) NOT NULL,
CONSTRAINT XPKPREMIUM_PAYMENT_5 PRIMARY KEY
(T10_5_Premium_Payment_Id,T10_1_Cust_Id),
CONSTRAINT R_85 FOREIGN KEY (T10_1_Cust_Id) REFERENCES
T10_CUSTOMER(T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE UNIQUE INDEX XPKPREMIUM_PAYMENT_5 ON
T10_PREMIUM_PAYMENT
(T10_5_Premium_Payment_Id ASC,T10_1_Cust_Id ASC);

```

6. T10_VEHICLE

```

CREATE TABLE T10_VEHICLE
(
T10_6_Vehicle_Id VARCHAR(20) NOT NULL ,
T10_6_Policy_Id VARCHAR(20) NULL ,
T10_6_Dependent_NOK_Id VARCHAR(20) NULL ,
T10_6_Vehicle_Registration_Number VARCHAR(20) NOT NULL ,
T10_6_Vehicle_Value INTEGER NULL ,
T10_6_Vehicle_Type VARCHAR(20) NOT NULL ,
T10_6_Vehicle_Size INTEGER NULL ,
T10_6_Vehicle_Number_Of_Seat INTEGER NULL ,
T10_6_Vehicle_Manufacturer VARCHAR(20) NULL ,
T10_6_Vehicle_Engine_Number INTEGER NULL ,
T10_6_Vehicle_Chassis_Number INTEGER NULL ,
T10_6_Vehicle_Number VARCHAR(20) NULL ,
T10_6_Vehicle_Model_Number VARCHAR(20) NULL ,
T10_6_Cust_Id VARCHAR(20) NOT NULL ,
CONSTRAINT XPKVEHICLE_6 PRIMARY KEY (T10_6_Vehicle_Id,T10_6_Cust_Id),

```

CONSTRAINT R_92 FOREIGN KEY (T10_6_Cust_Id) REFERENCES T10_CUSTOMER
(T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE

);

CREATE UNIQUE INDEX XPKVEHICLE_6 ON T10_VEHICLE (T10_6_Vehicle_Id
ASC,T10_6_Cust_Id ASC);

7. T10_CLAIM

CREATE TABLE T10_CLAIM

(

T10_7_Claim_Id VARCHAR(20) NOT NULL ,

T10_4_Agreement_Id VARCHAR(20) NOT NULL ,

T10_7_Claim_Amount INTEGER NOT NULL ,

T10_14_Incident_Id VARCHAR(20) NOT NULL ,

T10_7_Damage_Type VARCHAR(20) NOT NULL ,

T10_7_Date_Of_Claim DATE NOT NULL ,

T10_7_Claim_Status CHAR(20) NOT NULL ,

T10_1_Cust_Id VARCHAR(20) NOT NULL ,

CONSTRAINT XPKCLAIM_7 PRIMARY KEY (T10_7_Claim_Id,T10_1_Cust_Id),

CONSTRAINT R_88 FOREIGN KEY (T10_1_Cust_Id) REFERENCES T10_CUSTOMER
(T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE

);

CREATE UNIQUE INDEX XPKCLAIM_7 ON T10_CLAIM

(T10_7_Claim_Id ASC,T10_1_Cust_Id ASC);

8.T10_CLAIM_SETTLEMENT

```
CREATE TABLE T10_CLAIM_SETTLEMENT
(
T10_8_Claim_Settlement_Id VARCHAR(20) NOT NULL ,
T10_6_Vehicle_Id VARCHAR(20) NOT NULL ,
T10_8_Date_Settled DATE NOT NULL ,
T10_8_Amount_Paid INTEGER NOT NULL ,
T10_8_Coverage_Id VARCHAR(20) NOT NULL ,
T10_7_Claim_Id VARCHAR(20) NOT NULL ,
T10_1_Cust_Id VARCHAR(20) NOT NULL ,
CONSTRAINT XPKCLAIM_SETTLEMENT_8 PRIMARY KEY
(T10_8_Claim_Settlement_Id,T10_7_Claim_Id,T10_1_Cust_Id),
CONSTRAINT R_90 FOREIGN KEY (T10_7_Claim_Id, T10_1_Cust_Id) REFERENCES
T10_CLAIM
(T10_7_Claim_Id, T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE
);
CREATE UNIQUE INDEX XPKCLAIM_SETTLEMENT_8 ON
T10_CLAIM_SETTLEMENT
(T10_8_Claim_Settlement_Id ASC,T10_7_Claim_Id ASC,T10_1_Cust_Id ASC);
```

9. T10_MEMBERSHIP

```
CREATE TABLE T10_MEMBERSHIP
(
T10_9_Membership_Id VARCHAR(20) NOT NULL ,
T10_9_Membership_Type CHAR(15) NOT NULL ,
T10_9_Organisation_Contact VARCHAR(20) NULL ,
T10_1_Cust_Id VARCHAR(20) NOT NULL ,
CONSTRAINT XPKMEMBERSHIP_12 PRIMARY KEY
```

```
(T10_9_Membership_Id,T10_1_Cust_Id),  
CONSTRAINT R_91 FOREIGN KEY (T10_1_Cust_Id) REFERENCES T10_CUSTOMER  
(T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE  
);  
  
CREATE UNIQUE INDEX XPKMEMBERSHIP_12 ON T10_MEMBERSHIP  
(T10_9_Membership_Id ASC,T10_1_Cust_Id ASC);
```

10. T10_INSURANCE_COMPANY

```
CREATE TABLE T10_INSURANCE_COMPANY  
(  
T10_10_Company_Name VARCHAR(50) NOT NULL ,  
T10_10_Company_Address VARCHAR(150) NULL ,  
T10_10_Company_Contact_Number VARCHAR(50) NULL ,  
T10_10_Company_Fax VARCHAR(50) NULL ,  
T10_10_Company_Email VARCHAR(50) NULL ,  
T10_10_Company_Website VARCHAR(50) NULL ,  
T10_10_Company_Location VARCHAR(20) NULL ,  
T10_10_Company_Department_Name VARCHAR(20) NULL ,  
T10_10_Company_Office_Name VARCHAR(50) NULL ,  
CONSTRAINT XPKINSURANCE_COMPANY_15 PRIMARY KEY  
(T10_10_Company_Name)  
);  
  
CREATE UNIQUE INDEX XPKINSURANCE_COMPANY_15 ON  
T10_INSURANCE_COMPANY  
(T10_10_Company_Name ASC);
```


11. T10_VEHICLE_SERVICE

CREATE TABLE T10_VEHICLE_SERVICE

(

T10_11_Department_Name VARCHAR(25) NOT NULL ,

T10_11_Vehicle_Service_Company_Name VARCHAR(30) NOT NULL ,

T10_11_Vehicle_Service_Address VARCHAR(50) NULL ,

T10_11_Vehicle_Service_Contact VARCHAR(20) NULL ,

T10_11_Vehicle_Service_Incharge VARCHAR(30) NULL ,

T10_11_Vehicle_Service_Type VARCHAR(20) NULL ,

T10_11_Department_Id CHAR(25) NOT NULL ,

T10_10_Company_Name VARCHAR(50) NOT NULL ,

CONSTRAINT XPKVEHICLE_SERVICE PRIMARY KEY

(T10_11_Vehicle_Service_Company_Name,T10_11_Department_Name),

CONSTRAINT R_50 FOREIGN KEY (T10_11_Department_Name, T10_11_Department_Id,

T10_10_Company_Name) REFERENCES T10_DEPARTMENT (T10_13_Department_Name,

T10_13_Department_ID, T10_10_Company_Name) ON DELETE CASCADE ON UPDATE
CASCADE

);

CREATE UNIQUE INDEX XPKVEHICLE_SERVICE ON T10_VEHICLE_SERVICE

(T10_11_Vehicle_Service_Company_Name ASC,T10_11_Department_Name ASC);

12. T10_NOK

CREATE TABLE T10_NOK

(

T10_12_Nok_Id VARCHAR(20) NOT NULL ,

T10_12_Nok_Name VARCHAR(20) NULL ,

T10_12_Nok_Address VARCHAR(20) NULL ,

T10_12_Nok_Phone_Number INTEGER NULL ,

```

T10_12_Nok_Gender CHAR(2) NULL ,
T10_12_Nok_Marital_Status CHAR(10) NULL ,
T10_4_Agreement_id VARCHAR(20) NOT NULL ,
T10_2_Application_Id VARCHAR(20) NOT NULL ,
T10_1_Cust_Id VARCHAR(20) NOT NULL ,
CONSTRAINT XPKNOK_14 PRIMARY KEY
(T10_12_Nok_Id,T10_4_Agreement_id,T10_2_Application_Id,T10_1_Cust_Id),
CONSTRAINT R_99 FOREIGN KEY (T10_4_Agreement_id, T10_2_Application_Id,
T10_1_Cust_Id)
REFERENCES T10_INSURANCE_POLICY (T10_4_Agreement_id, T10_2_Application_Id,
T10_1_Cust_Id) ON DELETE CASCADE
ON UPDATE CASCADE
);

CREATE UNIQUE INDEX XPKNOK_14 ON T10_NOK
(T10_12_Nok_Id ASC,T10_4_Agreement_id ASC,T10_2_Application_Id ASC, T10_1_Cust_Id
ASC);

```

13. T10_DEPARTMENT

```

CREATE TABLE T10_DEPARTMENT
(
T10_13_Department_Name VARCHAR(25) ,
T10_13_Department_ID CHAR(25) NOT NULL ,
T10_13_Department_Staff CHAR(25) NULL ,
T10_13_Department_Offices CHAR(25) NULL ,
T10_10_Company_Name VARCHAR(50) ,
CONSTRAINT XPKDEPARTMENT PRIMARY KEY
(T10_13_Department_Name,T10_13_Department_ID,T10_10_Company_Name),
CONSTRAINT R_56 FOREIGN KEY (T10_10_Company_Name)

```

REFERENCES T10_INSURANCE_COMPANY (T10_10_Company_Name) ON DELETE
CASCADE ON UPDATE CASCADE

);

CREATE UNIQUE INDEX XPKDEPARTMENT ON T10_DEPARTMENT

(T10_13_Department_Name ASC,T10_13_Department_ID ASC,T10_10_Company_Name
ASC);

14. T10_INCIDENT

CREATE TABLE T10_INCIDENT

(

T10_14_Incident_Id VARCHAR(20) NOT NULL ,

T10_14_Incident_Type VARCHAR(30) NULL ,

T10_14_Incident_Date DATE NOT NULL ,

T10_14_Description VARCHAR(100) NULL ,

CONSTRAINT XPKINCIDENT_17 PRIMARY KEY (T10_14_Incident_Id)

);

CREATE UNIQUE INDEX XPKINCIDENT_17 ON T10_INCIDENT

(T10_14_Incident_Id ASC);

15. T10_PRODUCT

CREATE TABLE T10_PRODUCT

(

T10_15_Product_Price INTEGER NULL ,

T10_15_Product_Type CHAR(100) NULL ,

T10_15_Product_Number VARCHAR(50) NOT NULL ,

T10_10_Company_Name VARCHAR(50) NOT NULL ,

CONSTRAINT XPKPRODUCT_20 PRIMARY KEY

(T10_15_Product_Number,T10_10_Company_Name),

```
CONSTRAINT R_107 FOREIGN KEY (T10_10_Company_Name) REFERENCES  
T10_INSURANCE_COMPANY (T10_10_Company_Name) ON DELETE CASCADE ON  
UPDATE CASCADE  
);  
CREATE UNIQUE INDEX XPKPRODUCT_20 ON T10_PRODUCT  
(T10_15_Product_Number ASC,T10_10_Company_Name ASC);
```

16. T10_COVERAGE

```
CREATE TABLE T10_COVERAGE  
(  
T10_8_Coverage_Id VARCHAR(20) NOT NULL ,  
T10_16_Coverage_Amount INTEGER NOT NULL ,  
T10_16_Coverage_Type CHAR(50) NOT NULL ,  
T10_3_Coverage_Level CHAR(50) NOT NULL ,  
T10_16_Product_Id VARCHAR(20) NOT NULL ,  
T10_16_Coverage_Description VARCHAR(200) NULL ,  
T10_16_Covearge_Terms VARCHAR(500) NULL ,  
T10_10_Company_Name VARCHAR(50) NOT NULL ,  
CONSTRAINT XPKCOVERAGE_19 PRIMARY KEY  
(T10_8_Coverage_Id,T10_10_Company_Name),  
CONSTRAINT R_102 FOREIGN KEY (T10_10_Company_Name) REFERENCES  
T10_INSURANCE_COMPANY (T10_10_Company_Name) ON DELETE CASCADE ON  
UPDATE CASCADE  
);  
CREATE UNIQUE INDEX XPKCOVERAGE_19 ON T10_COVERAGE  
(T10_8_Coverage_Id ASC,T10_10_Company_Name ASC);
```

17. T10_INCIDENT_REPORT


```
CREATE TABLE T10_INCIDENT_REPORT
(
    T10_17_Incident_Report_Id VARCHAR(20) NOT NULL ,
    T10_14_Incident_Type VARCHAR(50) NULL ,
    T10_17_Incident_Inspector VARCHAR(20) NULL ,
    T10_17_Incident_Cost INTEGER NULL ,
    T10_17_Incident_Report_Description VARCHAR(100) NULL ,
    T10_14_Incident_Id VARCHAR(20) NOT NULL ,
    T10_1_Cust_Id VARCHAR(20) NOT NULL ,
    CONSTRAINT XPKINCIDENT_REPORT_18 PRIMARY KEY
    (T10_17_Incident_Report_Id,T10_14_Incident_Id,T10_1_Cust_Id),
    CONSTRAINT R_83 FOREIGN KEY (T10_14_Incident_Id) REFERENCES T10_INCIDENT
    (T10_14_Incident_Id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT R_86 FOREIGN KEY (T10_1_Cust_Id) REFERENCES T10_CUSTOMER
    (T10_1_Cust_Id) ON DELETE CASCADE ON UPDATE CASCADE
);
CREATE UNIQUE INDEX XPKINCIDENT_REPORT_18 ON T10_INCIDENT_REPORT
(T10_17_Incident_Report_Id ASC,T10_1_Cust_Id);
```

QUERIES

Query 1

```
SELECT T10_CUSTOMER.*,T10_VEHICLE.*,T10_7_Claim_Status,T10_14_Incident_Type
FROM T10_CUSTOMER ,T10_VEHICLE ,T10_CLAIM,T10_INCIDENT_REPORT WHERE
T10_CLAIM.T10_7_Claim_Status='Pending' AND
T10_CLAIM.T10_1_Cust_Id=T10_CUSTOMER.T10_1_Cust_Id AND
T10_CUSTOMER.T10_1_Cust_Id=T10_VEHICLE.T10_6_Cust_Id AND
T10_CUSTOMER.T10_1_Cust_Id = T10_INCIDENT_REPORT.T10_1_Cust_Id;
```

OUTPUT



MySQL Workbench

insurance policy x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

cascade

Tables

t10_application

t10_claim_settlement

t10_claim

t10_coverage

Administration Schemas

Information

No object selected

delete cascade ALL QUERIES(FINAL) DEL.UPT 6 QUERIES

Limit to 1000 rows

QUERY 1

```
SELECT T10_CUSTOMER.*,T10_VEHICLE.*,T10_7_Claim_Status,T10_14_Incident_Type FROM T10_CUSTOMER ,T10_VEHICLE ,T10_CLAIM,T10_INCIDENT_REPORT WHERE T10_CLAIM.T10_7_Claim_Status='Pending'AND T10_CLAIM.T10_14_Incident_Type=1
```

Result Grid

T10_1_Cust_Id	T10_1_Cust_FName	T10_1_Cust_LName	T10_1_Cust_DOB	T10_1_Cust_Gender	T10_1_Cust_Address	T10_1_Cust_MOB_Number	T10_1_Cust_Email
109	Sharath	Kumar	1985-07-20	Male	2-2-7654/33/J/1	9124356780	LPM@
1020	Prashanthi	Chopra	1986-09-09	Female	2-2-5412/63/L/3	9567801243	

Output

Action Output


#	Time	Action	Message	Duration / Fetch
1	16:36:48	SELECT T10_CUSTOMER.:T10_VEHICLE.:T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.250 sec / 0.000 sec
2	16:38:32	SELECT T10_CUSTOMER.:T10_VEHICLE.:T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.000 sec / 0.000 sec

Activate Windows
Go to Settings to activate Windows.

QUERY 2

```
select T10_CUSTOMER.* from T10_CUSTOMER WHERE T10_1_Cust_Id IN (SELECT T10_1_Cust_Id from T10_PREMIUM_PAYMENT WHERE T10_PREMIUM_PAYMENT.T10_5_Premium_Payment_Amount > ANY(SELECT SUM(T10_1_Cust_Id) FROM T10_CUSTOMER));
```

OUTPUT



MySQL Workbench

insurance policy x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

cascade

Tables

t10_application

t10_claim_settlement

t10_claim

t10_coverage

Administration Schemas

Information

No object selected

delete cascade ALL QUERIES(FINAL) DEL.UPT 6 QUERIES

Limit to 1000 rows

QUERY 2

```
select T10_CUSTOMER.* from T10_CUSTOMER WHERE T10_1_Cust_Id IN (SELECT T10_1_Cust_Id from T10_PREMIUM_PAYMENT WHERE T10_5_Premium_Payment_Amount > ANY(SELECT SUM(T10_1_Cust_Id) FROM T10_CUSTOMER));
```

Result Grid

T10_1_Cust_Id	T10_1_Cust_FName	T10_1_Cust_LName	T10_1_Cust_DOB	T10_1_Cust_Gender	T10_1_Cust_Address	T10_1_Cust_MOB_Number	T10_1_Cust_Email
101	Rehman	Khan	1987-04-21	Male	2-2-1771/24/R/2	9234567801	DEF@
1010	Pritham	thuru	1970-08-24	Male	2-2-8712/44/K/2	9435678012	APJ@
102	Keerthi	Sharma	1992-09-02	Female	2-2-1421/14/C/3	9345678012	GHI@
1020	Prashanthi	Chopra	1986-09-09	Female	2-2-5412/63/L/3	9567801243	
1058	Ginny	Weasly	1993-05-25	Female	2-2-9971/86/O/6	9666123122	STU@
106	Reema	Sanon	1988-11-29	Female	2-2-5178/65/G/7	9780123456	VWX@
107	Madhu	Priva	1990-09-07	Female	2-2-1195/22/H/8	9801234567	
108							
109	Sharath	Kumar	1985-07-20	Male	2-2-7654/33/J/1	9124356780	LPM@
1020	Prashanthi	Chopra	1986-09-09	Female	2-2-5412/63/L/3	9567801243	

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	16:36:48	SELECT T10_CUSTOMER.:T10_VEHICLE.:T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.250 sec / 0.000 sec
2	16:38:32	SELECT T10_CUSTOMER.:T10_VEHICLE.:T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.000 sec / 0.000 sec
3	16:40:25	select T10_CUSTOMER.* from T10_CUSTOMER WHERE T10_1_Cust_Id IN (SELECT T10_...	7 row(s) returned	0.172 sec / 0.000 sec

Activate Windows
Go to Settings to activate Windows.

QUERY 3

```
select * from T10_INSURANCE_COMPANY
where T10_10_Company_Name in
(select T10_INSURANCE_COMPANY.T10_10_Company_Name
from T10_INSURANCE_COMPANY
group by T10_10_Company_Name
having count(distinct (T10_10_Company_Address))>1 and T10_10_Company_Name in
(select T10_DEPARTMENT.T10_10_Company_Name
from T10_PRODUCT inner join T10_DEPARTMENT
on T10_DEPARTMENT.T10_10_Company_Name =
T10_PRODUCT.T10_10_Company_Name
group by T10_DEPARTMENT.T10_10_Company_Name
having count(distinct (T10_15_Product_Number)) > count(distinct
(T10_13_Department_Name))));
```

OUTPUT

The screenshot displays the MySQL Workbench interface. The central editor shows a SQL query (lines 11-20) that filters records from the T10_INSURANCE_COMPANY table based on company names found in a subquery and having more than one distinct address. The 'Result Grid' at the bottom shows the execution results for the query 'T10_INSURANCE_COMPANY 4'. The results table has columns: T10_10_Company_Name, T10_10_Company_Address, T10_10_Company_Contact_Number, T10_10_Company_Fax, T10_10_Company_Email, and T10_10_Company_... The 'Action Output' pane shows the execution log with four steps, all successful, returning 2, 2, 7, and 0 rows respectively.

T10_10_Company_Name	T10_10_Company_Address	T10_10_Company_Contact_Number	T10_10_Company_Fax	T10_10_Company_Email	T10_10_Company_...
...

#	Time	Action	Message	Duration / Fetch
1	16:36:48	SELECT T10_CUSTOMER.T10_VEHICLE.T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.250 sec / 0.000 sec
2	16:38:32	SELECT T10_CUSTOMER.T10_VEHICLE.T10_7_Claim_Status,T10_14_Incident_Type F...	2 row(s) returned	0.000 sec / 0.000 sec
3	16:40:25	select T10_CUSTOMER.*from T10_CUSTOMER WHERE T10_1_Cust_Id IN (SELECT T10_...	7 row(s) returned	0.172 sec / 0.000 sec
4	16:41:21	select * from T10_INSURANCE_COMPANY where T10_10_Company_Name in (select...	0 row(s) returned	0.250 sec / 0.000 sec

QUERY 4

```
select * from T10_CUSTOMER where T10_1_Cust_Id in (select T10_1_Cust_Id from
T10_INCIDENT_REPORT where T10_1_Cust_Id in( select T10_6_Cust_Id from
T10_VEHICLE where T10_6_Vehicle_Number>1 and T10_6_Cust_Id

in (select T10_1_Cust_Id FROM T10_PREMIUM_PAYMENT WHERE
T10_5_Premium_Payment_Amount = 0 )) and T10_14_Incident_Type='Accident');
```

OUTPUT

The screenshot displays the MySQL Workbench interface. The 'Schemas' pane on the left shows the 'cascade' database with tables 't10_application', 't10_claim_settlement', 't10_claim', and 't10_coverage'. The 'Query Editor' shows the following SQL query:

```
# QUERY 4
select * from T10_CUSTOMER where T10_1_Cust_Id in (select T10_1_Cust_Id from T10_INCIDENT_REPORT
where T10_1_Cust_Id in( select T10_6_Cust_Id from T10_VEHICLE where T10_6_Vehicle_Number>1 and T10_6_Cust_Id
in (select T10_1_Cust_Id FROM T10_PREMIUM_PAYMENT WHERE T10_5_Premium_Payment_Amount = 0 )) and T10_14_Incident_Type='A
# QUERY 5
SELECT T10_VEHICLE.*,T10_5_Premium_Payment_Amount FROM T10_VEHICLE,T10_PREMIUM_PAYMENT
```

The 'Result Grid' shows the following data:

T10_1_Cust_Id	T10_1_Cust_FName	T10_1_Cust_LName	T10_1_Cust_DOB	T10_1_Cust_Gender	T10_1_Cust_Address	T10_1_Cust_MOB_Number	T10_1_Cust_Email
1044	Henry	David	1962-11-23	Male	2-2-5881/89,N/5	9848032198	RAM@
103	Suresh	Rao	1971-02-12	Male	2-2-1422/16,D/4	9456780123	JL@

The 'Output' pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
2	16:38:32	SELECT T10_CUSTOMER.*;T10_VEHICLE.*;T10_7_Claim_Status;T10_14_Incident_Type ...	2 row(s) returned	0.000 sec / 0.000 sec
3	16:40:25	select T10_CUSTOMER.* from T10_CUSTOMER WHERE T10_1_Cust_Id IN (SELECT T10_...	7 row(s) returned	0.172 sec / 0.000 sec
4	16:41:21	select * from T10_INSURANCE_COMPANY where T10_10_Company_Name in (sele...	0 row(s) returned	0.250 sec / 0.000 sec
5	16:42:36	select * from T10_CUSTOMER where T10_1_Cust_Id in (select T10_1_Cust_Id from T10_IN...	2 row(s) returned	0.125 sec / 0.000 sec

QUERY 5

```
SELECT T10_VEHICLE.*,T10_5_Premium_Payment_Amount FROM
T10_VEHICLE,T10_PREMIUM_PAYMENT

WHERE (T10_5_Premium_Payment_Amount > T10_6_Vehicle_Number AND
T10_PREMIUM_PAYMENT.T10_1_Cust_Id = T10_VEHICLE.T10_6_Cust_Id );
```


OUTPUT

MySQL Workbench interface showing a query result grid. The query is a complex join involving T10_CUSTOMER, T10_INCIDENT_REPORT, T10_VEHI, T10_PREMIUM_PAYMENT, and T10_14_INCIDENT_TYPE. The result grid displays columns: T10_6_Vehide_Id, T10_6_Policy_Id, T10_6_Dependent_NOK_Id, T10_6_Vehide_Registrat..._Number, T10_6_Vehide_Value, T10_6_Vehide_Type, and T10_6_Veh... The data rows contain various IDs and vehicle details.

QUERY 6

select *

from T10_CUSTOMER where T10_1_Cust_Id

in (select distinct (T10_CLAIM.T10_1_Cust_Id)

from T10_CLAIM , T10_CLAIM_SETTLEMENT , T10_COVERAGE

where T10_CLAIM.T10_7_Claim_Amount >

T10_CLAIM_SETTLEMENT.T10_8_Claim_Settlement_Id +
T10_CLAIM_SETTLEMENT.T10_6_Vehicle_Id + T10_CLAIM.T10_7_Claim_Id +
T10_CLAIM.T10_1_Cust_Id and T10_16_Coverage_Amount >
T10_CLAIM.T10_7_Claim_Amount);

OUTPUT

MySQL Workbench

insurance policy x

File Edit View Query Database Server Tools Scripting Help

Navigator delete cascade ALL QUERIES(FINAL) DEL.UPT 6 QUERIES x

SCHEMAS

Filter objects

cascade

Tables

- t10_application
- t10_claim_settlement
- t10_claim
- t10_coverage

Administration Schemas

Information

No object selected

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
31 # QUERY 5
32
33 SELECT T10_VEHICLE.*,T10_5_Premium_Payment_Amount FROM T10_VEHICLE,T10_PREMIUM_PAYMENT
34 WHERE (T10_5_Premium_Payment_Amount > T10_6_Vehicle_Number AND T10_PREMIUM_PAYMENT.T10_1_Cust_Id = T10_VEHICLE.T10_6_Cust_Id)
35
36 # QUERY 6
37
38 select *
39 from T10_CUSTOMER where T10_1_Cust_Id
40 in (select distinct (T10_CLAIM .T10_1_Cust_Id)
41 from T10_CLAIM , T10_CLAIM_SETTLEMENT , T10_COVERAGE
42 where T10_CLAIM.T10_7_Claim_Amount > T10_CLAIM_SETTLEMENT.T10_8_Claim_Settlement_Id + T10_CLAIM_SETTLEMENT.T10_6_Ve
```

Result Grid

T10_1_Cust_Id	T10_1_Cust_FName	T10_1_Cust_LName	T10_1_Cust_DOB	T10_1_Cust_Gender	T10_1_Cust_Address	T10_1_Cust_MOB_Number	T10_1_Cust_Email
109	Sharath	Kumar	1985-07-20	Male	2-2-7654/33/1/1	9124356780	LPM@
1044	Henry	David	1962-11-23	Male	2-2-5881/89/N/5	9848032198	RAM@

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	16:42:36	select * from T10_CUSTOMER where T10_1_Cust_Id in (select T10_1_Cust_Id from T10_IN...	2 row(s) returned	0.125 sec / 0.000 sec
6	16:43:13	SELECT T10_VEHICLE.*,T10_5_Premium_Payment_Amount FROM T10_VEHICLE,T10_P...	8 row(s) returned	0.000 sec / 0.000 sec
7	16:43:58	select * from T10_CUSTOMER where T10_1_Cust_Id in (select distinct (T10_CLAIM ...	2 row(s) returned	0.093 sec / 0.000 sec

Object Info Session

Windows Taskbar: Type here to search, 16:44 28-11-2020

Conclusion

We have as class project created database (DB) with all documentations and reports included. Our goal was to create DB for Online car vehicle insurance company with code generated for MySQL. There were some big and small challenges but we succeeded in making a functional DB. We started to build conceptual data model (CDM) we continued with logical data model (LDM) and then we made physical data model (PDM) all in MySQL Workbench. From physical data model we created a code to be run in MySQL data base management system (DBMS). For better understanding for a reader and for our learning we included some theory in each faze we done and cumented in project initial document (PID) with reports of progress and work being done.

DELETE CASCADE PROBLEM

ON DELETE RESTRICT means you **can't** delete a given **parent row** if a **child row exists** that references the value for that parent row. If the parent row has no referencing child rows, then you can delete that parent row.