

HTML 5

Project Theme: Local Community Event Portal

1. Create the HTML5 Base Template

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Local Community Event Portal</title>
</head>
<body>
  <!-- Navigation -->
  <nav>
    <h2>Community Portal</h2>
    <ul>
      <li><a href="#">Home</a></li>
      <li><a href="#">Events</a></li>
      <li><a href="#">Contact</a></li>
    </ul>
  </nav>
  <!-- Main -->
  <main>
    <h1>Welcome to the Local Community Event Portal</h1>
    <p>This portal helps residents register for events and access services.</p>
  </main>
  <!-- Footer -->
  <footer>
    <p>&copy; 2026 Local Community Portal</p>
  </footer>
</body>
</html>
```

OUTPUT :



Community Portal

- [Home](#)
- [Events](#)
- [Contact](#)

Welcome to the Local Community Event Portal

This portal helps residents register for events and access services.

© 2026 Local Community Portal

2. Navigation and Linking

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Navigation Example</title>
</head>
<body>
  <!-- Navigation -->
  <nav>
    <a href="#home">Home</a> |
    <a href="#events">Events</a> |
    <a href="#contact">Contact</a> |
    <a href="help.html" target="_blank">Help</a>
  </nav>
  <!-- Home Section -->
  <section id="home">
    <h1>Home Section</h1>
    <p>Welcome to the portal.</p>
  </section>
  <!-- Events Section -->
  <section id="events">
    <h1>Events Section</h1>
    <p>Community events are listed here.</p>
```

```
</section>

<!-- Contact Section -->

<section id="contact">

  <h1>Contact Section</h1>

  <p>Contact us for more details.</p>

</section>

</body>

</html>
```

OUTPUT :



[Home](#) | [Events](#) | [Contact](#) | [Help](#)

Home Section

Welcome to the portal.

Events Section

Community events are listed here.

Contact Section

Contact us for more details.

3. Welcome Message with Styling and ID/Class

CODE :

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Welcome Banner</title>

    <style>

      body {

        font-family: Arial;

        background-color: #f2f2f2;

      }

      #welcomeBanner {


        background-color: #0066cc;

        color: white;

        padding: 20px;
```

```
</head>
<body>
  <!-- Welcome Banner -->
  <div id="welcomeBanner">
    <h1>Welcome User!</h1>
    <p class="highlight">Glad to see you again.</p>
    <p>
      Special Offer:
      <span style="color:red; font-weight:bold;">
        50% Discount Today!
      </span>
    </p>
  </div>
</body>
</html>
```

OUTPUT:



4. Image Gallery for Community EventsCODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Event Gallery</title>

  <style>
    .event-img {
      border: 3px solid black;
      width: 200px;
      height: 120px;
    }
  </style>
</head>
<body>
  <h1>Community Event Gallery</h1>
  <table border="1">
    <tr>
      <td>
        
        <p><b>Live Concert</b></p>
      </td>
      <td>
        
        <p><b>Cultural Festival</b></p>
      </td>
    </tr>
  </table>
</body>
</html>
```

```
<td>

  <p><b>City Marathon</b></p>

</td>
</tr>
<tr>
  <td>

    <p><b>Painting Exhibition</b></p>

  </td>
  <td>

    <p><b>Community Celebration</b></p>

  </td>
  <td>

    <p><b>Public Conference</b></p>

  </td>
</tr>
</table>
</body>
</html>
```

OUTPUT :



Community Event Gallery



5. Event Registration Form

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Event Registration Form</title>
  <style>
    form {
      width: 300px;
      padding: 20px;
      border: 2px solid black;
      background-color: lightgray;
    }
    input, select, textarea {
      width: 100%;
      margin-bottom: 10px;
      padding: 5px;
    }
    button {
      background-color: blue;
      color: white;
      padding: 8px;
    }
  </style>
</head>
<body>
  <h2>Event Registration</h2>
  <form onsubmit="showMessage(); return false;">
    <input type="text" placeholder="Enter your name"
      required autofocus>
    <input type="email" placeholder="Enter your email"
      required>
```



```

<input type="date" required>

<select required>
  <option value="">Select Event</option>
  <option>Music Event</option>
  <option>Sports Event</option>
  <option>Food Festival</option>
</select>

<textarea placeholder="Enter your message"
  required></textarea>

<button type="submit">Register</button>

<br><br>

<output id="result"></output>
</form>

<script>
  function showMessage() {
    document.getElementById("result").innerHTML =
      "Registration Successful!";
  }
</script>
</body>
</html>

```

OUTPUT :



Event Registration

KAVIN
kavin@gmail.com
28-11-2006
Sports Event
Hi
Register


6. Event Feedback with Events Handling

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Event Feedback</title>
</head>
<body>
  <input type="text" id="phone"
placeholder="Phone Number"
onblur="checkPhone()">
  <p id="msg"></p>
  <select onchange="showFee(this.value)">
    <option value="">Select Event</option>
    <option value="100">Music</option>
    <option value="200">Sports</option>
  </select>
  <p id="fee"></p>
  <textarea id="feed"
onkeyup="countChar()"
placeholder="Feedback"></textarea>
  <p>Count: <span id="count">0</span></p>
  <button onclick="submitForm()">Submit</button>
  <br><br>
  
  <script>
function checkPhone() {
  let p = document.getElementById("phone").value;
  document.getElementById("msg").innerHTML =
    (p.length == 10) ? "Valid" : "Invalid";
}
function showFee(v) {
```

```
document.getElementById("fee").innerHTML =  
    "Fee: ₹" + v;  
}  
function submitForm() {  
    alert("Submitted");  
}  
function big(img) {  
    img.width = 200;  
}  
function countChar() {  
    let t = document.getElementById("feed").value;  
    document.getElementById("count").innerHTML =  
        t.length;  
}  
</script>  
</body>  
</html>
```

OUTPUT :



7. Video Invite with Media Events

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Video Invite</title>
</head>
<body>
<h2>Event Promo Video</h2>
<video width="300" controls oncanplay="readyMsg()">
  <source src="video.mp4" type="video/mp4">
</video>
<p id="msg"></p>
<script>
function readyMsg() {
  document.getElementById("msg").innerHTML =
    "Video ready to play";
}
window.onbeforeunload = function() {
  return "Form not completed!";
};
</script>
</body>
</html>
```

OUTPUT :



8. Saving User Preferences

CODE :

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>User Preferences</title>

</head>

<body>

<h2>Select Event</h2>

<select id="event">

  <option>Music</option>

  <option>Sports</option>

  <option>Food Festival</option>

</select>

<button onclick="saveData()">Save</button>

<button onclick="clearData()">Clear Preferences</button>

<script>

let eventBox = document.getElementById("event");

window.onload = function () {

  let saved = localStorage.getItem("event");

  if(saved) {

    eventBox.value = saved; } }

function saveData() {

  localStorage.setItem("event", eventBox.value);

  sessionStorage.setItem("event", eventBox.value);

  alert("Preference Saved"); }

function clearData() {

  localStorage.clear();

  sessionStorage.clear();


  alert("Preferences Cleared"); }

</script>

</body>

</html>
```

OUTPUT :



9. Geolocation for Event Mapping

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Geolocation</title>
</head>
<body>
<button onclick="findLocation()">
  Find Nearby Events
</button>
<p id="result"></p>
<script>
function findLocation() {
  if (navigator.geolocation) {
    navigator.geolocation.getCurrentPosition(
      showPosition,
      showError, {
        enableHighAccuracy: true,
        timeout: 20000 }
  )
  }
}
```

```

    );
} else {
    document.getElementById("result").innerHTML =
        "Geolocation not supported";
}
}
function showPosition(position) {
    document.getElementById("result").innerHTML =
        "Latitude: " + position.coords.latitude +
        "<br>Longitude: " + position.coords.longitude +
        "<br>Nearby events found!";
}
function showError(error) {
    if (error.code == 1)
        alert("Allow location permission");
    else if (error.code == 2)
        alert("Location unavailable");
    else if (error.code == 3)
        alert("Request timeout");
}
</script>
</body>
</html>

```

OUTPUT :



10. Debugging with Chrome DevTools

CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Debug Example</title>
  <style>
    h1 {
      color: blue;
    }
  </style>
</head>
<body>
<h1 id="title">Community Portal</h1>
<button onclick="showMsg()">Click</button>
<script>
function showMsg() {
  let name = "User";
  console.log("Button Clicked");
  console.log(name);
  alert("Welcome " + name);
}
</script>
</body>
</html>
```


OUTPUT :

