We use the integers \boldsymbol{a} , \boldsymbol{b} , and \boldsymbol{n} to create the following series:

 $(a+2^0\cdot b), (a+2^0\cdot b+2^1\cdot b), \ldots, (a+2^0\cdot b+2^1\cdot b+\ldots$

You are given \boldsymbol{q} queries in the form of \boldsymbol{a} , \boldsymbol{b} , and \boldsymbol{n} . For each query, print the series corresponding to the given \boldsymbol{a}_i , \boldsymbol{b}_i , and \boldsymbol{n} values as a single line of \boldsymbol{n} space-separated integers.

Input Format

The first line contains an integer, \boldsymbol{q} , denoting the number of queries. Each line $m{i}$ of the $m{q}$ subsequent lines contains three space-separated integers describing the respective a_i , b_i , and n_i values for that query.

Constraints

- $0 \le q \le 500$
- $0 \le a, b \le 50$
- $1 \le n \le 15$

Output Format

For each query, print the corresponding series on a new line. Each series must be printed in order as a single line of $m{n}$ space-separated integers.

Sample Input

Sample Output

2 6 14 30 62 126 254 510 1022 2046 8 14 26 50 98

Explanation

We have two queries:

1. We use a=0, b=2, and n=10 to produce some series

 s_0,s_1,\ldots,s_{n-1}

- $\circ \ s_0=0+1\cdot 2=2$
- $\circ \ \ s_1 = 0 + 1 \cdot 2 + 2 \cdot 2 = 6$
- $\circ \ \ s_2 = 0 + 1 \cdot 2 + 2 \cdot 2 + 4 \cdot 2 = 14$
- ... and so on.

Once we hit n=10, we print the first ten terms as a single line of spaceseparated integers.

2. We use a=5, b=3, and n=5 to produce some series

$s_0, s_1, \ldots, s_{n-1}$

- $\circ \ s_0=5+1\cdot 3=8$
- $\circ \ \ s_1 = 5 + 1 \cdot 3 + 2 \cdot 3 = 14$
- $\circ \ \ s_2 = 5 + 1 \cdot 3 + 2 \cdot 3 + 4 \cdot 3 = 26$
- $\circ s_3 = 5 + 1 \cdot 3 + 2 \cdot 3 + 4 \cdot 3 + 8 \cdot 3 = 50$
- \circ $s_4 = 5 + 1 \cdot 3 + 2 \cdot 3 + 4 \cdot 3 + 8 \cdot 3 + 16 \cdot 3 = 98$

We then print each element of our series as a single line of spaceseparated values.

```
Change Theme Language Java 8
                                                               100
    import java.util.*;
    import java.io.*;
    import java.lang.*;
 5 ∨ class Solution{
         public static void main(String []argh){
             Scanner in = new Scanner(System.in);
             int t=in.nextInt();
10 🗸
             for(int i=0;i<t;i++){</pre>
                 int a = in.nextInt();
                 int b = in.nextInt();
                 int n = in.nextInt();
14
                 int sum=0;
15 🗸
                 for(int j=0;j<n;j++){
                     sum+=(int)(Math.pow(2,j)*b);
                     System.out.print(a+(sum)+" ");
                 System.out.print("\n");
             }
             in.close();
         }
    }
24
                                                              Line: 24 Col: 1
                                                           Submit Code
                                             Run Code
Test against custom input
```

Congratulations

You solved this challenge. Would you like to challenge your friends? f in

Next Challenge

⊘ Test case 0 Compiler Message Success Input (stdin) Download 0 2 10 5 3 5 Download **Expected Output** 1 2 6 14 30 62 126 254 510 1022 2046 2 8 14 26 50 98