

Execution Environment

Host name	hp - 20.23.0.27
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

Summary

ID	Test Suites/keral		
Description			
Total	4		
Passed	3	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	13-06-2024 14:58:42	End	13-06-2024 15:03:50
Elapsed	5m - 8.863s		

#	ID	Description	Status
1	Test Cases/Kerala/Test1		PASSED
2	Test Cases/Kerala/Test2		PASSED
3	Test Cases/Kerala/Test3		PASSED
4	Test Cases/Kerala/Test4		FAILED

Test1

Information

ID	Test Cases/Kerala/Test1		
Description			
Tag			
Start	13-06-2024 14:58:42	End	13-06-2024 14:58:42
Elapsed	0.221s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	return null	0.002s	PASSED

Test2

Information

ID	Test Cases/Kerala/Test2		
Description			
Tag			
Start	13-06-2024 14:58:42	End	13-06-2024 14:58:42
Elapsed	0.018s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

Test3

Information

ID	Test Cases/Kerala/Test3		
Description			
Tag			
Start	13-06-2024 14:58:42	End	13-06-2024 14:58:42
Elapsed	0.015s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

Test4

Information

ID	Test Cases/Kerala/Test4		
Description			
Tag			
Start	13-06-2024 15:02:30	End	13-06-2024 15:03:47
Elapsed	1m - 17.276s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	2.356s	PASSED
2	<div>navigateToUrl("https://www.holidify.com/state/kerala/top-destinations-places-to-visit.html")</div> <div>Navigate to 'https://www.holidify.com/state/kerala/top-destinations-places-to-visit.html' successfully</div>	5.323s	PASSED
3	<div>click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/div_Kerala Travel Packages_lazyBG package-c_b0dd0c"))</div> <div>Object: 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/div_Kerala Travel Packages_lazyBG package-c_b0dd0c' is clicked on</div>	0.951s	PASSED
4	<div>click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/span_"))</div> <div>Object: 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/span_' is clicked on</div>	0.567s	PASSED
5	<div>click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/div_Kerala Travel Packages_lazyBG package-c_b0dd0c"))</div> <div>Object: 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/div_Kerala Travel Packages_lazyBG package-c_b0dd0c' is clicked on</div>	0.917s	PASSED

Test4

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/button_Get Free Package Quotes")) Object: 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/button_Get Free Package Quotes' is clicked on	2.104s	PASSED
7	click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/span_")) Object: 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/span_' is clicked on	0.512s	PASSED

Test4

#	Description	Elapsed	Status
8	<p>click(findTestObject("Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/img_Previous_slick-slide70"))</p> <p>Unable to click on object 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/img_Previous_slick-slide70' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_60 Places to visit in Kerala Tourist _63c867/img_Previous_slick-slide70' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Test4.run (Test4:34) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718270915272.run (TempTestSuite1718270915272.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at</p>	1m - 4.523s	FAILED

Test4

#	Description	Elapsed	Status
	<p>point (612, 725). Other element would receive the click: <div class="col-12 col-md-8 package-modal-main-container">...</div></p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'DESKTOP-BS3OCAE', ip: '20.23.0.27', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65009}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 07225cf6b259ad3d195ad907a19e0b97</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p>		

Test4

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718270389010.run(Script1718270389010.groovy:34) ... 18 more)</pre>		
			