






ALTER TABLE passengers
ADD CONSTRAINT check_passenger_age
CHECK (date_of_birth <= CURRENT_DATE - INTERVAL '10 years');
INSERT INTO passengers (passenger_id, first_name, last_name, date_of_birth)
VALUES (passenger_id 1001, first_name 'Test', last_name 'Child', date_of_birth '2020-01-01');
[23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_passenger_age"
Подробности: Ошибочная строка содержит (1001, Test, Child, 2020-01-01, null, null, null, null, null, null).
[2026-10-08 18:08:18:582] airport_practice.public> ALTER TABLE passengers
ADD CONSTRAINT check_passenger_age
CHECK (date_of_birth <= CURRENT_DATE - INTERVAL '10 years')
[2026-10-08 18:08:18:587] completed in 5 ms
[2026-10-08 18:08:31:004] airport_practice.public> INSERT INTO passengers (passenger_id, first_name, last_name, date_of_birth)
VALUES (1001, 'Test', 'Child', '2020-01-01')
[2026-10-08 18:08:31:007] [23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_passenger_age"
[2026-10-08 18:08:31:007] Подробности: Ошибочная строка содержит (1001, Test, Child, 2020-01-01, null, null, null, null, null, null).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



ALTER TABLE booking
ADD CONSTRAINT check_booking_price
CHECK (price BETWEEN 0 AND 50000);
INSERT INTO booking (booking_id, passenger_id, booking_platform, created_at, update_at, status, price)
VALUES (booking_id 1001, passenger_id 1, booking_platform 'Test', created_at CURRENT_DATE, update_at CURRENT_DATE, status 'Confirmed', price 60000);
[23514] ОШИБКА: новая строка в отношении "booking" нарушает ограничение-проверку "check_booking_price"
Подробности: Ошибочная строка содержит (1001, 1, Test, 2026-10-11, 2026-10-11, Confirmed, 60000.00).
[2026-10-11 13:47:59:152] Connected
[2026-10-11 13:47:59:208] airport_practice> ALTER TABLE booking
ADD CONSTRAINT check_booking_price
CHECK (price BETWEEN 0 AND 50000)
[2026-10-11 13:47:59:285] completed in 77 ms
[2026-10-11 13:47:59:316] airport_practice> INSERT INTO booking (booking_id, passenger_id, booking_platform, created_at, update_at, status, price)
VALUES (1001, 1, 'Test', CURRENT_DATE, CURRENT_DATE, 'Confirmed', 60000)
[2026-10-11 13:47:59:364] [23514] ОШИБКА: новая строка в отношении "booking" нарушает ограничение-проверку "check_booking_price"
[2026-10-11 13:47:59:364] Подробности: Ошибочная строка содержит (1001, 1, Test, 2026-10-11, 2026-10-11, Confirmed, 60000.00).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



ALTER TABLE baggage
ADD CONSTRAINT check_baggage_weight
CHECK (weight_in_kg BETWEEN 1 AND 23) NOT VALID;
INSERT INTO baggage (baggage_id, weight_in_kg, booking_id)
VALUES (baggage_id 1001, weight_in_kg 30, booking_id 1);
[23514] ОШИБКА: новая строка в отношении "baggage" нарушает ограничение-проверку "check_baggage_weight"
Подробности: Ошибочная строка содержит (1001, 30.00, null, null, 1).
[2026-10-11 13:47:59:316] airport_practice> INSERT INTO booking (booking_id, passenger_id, booking_platform, created_at, update_at, status, price)
VALUES (1001, 1, 'Test', CURRENT_DATE, CURRENT_DATE, 'Confirmed', 60000)
[2026-10-11 13:47:59:364] [23514] ОШИБКА: новая строка в отношении "booking" нарушает ограничение-проверку "check_booking_price"
[2026-10-11 13:47:59:364] Подробности: Ошибочная строка содержит (1001, 1, Test, 2026-10-11, 2026-10-11, Confirmed, 60000.00).
[2026-10-11 13:49:04:712] airport_practice.public> ALTER TABLE baggage
ADD CONSTRAINT check_baggage_weight
CHECK (weight_in_kg BETWEEN 1 AND 23) NOT VALID
[2026-10-11 13:49:04:721] completed in 9 ms
[2026-10-11 13:49:04:736] airport_practice.public> INSERT INTO baggage (baggage_id, weight_in_kg, booking_id)
VALUES (1001, 30, 1)
[2026-10-11 13:49:04:739] [23514] ОШИБКА: новая строка в отношении "baggage" нарушает ограничение-проверку "check_baggage_weight"
[2026-10-11 13:49:04:739] Подробности: Ошибочная строка содержит (1001, 30.00, null, null, 1).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



ALTER TABLE airport
ADD CONSTRAINT check_airport_name_length
CHECK (LENGTH(airport_name) >= 10);
INSERT INTO airport (airport_id, airport_name)
VALUES (airport_id 1001, airport_name 'ABC');
[23514] ОШИБКА: новая строка в отношении "airport" нарушает ограничение-проверку "check_airport_name_length"
Подробности: Ошибочная строка содержит (1001, ABC, null, null, null, null, null).
[2026-10-11 13:51:40:632] airport_practice.public> ALTER TABLE airport
ADD CONSTRAINT check_airport_name_length
CHECK (LENGTH(airport_name) >= 10)
[2026-10-11 13:51:40:639] completed in 7 ms
[2026-10-11 13:51:40:655] airport_practice.public> INSERT INTO airport (airport_id, airport_name)
VALUES (1001, 'ABC')
[2026-10-11 13:51:40:658] [23514] ОШИБКА: новая строка в отношении "airport" нарушает ограничение-проверку "check_airport_name_length"
[2026-10-11 13:51:40:658] Подробности: Ошибочная строка содержит (1001, ABC, null, null, null, null, null).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



ALTER TABLE airline
ADD CONSTRAINT uq_airline_id
UNIQUE (airline_id);
ALTER TABLE airport
ADD CONSTRAINT uq_airport_id
UNIQUE (airport_id);
ALTER TABLE baggage
ADD CONSTRAINT uq_baggage_id
UNIQUE (baggage_id);
ALTER TABLE baggage_check
ADD CONSTRAINT uq_baggage_check_id
UNIQUE (baggage_check_id);
ALTER TABLE boarding_pass
ADD CONSTRAINT uq_boarding_pass_id
UNIQUE (boarding_pass_id);
ALTER TABLE booking
ADD CONSTRAINT uq_booking_id
UNIQUE (booking_id);
ALTER TABLE booking_flight
ADD CONSTRAINT uq_booking_flight_id
UNIQUE (booking_flight_id);
ALTER TABLE flights
ADD CONSTRAINT uq_flight_id
UNIQUE (flight_id);
ALTER TABLE passengers
ADD CONSTRAINT uq_passenger_id
UNIQUE (passenger_id);
ALTER TABLE security_check
ADD CONSTRAINT uq_security_check_id
UNIQUE (security_check_id);
[2026-10-11 13:56:52:891] airport_practice.public> ALTER TABLE flights
ADD CONSTRAINT uq_flight_id
UNIQUE (flight_id)
[2026-10-11 13:56:52:900] completed in 9 ms
[2026-10-11 13:56:52:909] airport_practice.public> ALTER TABLE passengers
ADD CONSTRAINT uq_passenger_id
UNIQUE (passenger_id)
[2026-10-11 13:56:52:916] completed in 7 ms
[2026-10-11 13:56:52:927] airport_practice.public> ALTER TABLE security_check
ADD CONSTRAINT uq_security_check_id
UNIQUE (security_check_id)
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


ALTER TABLE passengers
ADD CONSTRAINT check_gender_age
CHECK (
(gender='Male' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years') OR
(gender='Female' AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
) NOT VALID;
INSERT INTO passengers (passenger_id,date_of_birth,gender)
VALUES (passenger_id 1002, date_of_birth CURRENT_DATE-INTERVAL '17 years', gender 'Male');
[23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_gender_age"
Подробности: Ошибочная строка содержит (1002, null, null, 2009-10-11, Male, null, null, null, null, null).
[2026-10-11 14:02:55:182] airport_practice.public> ALTER TABLE passengers
ADD CONSTRAINT check_gender_age
CHECK (
(gender='Male' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years') OR
(gender='Female' AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
) NOT VALID
[2026-10-11 14:02:55:185] completed in 3 ms
[2026-10-11 14:02:55:201] airport_practice.public> INSERT INTO passengers (passenger_id,date_of_birth,gender)
VALUES (1002,CURRENT_DATE-INTERVAL '17 years','Male')
[2026-10-11 14:02:55:205] [23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_gender_age"
[2026-10-11 14:02:55:205] Подробности: Ошибочная строка содержит (1002, null, null, 2009-10-11, Male, null, null, null, null, null).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


Database Explorer
console [ticket_borro...ng@localhost]
console [airport_prac...ce@localhost]
Files
ALTER TABLE passengers 14 ms
ADD CONSTRAINT check_citizenship_age
CHECK (
(country_of_citizenship='Kazakhstan' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years') OR
(country_of_citizenship='France' AND date_of_birth<=CURRENT_DATE-INTERVAL '17 years') OR
(country_of_citizenship NOT IN ('Kazakhstan','France') AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
) NOT VALID ;
INSERT INTO passengers (passenger_id,date_of_birth,country_of_citizenship) 15 ms
VALUES (passenger_id 1003, date_of_birth CURRENT_DATE-INTERVAL '17 years', country_of_citizenship 'Kazakhstan');
[23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_citizenship_age"
Подробности: Ошибочная строка содержит (1003, null, null, 2009-10-11, null, Kazakhstan, null, null, null, null).
Services
[2026-10-11 14:04:34:941] airport_practice.public> ALTER TABLE passengers
ADD CONSTRAINT check_citizenship_age
CHECK (
(country_of_citizenship='Kazakhstan' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years') OR
(country_of_citizenship='France' AND date_of_birth<=CURRENT_DATE-INTERVAL '17 years') OR
(country_of_citizenship NOT IN ('Kazakhstan','France') AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
) NOT VALID
[2026-10-11 14:04:34:946] completed in 5 ms
[2026-10-11 14:04:34:960] airport_practice.public> INSERT INTO passengers (passenger_id,date_of_birth,country_of_citizenship)
VALUES (1003,CURRENT_DATE-INTERVAL '17 years','Kazakhstan')
[2026-10-11 14:04:34:962] [23514] ОШИБКА: новая строка в отношении "passengers" нарушает ограничение-проверку "check_citizenship_age"
[2026-10-11 14:04:34:962] Подробности: Ошибочная строка содержит (1003, null, null, 2009-10-11, null, Kazakhstan, null, null, null, null).
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > airport_practice@localhost > console [airport_prac...ce@localhost]
9:1 CRLF UTF-8 4 spaces


Database Explorer
console [ticket_borro...ng@localhost]
console [airport_prac...ce@localhost]
Files
ALTER TABLE booking 18 ms
ADD COLUMN ticket_discount
DECIMAL(7,2);
ALTER TABLE booking 14 ms
ADD CONSTRAINT check_discount
CHECK(
(created_at >= '2024-01-01' AND ticket_discount = price * 0.05) OR
(created_at < '2024-01-01' AND ticket_discount = price * 0.10)
);
INSERT INTO booking (booking_id,created_at,price,ticket_discount) 18 ms
VALUES (booking_id 1002, created_at '2024-02-01', price 10000, ticket_discount 1000);
[23514] ОШИБКА: новая строка в отношении "booking" нарушает ограничение-проверку "check_discount"
Подробности: Ошибочная строка содержит (1002, null, null, 2024-02-01, null, null, 10000.00, 1000.00).
Services
[2026-10-11 14:14:36:566] airport_practice.public> ALTER TABLE booking
ADD COLUMN ticket_discount
DECIMAL(7,2)
[2026-10-11 14:14:36:571] completed in 5 ms
[2026-10-11 14:14:36:586] airport_practice.public> ALTER TABLE booking
ADD CONSTRAINT check_discount
CHECK(
(created_at >= '2024-01-01' AND ticket_discount = price * 0.05) OR
(created_at < '2024-01-01' AND ticket_discount = price * 0.10)
)
[2026-10-11 14:14:36:591] completed in 5 ms
[2026-10-11 14:14:36:600] airport_practice.public> INSERT INTO booking (booking_id,created_at,price,ticket_discount)
VALUES (1002,'2024-02-01',10000,1000)
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > airport_practice@localhost > console [airport_prac...ce@localhost]
12:1 CRLF UTF-8 4 spaces


ALTER TABLE booking 21 ms
ALTER COLUMN status
SET DEFAULT 'Confirmed';
INSERT INTO booking (booking_id,passenger_id,booking_platform,created_at,update_at,price,ticket_discount) 26 ms
VALUES (booking_id 1003, passenger_id 1, booking_platform 'Test', created_at '2024-02-01', update_at '2024-02-01', price 10000, ticket_discount 500);
SELECT booking_id,status FROM booking WHERE booking_id=1003; 1 s 584 ms
booking_id status
1 1003 Confirmed
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


ALTER TABLE booking 13 ms
ALTER COLUMN created_at
SET DEFAULT CURRENT_DATE;
INSERT INTO booking (booking_id,passenger_id,booking_platform,update_at,price,ticket_discount) 14 ms
VALUES (booking_id 1004, passenger_id 1, booking_platform 'Test', update_at CURRENT_DATE, price 10000, ticket_discount 500);
SELECT booking_id,created_at FROM booking 492 ms
WHERE booking_id=1004;
booking_id created_at
1 1004 2026-10-11
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".