Status	Finished
Started	Wednesday, 21 October 2026, 1:13 PM
Completed	Wednesday, 21 October 2026, 1:22 PM
Duration	8 mins 44 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

- a. Hashing
- b. Dynamic search
- c. Binary search
- d. Linear search ✓

Question **2**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the list contains duplicate elements
- b. When the element is found in the list ✓
- c. When the list is sorted
- d. When the search algorithm finishes

Question **3**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

- a. Hash search
- b. Linear search ✓
- c. Both (1) & (3)
- d. Binary search

Question **4**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The last element is returned
- b. The search is considered unsuccessful ✓
- c. The first element is returned
- d. An error is raised

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

- a. It does not work with negative numbers
- b. It is slower than linear search for small lists
- c. It requires the list to be sorted ✓
- d. It can only be applied to large lists

Question **6**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Searching ✓
- b. Finding
- c. Mining
- d. Discovering

Question **7**

Correct

Mark 1.00 out of 1.00

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

- a. 1000
- b. 10 ✓
- c. 500
- d. 100

Question **8**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

- a. By dividing the list into halves
- b. By comparing each element in the list sequentially ✓
- c. By using a hash function
- d. By sorting the list first

Question **9**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

- a. Linear search
- b. Sequential search
- c. Hash search
- d. Binary search ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

- a. The search stops immediately ✓
- b. The search backtracks to find duplicate elements
- c. The search starts over from the beginning
- d. The search continues until the end of the list

Question **11**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

- a. Hash
- b. Both (1) & (3)
- c. Linear
- d. Binary ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O(n log n)
- b. O(log n)
- c. O🦴
- d. O(1) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list is unsorted
- b. When the list is sorted ✓
- c. When the list contains duplicate elements
- d. When the list is very small

Question **14**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

- a. Divide the list into two equal parts
- b. Compare the target element with the first element in the list
- c. Sort the list
- d. Compare the target element with the middle element in the list ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

- a. The list must be sorted
- b. There should be direct access to the middle element in any sublist
- c. There must be a mechanism to delete and/or insert elements in the list ✓
- d. Number values should only be present

Number values should only be present