
Creating a Drive Route for CERT

Creating a New Drive Route


- Open the GIS file
- Make sure you have the plug-in **Valhalla**.
- Click on the Layer / "**CERT Routes**"
- Click on the Valhalla icon to open the side panel.



- Make sure the Line is enabled (top left), then click on the green + to begin adding waypoints. The three-dot yellow star will show you the waypoints as you add them (right icon)




- Make sure the profile button "Car" is clicked so that you're generating driving directions.




- Start at the EOC.
- Click on roads to begin adding waypoints
- **NO MORE THAN 20** waypoints per session.
- If you make your waypoints too far apart, Valhalla may choose roads that are not on your plan.

- After you have 20 waypoints, click the Execute button to build the route that you have so far...




- Verify that the route looks right so far.
- Click the red `X` to delete all your waypoints from the first segment.
- Click where you left off to begin starting the next segment of the route.
- When you have another 20, stop and "Execute" again.
- When you've generated and validated all the segments for the route, you should have one or more Valhalla layers for the drive, you can discard the Waypoint layer, we don't need it.
- Click the Valhalla layers on-off so that you know the order of travel.
- Starting with the first segment, righy click on it and click **Make Permanant**.




- Write it out as the CERT_Route_04.shp file
- Right click on the second segment, Make Permanant, clic on the same CERT_Route_04.shp file name. You will then be given the option to Overwrite or **Append** to the file. This will add segment two to the end of the first segment.
- Once you've **Appended** all the segments, clic on "Layer", "Add Layer", "Vector" and then pick the "CERT_Route_04.shp" file.
- Change the color to make it unique (right click, Properties, Symbology)

Adding The Instructions Layer


- Click Layer, Create Layer, New Shapefile




- Give it a file name e.g. `CERT_Route_Instructions_04.shp`
- Set the Geometry type to "**Point**"




- Define a new Field called "**Task**" that is a **String** with a length of **120**.




- Click on **Add to Fields List**.
- Right click on the new layer and pick "Properties"




- Click on "Symbology" and pick a color that is similar to the road color.



- Click on "Labels". Set the type to "Single Label" and the value to "Task".
- Click on Buffer and enable it, set the color to the same as the symbol (hint: copy the HTML Hex Code), Click on the Shadow and enable it too.




- In the tool bar, click on the Pencil to enable editing. Then click on the button with 3 blue dots and an asterisk.
- Your cursor becomes a Cross Hair, click where you need to add a set of instructions.
- Click on "Layer", "Open Attribute Table". This opens a window at the bottom of your map allowing you to edit instructions after they've been entered.



Export as KML

- Exporting as Keyhole Markup Layer file allows you to import the data to another application.
- Right click on the layer, Export, Save Feature As



- Fill out the next panel as:

