

Explore More

Subscription : Premium CDAC NOTES & MATERIAL @99



Contact to Join
Premium Group



Click to Join
Telegram Group

<CODEWITHARRAY'S/>

For More E-Notes

Join Our Community to stay Updated

TAP ON THE ICONS TO JOIN!

	codewitharrays.in freelance project available to buy contact on 8007592194	
SR.NO	Project NAME	Technology
1	Online E-Learning Platform Hub	React+Springboot+MySql
2	PG Mates / RoomSharing / Flat Mates	React+Springboot+MySql
3	Tour and Travel management System	React+Springboot+MySql
4	Election commition of India (online Voting System)	React+Springboot+MySql
5	HomeRental Booking System	React+Springboot+MySql
6	Event Management System	React+Springboot+MySql
7	Hotel Management System	React+Springboot+MySql
8	Agriculture web Project	React+Springboot+MySql
9	AirLine Reservation System / Flight booking System	React+Springboot+MySql
10	E-commerce web Project	React+Springboot+MySql
11	Hospital Management System	React+Springboot+MySql
12	E-RTO Driving licence portal	React+Springboot+MySql
13	Transpotation Services portal	React+Springboot+MySql
14	Courier Services Portal / Courier Management System	React+Springboot+MySql
15	Online Food Delivery Portal	React+Springboot+MySql
16	Muncipal Corporation Management	React+Springboot+MySql
17	Gym Management System	React+Springboot+MySql
18	Bike/Car ental System Portal	React+Springboot+MySql
19	CharityDonation web project	React+Springboot+MySql
20	Movie Booking System	React+Springboot+MySql

freelance_Project available to buy contact on 8007592194		
21	Job Portal web project	React+Springboot+MySql
22	LIC Insurance Portal	React+Springboot+MySql
23	Employee Management System	React+Springboot+MySql
24	Payroll Management System	React+Springboot+MySql
25	RealEstate Property Project	React+Springboot+MySql
26	Marriage Hall Booking Project	React+Springboot+MySql
27	Online Student Management portal	React+Springboot+MySql
28	Resturant management System	React+Springboot+MySql
29	Solar Management Project	React+Springboot+MySql
30	OneStepService LinkLabourContractor	React+Springboot+MySql
31	Vehical Service Center Portal	React+Springboot+MySql
32	E-wallet Banking Project	React+Springboot+MySql
33	Blogg Application Project	React+Springboot+MySql
34	Car Parking booking Project	React+Springboot+MySql
35	OLA Cab Booking Portal	React+NextJs+Springboot+MySql
36	Society management Portal	React+Springboot+MySql
37	E-College Portal	React+Springboot+MySql
38	FoodWaste Management Donate System	React+Springboot+MySql
39	Sports Ground Booking	React+Springboot+MySql
40	BloodBank mangement System	React+Springboot+MySql

41	Bus Tickit Booking Project	React+Springboot+MySql
42	Fruite Delivery Project	React+Springboot+MySql
43	Woodworks Bed Shop	React+Springboot+MySql
44	Online Dairy Product sell Project	React+Springboot+MySql
45	Online E-Pharma medicine sell Project	React+Springboot+MySql
46	FarmerMarketplace Web Project	React+Springboot+MySql
47	Online Cloth Store Project	React+Springboot+MySql
48	Train Ticket Booking Project	React+Springboot+MySql
49	Quizz Application Project	JSP+Springboot+MySql
50	Hotel Room Booking Project	React+Springboot+MySql
51	Online Crime Reporting Portal Project	React+Springboot+MySql
52	Online Child Adoption Portal Project	React+Springboot+MySql
53	online Pizza Delivery System Project	React+Springboot+MySql
54	Online Social Complaint Portal Project	React+Springboot+MySql
55	Electric Vehical management system Project	React+Springboot+MySql
56	Online mess / Tiffin management System Project	React+Springboot+MySql
57		React+Springboot+MySql
58		React+Springboot+MySql
59		React+Springboot+MySql
60		React+Springboot+MySql

Spring Boot + React JS + MySQL Project List

Sr.No	Project Name	YouTube Link
1	Online E-Learning Hub Platform Project	https://youtu.be/KMjyBaWmgzg?si=YckHuNzs7eC84-IW
2	PG Mate / Room sharing/Flat sharing	https://youtu.be/4P9clHg3wvk?si=4uEsi0962CG6Xodp
3	Tour and Travel System Project Version 1.0	https://youtu.be/-UHOBywHaP8?si=KHHfE_A0uv725f12
4	Marriage Hall Booking	https://youtu.be/VXz0kZQi5to?si=ILOS-QG3TpAFP5k7
5	Ecommerce Shopping project	https://youtu.be/vJ_C6LkhrZ0?si=YhcBylSErvdn7paq
6	Bike Rental System Project	https://youtu.be/FlzsAmIBCbk?si=7ujQTJqEgkQ8ju2H
7	Multi-Restaurant management system	https://youtu.be/pvV-pM2Jf3s?si=PgvnT-yFc8ktrDxB
8	Hospital management system Project	https://youtu.be/lynlouBZvY4?si=CXzQs3BsRkjKhZCw
9	Municipal Corporation system Project	https://youtu.be/cVMx9NVyl4I?si=qX0oQt-GT-LR_5jF
10	Tour and Travel System Project version 2.0	https://youtu.be/_4u0mB9mHXE?si=gDiAhKBowi2gNUKZ

Sr.No	Project Name	YouTube Link
11	Tour and Travel System Project version 3.0	https://youtu.be/Dm7nOdpasWg?si=P_Lh2gcOFhlyudug
12	Gym Management system Project	https://youtu.be/J8_7Zrkg7ag?si=LcxV51ynfUB7OptX
13	Online Driving License system Project	https://youtu.be/3yRzsMs8TLE?si=JRI_z4FDx4Gmt7fn
14	Online Flight Booking system Project	https://youtu.be/m755rOwdk8U?si=HURvAY2VnizlyJlh
15	Employee management system project	https://youtu.be/ID1iE3W_GRw?si=Y_jv1xV_BljhrD0H
16	Online student school or college portal	https://youtu.be/4A25aEKfei0?si=RoVgZtxMk9TPdQvD
17	Online movie booking system project	https://youtu.be/Lfjv_U74SC4?si=fiDvrhhrjb4KSIsm
18	Online Pizza Delivery system project	https://youtu.be/Tp3izreZ458?si=8eWAOzA8SVdNwlyM
19	Online Crime Reporting system Project	https://youtu.be/0UlzReSk9tQ?si=6vN0e70TVY1GOwPO
20	Online Children Adoption Project	https://youtu.be/3T5HC2HKyT4?si=bntP78niYH802I7N

HTML Multiple Choice Questions

1) What does HTML stand for?

Hypertext Markup Language

Home Tool Markup Language

Hyperlinks and Text Markup Language

None of the above

Show Answer

Workspace

Answer: a. Hypertext Markup Language **Explanation:** HTML stands for Hypertext Markup Language. It is a code that is typically used to give structure to a web page and the content in it.

2) Which amongst the following is the correct HTML tag for the largest heading?

<head>

<h1>

<heading>

None of the above

Show Answer

Workspace

Answer: b. <h1> **Explanation:** <h1> is a HTML element used for displaying the largest heading on a web page.

3) Which amongst the following is responsible for inserting a line break in HTML?

<tr>

<lb>

<break>

Show Answer

Workspace

Answer: b.
 Explanation: The HTML element
 is used for inserting a line break. It is typically used while writing addresses and personal information, where the lines need to be divided.

4) What type of language is HTML?

Scripting language

Programming language

Markup language

None of the above

Show Answer

Workspace

Answer: c. Markup language **Explanation:** HTML is a Markup language because it sums up the data inside the HTML tags.

5) What is the HTML code for adding a background color?

- <body style= "background-color:red;">
- <background>red</background>
- <bg>red</bg>

None of the above

Show Answer

Workspace

Answer: a. <body style= "background-color:red;"> **Explanation:** To add background color in HTML, "style" attribute is used. The "style" attribute states the inline style for an element. The "style" attribute is used with "body" tag in HTML where the web designer can add the background color.

6) Which amongst the following tags is used to specify important texts in HTML?

-
- <important>
- <imptext>
-

Show Answer

Workspace

Answer: d. **Explanation:** tag is used for defining the important texts in HTML. The tag highlights the content semantically and denote the text or any other content inside it important. This tag displays the content inside it in bold manner.

7) Which amongst the following tags is used to make the text bold in HTML?

-
- <bold>
- <bd>
- <a>

Show Answer

Workspace

Answer: a. **Explanation:** tag is used to make the text bold in HTML. It does not give any semantic meaning to the text.

8) What is the main difference between tag and tag in HTML?

 tag is used to make text bold only, and tag adds extra semantic importance to the content

 tag adds extra semantic importance to the content, and tag is used to make text bold only

There is no difference between tag and tag

None of the above

Show Answer

Workspace

Answer: tag adds extra semantic importance to the content, and tag is used to make text bold only **Explanation:** The only difference between tag and tag is that the tag adds semantic importance to the content inside it; on the contrary, the tag does not give any extra importance to the text apart from making it bold.

9) Which amongst the following tags is used to mark the beginning of a paragraph in HTML?

<a>

<hr>

<p>

Show Answer

Workspace

Answer: d. <p> **Explanation:** <p> tag is used for defining a paragraph of in HTML.

10) Which tag is the first tag in a HTML document?

<head>

<body>

<title>

<html>

Show Answer

Workspace

Answer: d. <html> **Explanation:** <html> is the first tag in a HTML document. It represents the root of an HTML document. It contains all the other tags of HTML.

11) Which of the following is the attribute of <form> tag in HTML?

Action

Method

Both (a) and (b)

None of the above

Show Answer

Workspace

Answer: c. Both (a) and (b). **Explanation:** The <form> tag's Attribute in HTML is used to define that the element can contain one or more forms.

12) Which amongst the following are correct HTML code for creating a hyperlink?

- <a>https://www.tutorialandexample.com/
- Tutorial and Example
- <a"https://www.tutorialandexample.com/">Tutorial and Example
- Tutorial and Example

Show Answer Workspace

Answer: d. Tutorial and Example **Explanation:** <a> tag is used to describe the hyperlink, which is used to link different pages in HTML. "href" is the attribute of <a> element, which is used to specify the link's target.

13) What is the correct HTML code for opening a link in a new tab or new browser window?

-
-

Both (a) and (b)
None of the above

Show Answer Workspace

Answer: b. **Explanation:** target attribute is used to inform the browser to open the link in the new tab. _blank is assigned to target attribute which informs the browser to open link in the new tab or window, based on the default settings of browser.

14) Which amongst the following is the correct HTML code for creating a bulleted list?

- <list>
- <blist>
-
-

Show Answer Workspace

Answer: d. **Explanation:** The tag is used to specify the unordered list or the bulleted list in HTML.

15) Which amongst the following is the correct HTML code for creating an ordered list?

-
- <olist>
-

None of the above

Show Answer

Workspace

Answer: a. **Explanation:** The tag is used to specify the ordered list in HTML i.e., in numbered formation. This ordered list can be numeric or alphabetic.

16) Which among the following tag is used for making text italic in HTML?

<italic>

<i>

<|>

None of the above

Show Answer

Workspace

Answer: b. <i> **Explanation:** The <i> tag is used to show the text in italic format.

17) Which among the following is the correct HTML code for inserting an image?

<image alt="SampleImage">image.gif</image>

<image src="image.gif" alt= "SampleImage">

Show Answer

Workspace

Answer: d. **Explanation:** The tag is used to insert an image in a HTML page. The tag has two major attributes: src (specifies the path to the image) and alt (specifies the alternate name for the image in case the image is not displayed).

18) Which amongst the following is the correct doctype for HTML?

<Doctype HTML>

<\Doctype html>

<Doctype>

<!DOCTYPE html>

Show Answer

Workspace

Answer: d. <!DOCTYPE html> **Explanation:** <!DOCTYPE html> is not a tag or element; it is an instruction to the browser about the type of document. It is used to tell the browser the version of HTML used in the document.

19) What is an <input> tag?

a format tag

an empty tag

All of the above

None of the above

Show Answer

Workspace

Answer: b. an empty tag **Explanation:** The <input> tag in HTML is used to describe an input field in which the user can enter data. The <input> tag is the most important tag in the form element.

20) In HTML, what is the role of the <aside> element?

Content aside from the page content

The ASCII character-set; to send information between computers on the Internet

A navigation list to be shown at the left side of the page

None of the above

Show Answer

Workspace

Answer: a. Content aside from the page content **Explanation:** The <aside> tag is used to display some of the content in the HTML document aside from the content it is positioned on. The <aside> tag is usually seen as a sidebar in a HTML document.

21) Which amongst the following are the attributes of <input> tag in HTML?

Type

Name

Max

All of the above

Show Answer

Workspace

Answer: d. All of the above **Explanation:** The <input> tag has various attributes. The "type" attribute is used to define the type of input, i.e., text, password and so on. The "name" attribute is used to define the name of the element, and the "max" attribute is used to define the maximum number of characters.

22) What are the empty elements in HTML?

There is no such element as an empty element.

Empty elements are elements with no data.

Empty elements are elements that are not valid in HTML.

None of the above

Show Answer

Workspace

Answer: b. Empty elements are elements with no data. **Explanation:** The elements that don't have any content in themselves and do not have an end tag in HTML are called Empty Elements.

23) Which amongst the following is the subset of HTML?

- SGML
- SGMT
- SGMD
- None of the above

Show Answer

Workspace

Answer: a. SGML **Explanation:** SGML is an acronym for Standard Generalized Markup Language. It is a language that is used for defining Markup Languages. HTML is one of its applications.

24) Which amongst the following tags is used to make the text underlined?

- <ud>
-
-
- <u>

Show Answer

Workspace

Answer: d. <u> **Explanation:** The <u> tag is used to make the text underlined in HTML. It is generally used to highlight a word or sentence in a HTML document.

25) Tags is HTML are enclosed in:

- < and >
- " and "
- ? and ?
- { and }

Show Answer

Workspace

Answer: a. < and > **Explanation:** All the tags in HTML are enclosed in angle brackets < and >.

26) Why is <hr> tag used in HTML?

- Vertical ruler
- Horizontal ruler
- New line
- None of the above

Show Answer

Workspace

Answer: b. Horizontal ruler **Explanation:** The <hr> tag in HTML is for horizontal rule. It is used to insert a horizontal rule or a thematic break in an HTML page in order to divide or separate the HTML document sections. The <hr> tag is an empty tag or singleton tag, which means it does not require an end tag.

27) What is meant by "Character Encoding"?

- A method that represents characters in numbers
- A method that represents numbers in characters
- A method that converts bytes into characters
- None of the above

Show Answer

Workspace

Answer: c. A method that converts bytes into characters **Explanation:** "Character Encoding" in HTML is used to convert bytes into characters. In order to display an HTML document properly, proper Character Encoding must be chosen.

28) What is meant by "Singleton Tags" in HTML?

- Elements that do not have a closing tag
- Elements that can only take single values
- Elements that must appear as pairs
- None of the above

Show Answer

Workspace

Answer: a. Elements that do not have a closing tag. **Explanation:** "Singleton Tags" are the tags that do not need a closing tag. They are also called "void tags." They are only used with "attribute only" tags in HTML. Some examples of "Singleton Tags" are
, <hr>, , <command>, and so on.

29) What amongst the following is not a Singleton Tag?

-
-

- <hr>
-

Show Answer

Workspace

Answer: d. **Explanation:** The tag is not a Singleton Tag in HTML as it requires a closing tag.

30) What is the main difference between Elements and Tags in HTML?

- Tags are just opening and closing entities; element includes an opening, closing and the content.
- Tags include opening, closing, and the content; elements are just opening and closing entities.
- There is no difference between elements and tags.
- None of the above

Show Answer

Workspace

Answer: a. Tags are just opening and closing entities; element includes an opening, closing and the content. **Explanation:** The elements in HTML consist of the beginning tag, attributes of the tags, end tag and everything that comes in between. However, the tags in HTML are just the beginning tag and end tag.

31) What is meant by an Anchor tag in HTML?

- It is used to open a URL in a new tab.
- It is used to link two sections or two web pages.
- There is no such thing as an Anchor tag in HTML.
- None of the above

Show Answer

Workspace

Answer: b. It is used to link two sections or two web pages. **Explanation:** The anchor tag in HTML creates a link between two sections or two web pages. This tag contains three parts that are href attribute, name attribute, and target attribute.

32) Which amongst the following is the correct method of inserting a comment in HTML?

- <!--Sample-->
- <--Sample-->
- <!--Sample--!>
- None of the above

Show Answer

Workspace

Answer: a. <!--Sample--> **Explanation:** In HTML, the comment tag begins with <!-- --> and in between these symbols are the comment inserted.

33) Which element is used to put a scrolling text in a web page?

- <marquee>
- <scroll>
- <scrolltext>
- None of the above

Show Answer

Workspace

Answer: a.<marquee> **Explanation:** The <marquee> tag in HTML is used to display a scrolling piece of tag either horizontally or vertically across the screen in a HTML document.

34) Which amongst the following is the correct HTML code for putting a background image in a HTML document?

- <body background= "image.gif">
- <image background= "image.gif">

```
<background>"image.gif"</background>
```

None of the above

Show Answer

Workspace

Answer: a. `<body background= "image.gif">` **Explanation:** In HTML, the background attribute is inserted in tag. It is followed by the place where the image is placed in the system.

35) Which amongst the following browser supports HTML5?

Google Chrome

Apple Safari

Mozilla Firefox

All of the above

Show Answer

Workspace

Answer: d. All of the above **Explanation:** HTML5 is supported by Google Chrome, Apple Safari, Mozilla Firefox, and Opera.

36) Which amongst the following is a Block level element in HTML?

`<div>`

`<p>`

``

All of the above

Show Answer

Workspace

Answer: d. All of the above **Explanation:** In HTML, block-level elements are the elements that start in a new line, such as a paragraph. It makes use of the complete width of the page or container in an HTML document.

37) Which amongst the following is used to list elements in HTML?

``

``

`<dl>`

All of the above

Show Answer

Workspace

Answer: d. All of the above **Explanation:** The `` tag in HTML is used to create an ordered list, the `` tag is used to create an unordered list or a bulleted list, and the `<dl>` tag is used to create a description list. All of these tags are list elements in HTML.

38) What is meant by XHTML?

Extensible hyper text markup language

Extensible markup language

Extensive markup language

Extensive hyper text markup language

Show Answer

Workspace

Answer: a. Extensible hyper text markup language **Explanation:** XHTML is a part of XML markup languages. XHTML is HTML defined as an XML application. All the commonly used browsers support it.

39) Which amongst the following options are the elements of <table> in HTML?

<table><tr><td>

<table><tr><tt>

<table><body><td>

<table><tr><td>

Show Answer

Workspace

Answer: d. <table><tr><td> **Explanation:** In HTML, the table are used to arrange data into rows and columns. The <tr> tag is used to describe the table row and the <td> tag is used to describe the table data or cell.

40) Which amongst the following are the correct code for making a checkbox in HTML?

<input type = "check">

<checkbox>"content"</checkbox>

<check>

<input type = "checkbox">

Show Answer

Workspace

Answer: d. <input type = "checkbox"> **Explanation:** The <input type="checkbox"> describes a checkbox in HTML.

41) Which amongst the following is the correct HTML code for creating a dropdown list?

<input type= "dropdown">

<input type= "list">

<input type= "drop">

<select>

Show Answer

Workspace

Answer: d. <select> **Explanation:** The <select> element is responsible for creating used to a drop-down list in HTML. The <select> element is usually used in a form when the user input has to be collected.

42) What is <iframe> tag used for?

To display a web page within a web page.

To specify an inline frame.

Both (a) and (b)

None of the above

Show Answer

Workspace

Answer: c. Both (a) and (b) **Explanation:** The <iframe> tag is used to embed another document within the current HTML document.

43) Which amongst the following tag is used to specify the title of a web page in HTML?

<head>

<title>

<t>

None of the above

Show Answer

Workspace

Answer: b. <title> **Explanation:** The <title> tag in HTML is used to specify the title of the HTML document. This tag is a required tag. It defines the title in the browser toolbar and displays the page's title in Search- engine results.

44) Which tag is used to describe the footer of a document or a section in an HTML document?

<bottom>

<section>

<footer>

None of the above

Show Answer

Workspace

Answer: c. <footer> **Explanation:** The <footer> tag is responsible for the footer of an HTML document or a section in a document. The <footer> usually contains contact information, related documents and so on. There can be several footers in a single HTML document.

45) For which purpose is <canvas> element used in HTML?

To create draggable elements.

To draw graphics

To manipulate data in MySQL.

To display database records.

Show Answer

Workspace

Answer: b. To draw graphics **Explanation:** The <canvas> tag is responsible for drawing graphics, on the fly, via scripting (usually JavaScript). The <canvas> tag is transparent and is only a container for graphics; you must use a script to draw the

46) Which amongst the following type is used to define a slider control?

Range

Search

Slider

None of the above

Show Answer Workspace

Answer: a. Range **Explanation:** A range in the slider lets the user to control the values, i.e., maximum and minimum slider. Various types of sliders can be used in an HTML document, such as default, square, round, and image sliders.

47) Which amongst the following HTML element is used to describe the navigation links?

<navigation>

<navigate>

<nav>

None of the above

Show Answer Workspace

Answer: c. <nav> **Explanation:** The <nav> tag is used to describe the navigation links between major blocks in a HTML document.

48) Which amongst the following HTML tag is used to emphasize a text?

<i>

None of the above

Show Answer Workspace

Answer: c. **Explanation:** To put major emphasis on some text in an HTML document, the tag is used. This tag specifies to the user that this line or word is important. Generally, the text inside this tag is displayed in *italic* format.

49) Which amongst the following is the correct symbol used at the beginning of an HREF text?

\$

&

<

#

Show Answer

Workspace

Answer: d. # **Explanation:** The HREF is prefaced with the "#" symbol in HTML.

50) Which amongst the following is correct HTML code for creating colorful text in a HTML document?

 "COLOR"

<color>"red"</color>

None of the above

Show Answer

Workspace

Answer: a. **Explanation:** In HTML, the correct code for creating a colorful text in a HTML document is to use the , however, tag is no more supported in the newest HTML update, i.e., HTML5. For creating colorful text, the style attribute is used like this: <p style="color:red">SAMPLE PARAGRAPH</p>

51) Which amongst the following is the attribute that is used to add styles to an element in HTML such as color, font, and so on?

Dir

Style

Color

None of the above

Show Answer

Workspace

Answer: b. Style **Explanation:** Style attribute specifies an inline style for an element. The style attribute will override any style set globally, e.g., styles specified in the style tag or an external style sheet.

52) Which amongst the following is not a property of attribute behavior of <marquee> tag in HTML?

Scroll

Alternate

Blur

None of the above

Show Answer

Workspace

Answer: b. Alternate **Explanation:** Alternate is not a property of attribute behavior of <marquee> tag in HTML.

53) Which amongst the following code is the correct one to create an E-mail link?

<mail Href="someone@example.com">

None of the above

Show Answer Workspace

Answer: a. **Explanation:** In HTML, the correct code for creating an E-mail link is . To create a link that opens in the user's email program (to let them send a new email), mailto: is used inside the href attribute in HTML.

54) Which amongst the following is the correct tag for defining the description data in HTML?

<dd>

<dl>

<dr>

None of the above

Show Answer Workspace

Answer: a. <dd> **Explanation:** The <dd> tag is used to define the description data in HTML. In a <dd> tag, the user can put paragraphs, line breaks, images, links, lists, and so on.

55) Which amongst the following statements is true for HTML?

HTML uses Fixed Tags Defined by the Language

HTML uses User defined tags

HTML uses a tag that was meant only for linking

None of the above

Show Answer Workspace

Answer: a. HTML uses Fixed Tags Defined by the Language **Explanation:** In HTML, the only tags that can be used is defined by the language.

56) Which of the following property can the intensity of color be described?

Hue

Saturation

Lightness

None of the above

Show Answer

Workspace

Answer: b. Saturation **Explanation:** In HTML, the intensity of a color is described with the help of saturation property.

codewitharrays.in 8007592194

HTML Multiple-Choice Questions (MCQs)

HTML stands for "Hyper Text Markup Language", it is a standard markup language for creating webpages i.e., to create a website. HTML describes the structure of a webpage.

HTML MCQs: This section contains HTML Multiple-Choice Questions with Answers. These HTML MCQs are written for beginners as well as advanced, practice these MCQs to enhance and test the knowledge of HTML.

List of HTML MCQs

1. HTML is the standard ____language for creating Web pages.

- A. scripting
- B. programming
- C. styling
- D. markup

Answer: D) markup

Explanation:

HTML is the standard markup language for creating Web pages.

[Discuss this Question](#)

2. HTML stands for_____.

- A. Hyperactive Text Markup Language
- B. Hyper Text Markup Language
- C. Hyper Text Machine Language
- D. None of these

Answer: B) Hyper Text Markup Language

Explanation:

HTML stands for "Hyper Text Markup Language".

[Discuss this Question](#)

3. Which is the correct syntax to include comment in an HTML document?

- A. //
- B. /* Comment */
- C. // Comment //
- D. <!-- Comment -->

Answer: D) <!-- Comment -->

Explanation:

You can add comments to your HTML source by using the following syntax,

```
<!-- Write your comments here -->
```

[Discuss this Question](#)

4. Can we hide content using the comment?

- A. Yes
- B. No

Answer: A) Yes

Explanation:

Yes, the comments can be used to hide content. Here is the syntax,

```
<!-- <p>Hello, world! </p> -->
```

[Discuss this Question](#)

5. Can we hide inline content using the comment?

- A. Yes
- B. No

Answer: A) Yes

Explanation:

Yes, the comments can be used to hide inline content. Here is the syntax,

```
<p>Hello, world! <!--This is some text --> How are you?</p>
```

[Discuss this Question](#)

6. Which element/tag defines a paragraph?

- A. <p>
- B. <pre>
- C. <panel>
- D. None of the above

Answer: A) <p>

Explanation:

The **<p>** tag/element defines a paragraph.

[Discuss this Question](#)

7. Which tag/element defines the HTML document's body?

- A. <HTML>
- B. <HTMLbody>
- C. <bdy>
- D. <body>

Answer: D) <body>

Explanation:

The **<body>** element defines the HTML document's body.

[Discuss this Question](#)

8. Which tag contains the meta information about the HTML page?

- A. <html>
- B. <title>
- C. <head>
- D. <body>

Answer: C) <head>

Explanation:

The **<head>** tag contains the meta information about the HTML page.

[Discuss this Question](#)

9. Which tag is the root element of an HTML page?

- A. <html>
- B. <title>
- C. <head>
- D. <body>

Answer: A) <html>

Explanation:

The `<html>` tag is the root element of an HTML page.

[Discuss this Question](#)

10. Who invented HTML?

- A. Dave Raggett
- B. Tim Berners-Lee
- C. Denis Ritchie
- D. All of the above

Answer: B) Tim Berners-Lee

Explanation:

Tim Berners-Lee invented HTML in 1991.

[Discuss this Question](#)

11. HTML tags with no content are called ____.

- A. Special tags
- B. Advanced tags
- C. Empty tags
- D. Other tags

Answer: C) Empty tags

Explanation:

HTML tags with no content are called empty tags. For example, the `
` tag, `<hr>` tag.

[Discuss this Question](#)

12. Nested HTML Elements are allowed in HTML?

- A. Yes
- B. No

Answer: A) Yes

Explanation:

Yes, Nested HTML Elements (`<p><u>Some text</u></p>`)are allowed in HTML.

[Discuss this Question](#)

13. Is HTML a case sensitive?

- A. Yes
- B. No

Answer: B) No

Explanation:

No, HTML is Not Case Sensitive.

[Discuss this Question](#)

14. HTML headings are defined with the ____ tags.

- A. <head1> to <head6>
- B. <p1> to <p6>
- C. <h1> to <h6>
- D. <h1> to <h3>

Answer: C) <h1> to <h6>

Explanation:

HTML headings are defined with the <h1> to <h6> tags.

[Discuss this Question](#)

15. Which tag is used to display a horizontal rule (horizontal line)?

- A.

- B. <hr>
- C. <hr>...</hr>
- D. <line>

Answer: B) <hr>

Explanation:

The <hr> tag is used to display a horizontal rule.

[Discuss this Question](#)

16. What is the correct syntax of <hr> tag?

- A. <hr>
- B. <hr />
- C. <hr></hr>

D. All of the above

Answer: A), and B):

<hr> and <hr />

Explanation:

Both **<hr>** and **<hr />** can be used to display a horizontal line.

[Discuss this Question](#)

17. Which tag is used to define a line break?

- A. <\n>
- B. <lr>
- C.

- D.
...</br>

Answer: C)

Explanation:

The **
** tag is used to define a line break.

[Discuss this Question](#)

**18. What is the correct syntax of
 tag?**

- A.

- B.

- C.
</br>
- D. All of the above

Answer: A), and B):
 and

Explanation:

Both **
** and **
** can be used to display a line break.

[Discuss this Question](#)

19. Which tag is used to define preformatted text?

- A. <pf>
- B. <p>
- C. <pre>
- D. <code>

Answer: C) <pre>

Explanation:

The **<pre>** tag is used to define preformatted text.

[Discuss this Question](#)

20. Which HTML attribute is used to define styles of an element?

- A. <style>
- B. <css>
- C. style
- D. css

Answer: C) style

Explanation:

The **style** attribute is used to define the styles of an element.

[Discuss this Question](#)

21. Which is the correct HTML statement to define the red color of the paragraph text?

- A. <p style="color: #ff0000;">
- B. <p style="color: red;">
- C. Both A. and B.
- D. None of the above

Answer: C) Both A. and B.

Explanation:

The correct HTML statement to define red paragraph color is,

```
<p style="color: #ff0000;">
<!--OR-->
<p style="color: red;">
```

[Discuss this Question](#)

22. Which HTML tag is used to define bold text, without any extra importance?

- A.
- B. <bold>
- C. <bolder>

D.

Answer: D)

Explanation:

The HTML **** tag is used to define bold text, without any extra importance.

[Discuss this Question](#)

23. Which HTML tag is used to define text with strong importance?

- A.
- B. <bold>
- C. <bolder>
- D.

Answer: A)

Explanation:

The HTML tag **** is used to define text with strong importance.

[Discuss this Question](#)

24. Which HTML tag is used to define italic text?

- A. <italic>
- B.
- C. <i>
- D. <it>

Answer: C) <i>

Explanation:

The HTML tag **<i>** is used to define italic text.

[Discuss this Question](#)

25. Which HTML tag is used to define emphasized text?

- A. <italic>
- B.
- C. <i>
- D. <it>

Answer: B)

Explanation:

The HTML tag `` is used to define emphasized text.

[Discuss this Question](#)

26. Which HTML tag is used to define smaller text?

- A. `<normal>`
- B. ``
- C. `<smaller>`
- D. `<small>`

Answer: D) `<small>`

Explanation:

The HTML tag `<small>` is used to define smaller text.

[Discuss this Question](#)

27. Which HTML tag is used to define marked or highlighted text?

- A. `<mark>`
- B. `<highlight>`
- C. `<m>`
- D. `<highlighted>`

Answer: A) `<mark>`

Explanation:

The HTML tag `<mark>` is used to define marked or highlighted text.

[Discuss this Question](#)

28. Which HTML tag is used to define strike a line through deleted text?

- A. `<delete>`
- B. ``
- C. `<deleted>`
- D. `<through>`

Answer: B) ``

Explanation:

The HTML tag `` is used to define strike a line through deleted text.

29. Which HTML tag is used to define underline inserted text?

- A. <underline>
- B. <text-decoration>
- C. <u>
- D. Both C and D

Answer: E) Both C and D

Explanation:

The HTML tags **<ins>** and **<u>** are used to define underline inserted text.

30. Which HTML tag is used to define subscript text?

- A. <sub>
- B. <subscript>
- C. <s>
- D. <subscripted>

Answer: A) <sub>

Explanation:

The HTML **<sub>** tag is used to define subscript text.

31. Which HTML tag is used to define superscript text?

- A. <sup>
- B. <superscript >
- C. <s>
- D. <superscripted>

Answer: A) <sup>

Explanation:

The HTML **<sup>** tag is used to define superscript text.

32. Which is the correct HTML statement to display H₂O in a paragraph?

- A. <p>H²O</p>
- B. <p>H<ins>2</ins>O</p>
- C. <p>H<below>2</below>O</p>
- D. <p>H₂O</p>

Answer: D) <p>H₂O</p>

Explanation:

The correct HTML statement to display H₂O in a paragraph is: <p>H₂O</p>

Discuss this Question

33. Which is the correct HTML statement to display Hello^{World} in a paragraph?

- A. <p>Hello^{World}</p>
- B. <p>Hello<top>World</top></p>
- C. <p>Hello_{World}</p>
- D. <p>Hello<above>World</above></p>

Answer: A) <p>Hello^{World}</p>

Explanation:

The correct HTML statement to display Hello^{World} in a paragraph is: <p>Hello^{World}</p>

Discuss this Question

34. Which is the correct HTML statement to display HelloHi! in a paragraph?

- A. <p>Hello<ins>Hi!</ins></p>
- B. <p><strike>Hello</strike><ins>Hi!</ins></p>
- C. <p><cut>Hello</cut><ins>Hi!</ins></p>
- D. All of the above

Answer: A), and B): <p>Hello<ins>Hi!</ins></p> <p><strike>Hello</strike><ins>Hi!</ins></p>

Explanation:

The correct HTML statement to display HelloHi! in a paragraph is/are: <p>Hello<ins>Hi!</ins></p> <p><strike>Hello</strike><ins>Hi!</ins></p>

Discuss this Question

35. Which is the correct HTML statement to display Hello IncludeHelp in a paragraph?

- A. `<p>Hello <mark>IncludeHelp</mark></p>`
- B. `<p>Hello<mark>IncludeHelp</mark></p>`
- C. `<p>Hello IncludeHelp</p>`
- D. `<p>HelloIncludeHelp</p>`

Answer: B) `<p>Hello<mark>IncludeHelp</mark></p>`

Explanation:

The correct HTML statement to display Hello IncludeHelp in a paragraph is: `<p>Hello<mark>IncludeHelp</mark></p>`

[Discuss this Question](#)

36. Which HTML tag is used to define a short quotation?

- A. `<quotation>`
- B. `<quote>`
- C. `<qut>`
- D. `<q>`

Answer: D) `<q>`

Explanation:

The HTML tag `<q>` is used to define a short quotation.

[Discuss this Question](#)

37. Which HTML tag is used to define an abbreviation or an acronym?

- A. `<abbreviation>`
- B. `<abbr>`
- C. `<acronym>`
- D. `<acr>`

Answer: B) `<abbr>`

Explanation:

The HTML tag `<abbr>` is used to define an abbreviation or an acronym.

[Discuss this Question](#)

38. What is the correct HTML syntax of `<abbr>` tag?

- A. `<abbr title="abbreviation or acronym">Text</abbr>`
- B. `<abbr description="abbreviation or acronym">Text</abbr>`

- C. <abbr abbreviation="abbreviation or acronym">Text</abbr>
D. <abbr acronym="abbreviation or acronym">Text</abbr>

Answer: A) <abbr title="abbreviation or acronym">Text</abbr>

Explanation:

The correct HTML syntax of **<abbr>** tag is,

```
<abbr title="abbreviation or acronym">Text</abbr>
```

[Discuss this Question](#)

39. What HTML tag is used to define the contact information for the author/owner of a document or an article?

- A. <contact>
B. <authorinfo>
C. <address>
D. <addr>

Answer: C) <address>

Explanation:

The HTML tag **<address>** is used to define the contact information for the author/owner of a document or an article.

[Discuss this Question](#)

40. Which tag is used to override the current text direction?

- A. <bdi>
B. <bdo>
C. <bdr>
D. None of the above

Answer: B) <bdo>

Explanation:

The HTML tag **<bdo>** is used to override the current text direction.

[Discuss this Question](#)

41. Which HTML tag is used to define a hyperlink?

- A. <a>

- B. <h>
- C. <hyperlink>
- D. Both A. and B.

Answer: A) <a>

Explanation:

The HTML **<a>** tag defines a hyperlink.

[Discuss this Question](#)

42. Which is the correct syntax of <a> tag?

- A. link text
- B. link text
- C. link text
- D. link text

Answer: C) link text

Explanation:

The correct syntax to create a hyperlink is,

```
<abbr title="abbreviation or acronym">Text</abbr>
```

[Discuss this Question](#)

43. Why "href" attribute is used with <a> tag?

- A. To define title text
- B. To define reference of a document
- C. To define destination URL
- D. All of the above

Answer: C) To define destination URL

Explanation:

The **href** attribute of the **<a>** tag is most important, which indicates the link's destination.

[Discuss this Question](#)

44. Which ____ attribute specifies where to open the linked document?

- A. href
- B. link

- C. src
- D. target

Answer: D) target

Explanation:

The “target” attribute specifies where to open the linked document.

[Discuss this Question](#)

45. Which tag is used to embed an image in an HTML document?

- A.
- B. <pic>
- C. <image>
- D. <picture>

Answer: C)

Explanation:

The HTML tag is used to embed an image in an HTML document.

[Discuss this Question](#)

46. What is the correct syntax of tag?

- A.
- B.
- C.
- D. All of the above

Answer: D) All of the above

Explanation:

The correct syntax of tag is/are:

```

```

We can also use,

```

<!--Or-->

```

[Discuss this Question](#)

47. Which attribute specifies the path to the image?

- A. href
- B. link
- C. src
- D. All of the above

Answer: C) src

Explanation:

The **src** attribute specifies the path to the image.

[Discuss this Question](#)

48. Which attribute specifies an alternate text for the image?

- A. alt
- B. alternate
- C. alttext
- D. All of the above

Answer: B) alternate

Explanation:

The **alternate** attribute specifies an alternate text for the image.

[Discuss this Question](#)

49. Which HTML tag is used to define a table?

- A. <table>
- B. <tables>
- C. <tr>
- D. <th>

Answer: A) <table>

Explanation:

The HTML tag **<table>** is used to define a table.

[Discuss this Question](#)

50. Each table cell is defined by a ____ tag.

- A. <cell> ... </cell>
- B. <tr> ... </tr>
- C. <th> ... </th>
- D. <td> ... </td>

Answer: D) <td> ... </td>

Explanation:

Each table cell is defined by a **<td>** and a **</td>** tag.

[Discuss this Question](#)

51. Each table row is defined by a ____ tag.

- A. <cell> ... </cell>
- B. <tr> ... </tr>
- C. <th> ... </th>
- D. <td> ... </td>

Answer: B) <tr> ... </tr>

Explanation:

Each table row is defined by a **<tr>** and a **</tr>** tag.

[Discuss this Question](#)

52. Each table header is defined by a ____ tag.

- A. <cell> ... </cell>
- B. <tr> ... </tr>
- C. <th> ... </th>
- D. <td> ... </td>

Answer: C) <th> ... </th>

Explanation:

Each table header is defined by a **<th>** and a **</th>** tag.

[Discuss this Question](#)

53. Which tag is used to define ordered listing?

- A. ...
- B. ...
- C. <list> ... </list>

D. ...

Answer: A) ...

Explanation:

The HTML tag ** ... ** is used to define ordered listing.

[Discuss this Question](#)

54. Which tag is used to define unordered listing?

- A. ...
- B. ...
- C. <list> ... </list>
- D. ...

Answer: B) ...

Explanation:

The HTML tag ** ... ** is used to define unordered listing.

[Discuss this Question](#)

55. Which tag is used to define list items?

- A. ...
- B. ...
- C. <list> ... </list>
- D. ...

Answer: D) ...

Explanation:

The HTML tag ** ... ** is used to define list items.

[Discuss this Question](#)

56. Which tag is used to define description lists?

- A. <dl> ... </dl>
- B. <dd> ... </dd>
- C. <dlist> ... </dlist>
- D. <check> ... </check>

Answer: A) <dl> ... </dl>

Explanation:

The HTML tag `<dl> ... </dl>` is used to define description lists.

[Discuss this Question](#)

57. Which tag is a block-level element?

- A. `<block> ... </block>`
- B. ` ... `
- C. `<div> ... </div>`
- D. `<divx> ... </divx>`

Answer: C) `<div> ... </div>`

Explanation:

The HTML tag `<div> ... </div>` is a block-level element.

[Discuss this Question](#)

58. Which attribute is often used to point to a class name in a style sheet?

- A. style
- B. css
- C. src
- D. class

Answer: D) class

Explanation:

The `class` attribute is often used to point to a class name in a style sheet.

[Discuss this Question](#)

59. Which attribute is used to specify a unique id for an HTML element?

- A. style
- B. css
- C. id
- D. class

Answer: C) id

Explanation:

The HTML `id` attribute is used to specify a unique id for an HTML element.

60. Can we use class name with multiple HTML elements?

- A. Yes
- B. No

Answer: A) Yes

Explanation:

Yes, we can use class name with multiple HTML elements.

61. Can we use id attribute with multiple HTML elements?

- A. Yes
- B. No

Answer: B) No

Explanation:

No, we cannot use **id** attribute with multiple HTML elements.

62. Which tag specifies an inline frame?

- A. <frame>
- B. <iframe>
- C. <inlineframe>
- D. <frames>

Answer: B) <iframe>

Explanation:

The HTML tag **<iframe>** specifies an inline frame.

63. What is the correct syntax for <iframe> tag?

- A. <iframe href="url" title="description"> </iframe>
- B. <iframe link="url" title="description"> </iframe>

- C. <iframe src="url" title="description"> </iframe>
- D. All of the above

Answer: C) <iframe src="url" title="description"> </iframe>

Explanation:

The correct syntax for **<iframe>** tag is,

```
<iframe src="url" title="description"></iframe>
```

[Discuss this Question](#)

64. Which tag is used to create an HTML form for user input?

- A. <form>
- B. <input>
- C. <form_put>
- D. <form_get>

Answer: A) <form>

Explanation:

The HTML tag **<form>** is used to create an HTML form for user input.

[Discuss this Question](#)

65. Which tag is used to display a single-line text input field?

- A. <input type="textbox">
- B. <input type="checkbox">
- C. <input type="text">
- D. <input type="submit">

Answer: C) <input type="text">

Explanation:

The HTML tag **<input type="text">** is used to display a single-line input field.

[Discuss this Question](#)

66. Which tag is used to display a radio button?

- A. <input type="textbox">
- B. <input type="checkbox">
- C. <input type="text">

D. `<input type="radio">`

Answer: D) `<input type="radio">`

Explanation:

The HTML tag `<input type="radio">` is used to display a radio button.

[Discuss this Question](#)

67. Which tag is used to display a checkbox?

- A. `<input type="textbox">`
- B. `<input type="checkbox">`
- C. `<input type="text">`
- D. `<input type="radio">`

Answer: B) `<input type="checkbox">`

Explanation:

The HTML tag `<input type="checkbox">` is used to display a checkbox.

[Discuss this Question](#)

68. Which tag is used to display a submit button?

- A. `<input type="submit">`
- B. `<input type="checkbox">`
- C. `<input type="text">`
- D. `<input type="radio">`

Answer: A) `<input type="submit">`

Explanation:

The HTML tag `<input type="submit">` is used to display a submit button.

[Discuss this Question](#)

69. Which tag is used to display a clickable button?

- A. `<input type="submit">`
- B. `<input type="checkbox">`
- C. `<input type="text">`
- D. `<input type="button">`

Answer: D) `<input type="button">`

Explanation:

The HTML tag `<input type="button">` is used to display a clickable button.

[Discuss this Question](#)

70. Which input type reset defines a reset button that will reset all form values to their default values?

- A. clear
- B. clear:both
- C. reset
- D. refresh

Answer: C) reset

Explanation:

The `reset` input type reset defines a reset button that will reset all form values to their default values. Here is the syntax,

```
<input type="reset">
```



<https://www.youtube.com/@codewitharrays>



<https://www.instagram.com/codewitharrays/>



<https://t.me/codewitharrays> Group Link: <https://t.me/ccee2025notes>



[+91 8007592194](tel:+918007592194) [+91 9284926333](tel:+919284926333)



codewitharrays@gmail.com



<https://codewitharrays.in/project>