

HTML Question Bank

- 1. Is .htm and .html the same?
 - 1. No
 - 2. Yes
- 2. What is the difference between XML and HTML?
 - 1. HTML is used for exchanging data, XML is not.
 - 2. XML is used for exchanging data, HTML is not.
 - 3. HTML can have user defined tags, XML cannot
 - 4. Both b and c above
- 3. Which tags are most commonly used by search engines?
 - 1. Heading
 - 2. Title
 - 3. Paragrah
 - 4. All of above
- 4. What is the

 tag for?
 - 1. Space
 - 2. Paragraph break
 - 3. Line break
 - 4. Word break
- 5. What is the attribute for <image> tag?
 - 1. pt
 - 2. url
 - 3. path
 - 4. src
- 6. Can a data cell contain images?
 - 1. Yes
 - 2. No
- 7. Each list item in an ordered or unordered list has which tag?
 - 1. list tag
 - 2. ls tag
 - 3. li tag
 - 4. ol tag



- 8. Which of the following tags below are used for a multi-line text input control?
 - 1. textml tag
 - 2. text tag
 - 3. textarea tag
 - 4. Both b and c above
- 9. <meta> tag cannot be defined in the <head> tag.
 - 1. False
 - 2. True
- 10. Which of the following attributes below are used for a font name?
 - 1. fontname
 - 2. fn
 - 3. font
 - 4. face
- 11. Is width="100" and width="100%" the same?
 - 1. No
 - 2. Yes
- 12. What are <div> tags used for?
 - 1. To replace paragraphs. i.e. p tags
 - 2. To logically divide the paragraphs
 - 3. To logically divide the document
 - 4. To provide space between tables
- 13. What is cell padding?
 - 1. Used to separate cell walls from their contents.
 - 2. Used to set space between cells
 - 3. Both a and b above
 - 4. Used to provide width to a cell
- 14. Can I play audios in HTML?
 - 1. No
 - 2. Yes
- 15. What attribute is used to specify number of rows?
 - 1. Rownum
 - 2. Rownumb
 - 3. rn
 - 4. Rowspan



- 16. What are meta tags used for?
 - 1. To store information usually relevant to browsers and search engines.
 - 2. To only store information usually relevant to browsers
 - 3. To only store information about search engines.
 - 4. To store information about external links
- 17. How can we resize the image?
 - 1. Using resize attribute
 - 2. Using height and width
 - 3. Using size attribute
 - 4. Using rs attribute
- 18. For Frames in HTML, how do you specify the rest of the screen?
 - 1. Using &
 - 2. Using \$
 - 3. Using *
 - 4. Using #
- 19. bgcolor is an attribute of body tag
 - 1. True
 - 2. False

HTML & Java Script Page 3



Java Script Question Bank

- 1. What language defines the behavior of a web page?
 - 1. HTML
 - 2. CSS
 - 3. XML
 - 4. Java Script
- 2. Which of the following is the tainted property of a window object in Java Script?
 - 1. Pathname
 - 2. Protocol
 - 3. Defaultstatus
 - 4. Host
- 3. How to append a value to an array of Java Script?
 - 1. arr[arr.length] = value
 - 2. arr[arr.length+1] = new Arrays()
 - 3. arr[arr.length-1] = value
 - 4. arr[arr.length*1] = value
- 4. Why so Java and Java Script have similar name?
 - 5. Java Script is a stripped-down version of Java
 - 6. The syntax of Java is loosely based on Java syntax
 - 7. They both support Object Oriented Programming
 - 8. None of the above
- 5. Which machine actually executes the Java Script?
 - 1. The web server
 - 2. The machine which is running a web browser
 - 3. Java Script engine
 - 4. Both A and C
- 6. Is it possible to declare a variable in Java Script along its type?
 - 1. Yes
 - 2. No
- 7. Which of the following are capable of Java Script functions?
 - 1. Returning multiple values
 - 2. Accepting parameters and returning values
 - 3. Accepting parameters
 - 4. all of the above



- 8. How does Java Script store dates in objects of Date type?
 - 1. The number of days since January 1st, 1900
 - 2. The number of seconds since January 1st, 1970
 - 3. The number of milliseconds since January 1st, 1970
 - 4. The number of picoseconds since January 1st, 1970
- 9. Which attribute is used to hold the Java Script version?
 - 1. SCRIPT
 - 2. VERSION
 - 3. LANGUAGE
 - 4. VER
- 10. Which of the following is correct to write "Hello World" on the web page?
 - 1. System.out.println("Hello World")
 - 2. print("Hello World")
 - 3. document.write("Hello World")
 - 4. response.write("Hello World")
- 11. Which of the following syntax is correct to refer an external script called "formValidation.js"?
 - 1. < script href = "formValidation.js">
 - 2. < script source = "formValidation.js">
 - 3. < script name = "formValidation.js">
 - 4. < script src = "formValidation.js">
- 12. What type of image maps could be used with Java Script?
 - 1. Client-side image maps
 - 2. Server-side image maps
 - 3. Both A and B
 - 4. Localhost image maps
- 13. Which of the following is the correct way for writing Java Script array?
 - 1. var salaries = new Array(1:39438, 2:39839 3:83729)
 - 2. var salaries = new (Array:1=39438, Array:2=39839, Array:3=83729)
 - 3. var salaries = new Array(39438,39839,83729)
 - 4. var salaries = new Array() values=39438,39839,83729
- 14. What is the purpose of <noscript> tag in Java Script?
 - 1. Prevents scripts on the page from executing.
 - 2. Enclose text to be displayed by non-JavaScript browsers
 - 3. Suppresses the result to be displayed on the web page
 - 4. None of the above



7010	, rune
15. Ja	va Script entities start with and end with
1.	Semicolon, colon
2.	Semicolon, Ampersand
3.	•
4.	
16. W	hich of the following is a server-side Java Script object?
1.	Function
2.	File
3.	FileUpload
4.	Date
17. W	hich of the following is a client-side Java Script object?
1.	File
2.	
3.	FileUpload
4.	-
18. W	hich of the following method is used to evaluate a string of Java Script code in the context of the
specifi	ied object?
1	Engl
1.	S
2. 3.	
3. 4.	A117
4.	Elloat
19. W	hat is the event that fires when the form elements : <button>.<textarea> loses the focus?</td></tr><tr><td>1.</td><td>Onclick</td></tr><tr><td>2.</td><td>Ondblclick</td></tr><tr><td>3.</td><td>Onfocus</td></tr><tr><td>4.</td><td>Onblur</td></tr><tr><td>20. W</td><td>hich of the following is used to capture all click events in a window?</td></tr><tr><td>1.</td><td>window.captureEvents(Event.CLICK);</td></tr><tr><td>2.</td><td>window.routeEvents(Event.CLICK);</td></tr><tr><td>3.</td><td>window.handleEvents (Event.CLICK);</td></tr><tr><td>4.</td><td>window.raiseEvents(Event.CLICK);</td></tr><tr><td></td><td></td></tr></tbody></table></textarea></button>

HTML & Java Script Page 6

21. Javascript is an object oriented language?

False
 True



- 22. C-style block-level scoping is not supported in Java script
 - 1. False
 - 2. True
- 23. To insert a JavaScript into an HTML page, which tag is used?
 - 1. < script='java'>
 - 2. < javascript>
 - 3. < script>
 - 4. < js>
- 24. If we don't want the script to write page content, under which HTML tag should the JS tag be placeD?
 - 1. < body>
 - 2. < head>
 - 3. Any of a and b above
 - 4. Both b and c above
- 25. Which of the following statements are true for Java script?
 - 1. JavaScript is case sensitive
 - 2. JavaScript statements can be grouped together in blocks
 - 3. semicolon at the end of statement is mandatory
 - 4. Both a and b above
- 26. Which of the following statements are false for Java script?
 - 1. Variable names are not case sensitive
 - 2. Variable names must begin with a letter or the underscore character
 - 3. Var is used to declare a variable
 - 4. Both b and c above
- 27. Which of the below is used in Java script to insert special characters?
 - 1. &
 - 2. \
 - 3. -
 - 4. %
- 28. JavaScript ignores extra spaces
 - 1. True
 - 2. False



- 29. Which of the ways below is incorrect of instantiating a date?
 - 1. new Date(dateString)
 - 2. new Date()
 - 3. new Date(seconds)
 - 4. new Date(year, month, day, hours, minutes, seconds, milliseconds)
- 30. Which of the following statements are false for Java script?
 - 1. JavaScript can react to events
 - 2. JavaScript can read and write HTML elements
 - 3. JavaScript cannot be used to create cookies
 - 4. Both b and c above
- 31. What is negative infinity in Java script?
 - 1. Any of below
 - 2. number in JavaScript, derived by dividing number by a negative number.
 - 3. number in JavaScript, derived by dividing number by zero.
 - 4. number in JavaScript, derived by dividing negative number by zero
- 32. _____ JavaScript is also called client-side JavaScript.
 - 1. Microsoft
 - 2. Navigator
 - 3. LiveWire
 - 4. Native
- 33. Java script can be used for Storing the form's contents to a database file on the server
 - 1. False
 - 2. True
- 34. Which of the following is not a valid JavaScript variable name?
 - 1. 2java
 - 2. _java_and_ java _names
 - 3. javaandjava
 - 4. None of the above
- 35. Which is the correct way to write a JavaScript array?
 - 1. var txt = new Array(1:"arr",2:"kim",3:"jim")
 - 2. var txt = new Array:1=(" arr ")2=("kim")3=("jim")
 - 3. var txt = new Array("arr ","kim","jim")
 - 4. var txt = new Array=" arr ","kim","jim"



- 36. File is server-side JavaScript object
 - 1. True
 - 2. False
- 37. What java wrapper type is created when a JavaScript object is sent to Java?
 - 1. ScriptObject
 - 2. JavaObject
 - 3. Jobject
 - 4. JSObject
- 38. Which attribute needs to be changed to make elements invisible?
 - 1. visibilty
 - 2. visible
 - 3. invisibility
 - 4. invisible
- 39. Java Script supports all boolean operators
 - 1. True
 - 2. False
- 40. What is the alternate name for Java script?
 - 1. LimeScript
 - 2. Both a and d
 - 3. ECMScript
 - 4. ECMAScript

HTML & Java Script