Solution 1

```
KD1-86639-Prathamesh@>select onum,amt,odate from orders;
 onum amt
                  odate
  3001
           18.69
                   1990-10-03
 3003
          767.19
                  1990-10-03
        1900.10
 3002
                   1990-10-03
 3005
        5160.45
                  1990-10-03
        1098.16
 3006
                   1990-10-03
 3009
        1713.23
                  1990-10-04
           75.75
                  1990-10-04
 3007
        4723.00
 3008
                  1990-10-04
 3010
          309.95
                   1990-10-04
        9891.88
 3011
                  1990-10-04
10 rows in set (0.00 sec)
```

Solution 2

```
KD1-86639-Prathamesh@>select * from customers where snum=1001;
+----+
| cnum | cname | city | rating | snum |
+----+
| 2001 | Hoffman | London | 100 | 1001 |
| 2006 | Clemens | London | 100 | 1001 |
+----+
2 rows in set (0.00 sec)
```

Solution 3

```
KD1-86639-Prathamesh@>select city,sname,snum,comm from salespeople;
 city
            sname
                     snum
                             comm
             Peel
 London
                       1001
                             0.12
 San Jose
             Serres
                       1002
                             0.13
 London
             Motika
                       1004
                             0.11
 Barcelona
             Rifkin
                             0.15
                       1007
 New York
           Axelrod | 1003
                            0.10
5 rows in set (0.00 sec)
```

Solution 4