Assignment 15

KD1-Indrajeet-86641

- Q1. Assume there is a table called Multicust, with all of the same column definitions as Salespeople. Write a command that inserts all salespeople with more than one customer into this table.
- → Create table Multicust as select * from salespeople where snum in (select snum from customers group by snum having count(snum)>1);

- Q2. Write a command that deletes all customers with no current orders.
- → delete from customers where cnum not in(select cnum from orders);

```
KD1-Indrajeet-86641@>delete from customers where cnum not in(select cnum from orders);
Query OK, 0 rows affected (0.00 sec)
KD1-Indrajeet-86641@>select * from customers;
                     city
         cname
                                rating
  cnum
                                          snum
  2001
         Hoffman
                     London
                                    100
                                          1001
  2002
         Giovanni
                                    300
                                          1003
                     Rome
  2003
         Liu
                                    200
                                          1002
                     San Jose
  2004
                     Berlin
                                    300
                                          1002
         Grass
                                          1001
  2006
         Clemens
                     London
                                    100
  2008
         Cisneros
                     San Jose
                                    300
                                          1007
                                    200
                                          1002
  2007
         Pereira
                     Rome
  rows in set (0.00 sec)
```

- Q3. Write a command that increases by twenty percent the commissions of all salespeople with total orders above Rs. 3,000.
- → update salespeople set comm=comm*1.20 where snum in (select snum from orders where amt>300);

```
KD1-Indrajeet-86641@>update salespeople set comm=comm*1.20 where snum in (select snum
-> from orders where amt>300);
Query OK, 5 rows affected, 3 warnings (0.01 sec)
Rows matched: 5 Changed: 5 Warnings: 3
KD1-Indrajeet-86641@>select * from salespeople;
                     city
                                     comm
  snum
          sname
  1001
           Peel
                       London
                                     0.14
  1002
                       San Jose
                                     0.16
           Serres
  1004
           Motika
                       London
                                     0.13
  1007
           Rifkin
                       Barcelona
                                     0.18
  1003
           Axelrod
                     New York
                                     0.12
  rows in set (0.00 sec)
```