

Assignment –1 (Solution)

Creating sample tables and inserting values.

Table 1: Salespeople

```
KD1-86703-Shivansh@>select * from salespeople;
+-----+-----+-----+-----+
| Snum | Sname   | City      | Comm |
+-----+-----+-----+-----+
| 1001 | Peel    | London    | 0.12 |
| 1002 | Serres   | San Jose  | 0.13 |
| 1004 | Motika   | London    | 0.11 |
| 1007 | Rifkin   | Barcelona | 0.15 |
| 1003 | Axelrod  | New York  | 0.10 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

Table 2: Customers

```
KD1-86703-Shivansh@>select * from customers;
+-----+-----+-----+-----+-----+
| Cnum | Cname    | City      | Rating | Snum |
+-----+-----+-----+-----+-----+
| 2001 | Hoffman  | London    | 100    | 1001 |
| 2002 | Giovanni | Rome      | 200    | 1003 |
| 2003 | Liu      | San Jose  | 200    | 1002 |
| 2004 | Grass    | Berlin    | 300    | 1002 |
| 2006 | Clemens  | London    | 100    | 1001 |
| 2008 | Cisneros | San Josa  | 300    | 1007 |
| 2007 | Pereira  | Rome      | 100    | 1004 |
+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

Table 3: Orders

```
KD1-86703-Shivansh@>select * from orders;
```

Onum	Amt	Odate	Cnum	Snum
3001	18.69	1990-10-03	2008	1007
3003	767.19	1990-10-03	2001	1001
3002	1990.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3007	75.75	1990-10-04	2004	1002
3008	4723.00	1990-10-05	2006	1001
3010	1309.95	1990-10-06	2004	1002
3011	9891.88	1990-10-06	2006	1001

10 rows in set (0.00 sec)