

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

10 / 10 testcases passed

harshada1813

submitted at Sep 16, 2026 06:24

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

255 ms | Beats 97.41%

Code

MySQL

Auto

```
1 SELECT MAX(salary) AS SecondHighestSalary
2 FROM Employee
3 WHERE salary < (SELECT MAX(salary) FROM Employee);
```

Saved

Ln 3, Col 51

Testcase

Test Result

Accepted

Runtime: 78 ms

Case 1

Case 2

Input

Employee =

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

12 / 12 testcases passed

harshada1813

submitted at Sep 16, 2026 06:26

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

502 ms | Beats 98.46%

Code

MySQL

Auto

```
1 SELECT name AS Customers FROM Customers
2 WHERE id NOT IN (
3 SELECT customerId FROM Orders
4 );
```

Saved

Ln 3, Col 19

Testcase

Test Result

Accepted

Runtime: 88 ms

Case 1

Input

Customers =

| id | name |
|----|------|
|----|------|

Problem List

Accepted

Editorial

Solutions

Submissions

← All Submissions

Accepted

15 / 15 testcases passed

harshada1813


submitted at Sep 16, 2026 07:03

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

1034 ms | Beats 5.00%



Code

MySQL

Auto

```
1 SELECT id FROM Weather w1
2 WHERE temperature > (
3 SELECT temperature FROM Weather w2
4 WHERE w2.recordDate = DATE_SUB(w1.recordDate, INTERVAL 1 DAY)
5 );
```

Saved

Ln 4, Col 1

Testcase

Test Result

Accepted

Runtime: 65 ms

Case 1

Input

Weather =

| id | recordDate | temperature |
|----|------------|-------------|
| 1  | 2015-01-01 | 10          |
| 2  | 2015-01-02 | 25          |

Problem List

Accepted

Editorial

Solutions

Submissions

← All Submissions

Accepted

22 / 22 testcases passed

harshada1813

submitted at Sep 16, 2026 06:27

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

Testcase

Test Result

Code

MySQL

Auto

```
1 DELETE p1 FROM Person p1
2 JOIN Person p2 ON p1.email = p2.email
3 AND p1.id > p2.id;
```

Saved

Ln 2, Col 1

Problem List < > ✕ Submit

Description | Accepted ✕ | Editorial | Solutions | Submissions

← All Submissions

Accepted 15 / 15 testcases passed  
harshada1813 submitted at Sep 16, 2026 07:03

School's in. Let's on.  
Get LeetCode Annual Premium for \$99!

Runtime  
1034 ms | Beats 5.00%

6%  
4%  
2%  
0%  
322ms 491ms 661ms 830ms

Code  
MySQL Auto

```
1 SELECT id FROM Weather w1
2 WHERE temperature > (
3 SELECT temperature FROM Weather w2
4 WHERE w2.recordDate = DATE_SUB(w1.recordDate, INTERVAL 1 DAY)
5 );
```

Saved Ln 4, Col 1

Testcase | Test Result

Accepted Runtime: 65 ms

Case 1

Input

Weather =

| id | recordDate | temperature |
|----|------------|-------------|
| -- | -----      | -----       |
| 1  | 2015-01-01 | 10          |
| 2  | 2015-01-02 | 25          |

Rising Temperature - LeetCode x Combine Two Tables - LeetCode x + Ask Gemini

leetcode.com/problems/combine-two-tables/submissions/2143151393/

Problem List < > ✕ Submit Ctrl Enter

Description | Accepted ✕ | Editorial | Solutions | Submissions

← All Submissions

Accepted 8 / 8 testcases passed  
harshada1813 submitted at Sep 16, 2026 07:03

Unlock the Full LeetCode Experience  
Company problems, Ask Leet, and expert editorials — all in one plan.  
₹583.25/mo Save over 86%

Runtime  
574 ms | Beats 13.97%

6%  
4%  
2%  
0%  
322ms 433ms 543ms 653ms

Code  
MySQL Auto

```
1 SELECT firstName, lastName, (
2 SELECT city FROM Address a
3 WHERE a.personId = p.personId
4 )
5 AS city, (
6 SELECT state FROM Address a
7 WHERE a.personId = p.personId
8 ) AS state FROM Person p;
```

Saved Ln 8, Col 12

Testcase | Test Result

Accepted Runtime: 99 ms

Case 1

Input

Person =

| personId | lastName | firstName |
|----------|----------|-----------|
| -----    | -----    | -----     |

 Rising Temperature - LeetCode x | Combine Two Tables - LeetCode x | +

Ask Gemini | Ask Google | ☆ | 🏠 | 🌐 | 🌙 | 🔔 | 📱 | 🧑 | 🏆 Premium

Problem List < > 🔍

📄 Description | 📄 Accepted x | 📄 Editorial | 📄 Solutions | 📄 Submissions | Submit | Ctrl | Enter

< All Submissions

**Accepted** 15 / 15 testcases passed

👤 **harshada1813** submitted at Sep 16, 2026 14:27

 School's in. Let's on. Get LeetCode Annual Premium for \$99! →

**Runtime**

1003 ms | Beats 5.00%

6%  
4%  
2%  
0%

322ms 491ms 661ms 830ms

MySQL | 🔒 Auto

```
1 SELECT id FROM Weather w1
2 WHERE temperature > (
3 SELECT temperature FROM Weather w2
4 WHERE w2.recordDate = DATE_SUB(w1.recordDate, INTERVAL 1 DAY)
5 );
```

Saved Ln 4, Col 1

📄 Testcase | 📄 Test Result

**Accepted** Runtime: 65 ms

📄 Case 1

Input

Weather =

| id | recordDate | temperature |
|----|------------|-------------|
| 1  | 2015-01-01 | 10          |
| 2  | 2015-01-02 | 25          |