

```

KD1_98793_Harshada> CREATE TABLE CenterCourses (
->   CenterCourseID INT AUTO_INCREMENT PRIMARY KEY,
->   CenterID INT,
->   CourseID INT,
->   TotalSeats INT NOT NULL CHECK (TotalSeats >= 0),
->   FilledSeats INT DEFAULT 0 CHECK (FilledSeats >= 0),
->   CONSTRAINT chk_FilledSeats_Limit CHECK (FilledSeats <= To
),
->
->   FOREIGN KEY (CenterID) REFERENCES Centers(CenterID) ON DE
CADE,
->   FOREIGN KEY (CourseID) REFERENCES Courses(CourseID) ON DE
CADE,
->   CONSTRAINT UC_Center_Course UNIQUE (CenterID, CourseID)
-> );

```

```

KD1_98793_Harshada> CREATE TABLE Courses (
->   CourseID INT AUTO_INCREMENT PRIMARY KEY,
->   CourseCode VARCHAR(10) NOT NULL UNIQUE,
->   CourseName VARCHAR(100) NOT NULL
-> );
Query OK, 0 rows affected (0.321 sec)

```

```

KD1_98793_Harshada> CREATE TABLE Centers (
->   CenterID INT AUTO_INCREMENT PRIMARY KEY,
->   CenterName VARCHAR(100) NOT NULL UNIQUE,
->   City VARCHAR(50) NOT NULL
-> );
Query OK, 0 rows affected (0.256 sec)

```

```
KD1_98793_Harshada> CREATE DATABASE CDAC_Admission_DB;
Query OK, 1 row affected (0.330 sec)

KD1_98793_Harshada> USE CDAC_Admission_DB;
Database changed

KD1_98793_Harshada> CREATE TABLE Students (
  -> StudentID INT AUTO_INCREMENT PRIMARY KEY,
  -> FullName VARCHAR(100) NOT NULL,
  -> Email VARCHAR(100) UNIQUE NOT NULL,
  -> Mobile VARCHAR(15) UNIQUE NOT NULL,
  -> RankINT INT NOT NULL CHECK (RankINT > 0),
  -> AllocatedPreference INT DEFAULT NULL,
  -> AllocationStatus VARCHAR(20) DEFAULT 'Unallocated'
  -> CHECK (AllocationStatus IN ('Unallocated', 'Allocated', 'Upgr
aded', 'Withdrawn'))
  -> );
Query OK, 0 rows affected (0.557 sec)

KD1_98793_Harshada> |
```