

Database Technologies – Assignment 7

1. Write a query that lists each order number followed by the name of the customer who made the order.

```
KD1_Rosh_98811> SELECT o.onum, c.cname
-> FROM Orders o
-> JOIN Customers c
-> ON o.cnum = c.cnum;
```

onum	cname
3001	Cisneros
3003	Hoffman
3002	Pereira
3005	Liu
3006	Cisneros
3009	Giovanni
3007	Grass
3008	Clemens
3010	Grass
3011	Clemens

10 rows in set (0.018 sec)

2. Write a query that gives the names of both the salesperson and the customer for each order along with the order number.

```
KD1_Rosh_98811> SELECT o.onum, c.cname, s.sname
-> FROM Orders o
-> JOIN Customers c
-> ON o.cnum = c.cnum
-> JOIN Salespeople s
-> ON o.snum = s.snum;
```

onum	cname	sname
3001	Cisneros	Rifkin
3003	Hoffman	Peel
3002	Pereira	Motika
3005	Liu	Serres
3006	Cisneros	Rifkin
3009	Giovanni	Axelrod
3007	Grass	Serres
3008	Clemens	Peel
3010	Grass	Serres
3011	Clemens	Peel

10 rows in set (0.005 sec)

3. Write a query that produces all customers serviced by salespeople with a commission above 12%. Display the customer's name, the salesperson's name, and the salesperson's rate of commission.

```
KD1_Rosh_98811> SELECT c.cname, s.sname, s.comm
-> FROM Customers c
-> JOIN Salespeople s
-> ON c.snum = s.snum
-> WHERE s.comm > 0.12;
```

cname	sname	comm
Liu	Serres	0.13
Grass	Serres	0.13
Cisneros	Rifkin	0.15

3 rows in set (0.006 sec)

4. Write a query that calculates the commission earned by each salesperson for orders placed by customers with a rating above 100.

```
KD1_Rosh_98811> SELECT o.onum, s.comm, s.comm * o.amt
-> FROM Orders o
-> JOIN Customers c
-> ON o.cnum = c.cnum
-> JOIN Salespeople s
-> ON o.snum = s.snum
-> WHERE c.rating > 100;
```

onum	comm	s.comm * o.amt
3001	0.15	2.8035
3005	0.13	670.8585
3006	0.15	164.7240
3009	0.10	171.3230
3007	0.13	9.8475
3010	0.13	40.2935

6 rows in set (0.009 sec)

5. Write a query that produces all pairs of salespeople who are living in the same city. Exclude combinations of salespeople with themselves as well as duplicate rows with the order reversed .

```
KD1_Rosh_98811> SELECT s1.sname AS salesperson1, s2.sname AS salesperson2, s1.city
-> FROM Salespeople s1
-> JOIN Salespeople s2
-> ON s1.city = s2.city
-> AND s1.snum < s2.snum;
```

salesperson1	salesperson2	city
Peel	Motika	London

1 row in set (0.149 sec)