

1. Display all the first names in lower case and the last names in upper case as the single column separated with ' - '. Provide the meaningful name to the column.

```
KD2_Pritam_99277>select concat(lower(first_name), '-',upper(last_name)) as
full_name from employees;
+-----+
| full_name |
+-----+
| ellen-ABEL |
| sundar-ANDE |
| mozhe-ATKINSON |
| shelli-BAIDA |
| amit-BANDA |
| elizabeth-BATES |
| sarah-BELL |
| david-BERNSTEIN |
| laura-BISSOT |
| harrison-BLOOM |
| hermann-BROWN |
| alexis-BULL |
| anthony-CABRIO |
| gerald-CAMBRAULT |
| nanette-CAMBRAULT |
| john-CHEN |
+-----+
```

2. Display the first word of the job title. (Hint : Use substring_index).

```
KD2_Pritam_99277>SELECT SUBSTRING_INDEX(job_title, ' ', 1) AS First_Word
-> from jobs;
+-----+
| First_Word |
+-----+
| Public |
| Accounting |
| Administration |
| President |
| Administration |
| Accountant |
| Finance |
| Human |
| Programmer |
| Marketing |
| Marketing |
| Public |
| Purchasing |
| Purchasing |
| Sales |
| Sales |
| Shipping |
| Stock |
| Stock |
+-----+
19 rows in set (0.00 sec)
```

3. Display the First name, last name and length of first name for the employees whose last name contains character 'b' anywhere after 3rd position.

```
KD2_Pritam_99277>select first_name,last_name ,length(first_name) as first_name_length from employees WHERE last_name like ('___%b%');
+-----+-----+-----+
| first_name | last_name | first_name_length |
+-----+-----+-----+
| Gerald     | Cambrault | 6                 |
| Nanette    | Cambrault | 7                 |
| Nancy      | Gruenberg | 5                 |
| Susan      | Jacobs    | 5                 |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

4. Display the employee id, first name and last name of the employees whose first or last name includes a space in between.

```
KD2_Pritam_99277>select EMPLOYEE_ID,first_name,last_name
-> from employees
-> where first_name like'% %' or last_name like'% %';
+-----+-----+-----+
| EMPLOYEE_ID | first_name | last_name |
+-----+-----+-----+
| 112         | Jose Manuel | Urman     |
+-----+-----+-----+
1 row in set (0.00 sec)
```

5. Display first name, salary, and round the salary to thousands.

```
KD2_Pritam_99277>select first_name,salary, round(salary) from employees;
+-----+-----+-----+
| first_name | salary   | round(salary) |
+-----+-----+-----+
| Steven     | 24000.00 | 24000          |
| Neena      | 17000.00 | 17000          |
| Lex        | 17000.00 | 17000          |
| Alexander  | 9000.00  | 9000           |
| Bruce      | 6000.00  | 6000           |
| David      | 4800.00  | 4800           |
| Valli      | 4800.00  | 4800           |
| Diana      | 4200.00  | 4200           |
| Nancy      | 12008.00 | 12008          |
| Daniel     | 9000.00  | 9000           |
| John       | 8200.00  | 8200           |
| Ismael     | 7700.00  | 7700           |
| Jose Manuel | 7800.00  | 7800           |
| Luis       | 6900.00  | 6900           |
| Den        | 11000.00 | 11000          |
| Alexander  | 3100.00  | 3100           |
| Shelli     | 2900.00  | 2900           |
| Sigal      | 2800.00  | 2800           |
| Guy        | 2600.00  | 2600           |
| Karen      | 2500.00  | 2500           |
| Matthew    | 8000.00  | 8000           |
```

6. Display employee ID and the date on which he ended his previous job in the format as mentioned. (Format: Thursday, October 27th 2011)

```
KD2_Pritam_99277>SELECT employee_id,hire_date,
->      DATE_FORMAT(hire_date, '%W, %M %D %Y') AS Previous_Job_End_Date
-> FROM employees;
```

employee_id	hire_date	Previous_Job_End_Date
100	2013-06-17	Monday, June 17th 2013
101	2015-09-21	Monday, September 21st 2015
102	2011-01-13	Thursday, January 13th 2011
103	2016-01-03	Sunday, January 3rd 2016
104	2017-05-21	Sunday, May 21st 2017
105	2015-06-25	Thursday, June 25th 2015
106	2016-02-05	Friday, February 5th 2016
107	2017-02-07	Tuesday, February 7th 2017
108	2012-08-17	Friday, August 17th 2012
109	2012-08-16	Thursday, August 16th 2012
110	2015-09-28	Monday, September 28th 2015
111	2015-09-30	Wednesday, September 30th 2015
112	2016-03-07	Monday, March 7th 2016
113	2017-12-07	Thursday, December 7th 2017
114	2012-12-07	Friday, December 7th 2012
115	2013-05-18	Saturday, May 18th 2013
116	2015-12-24	Thursday, December 24th 2015
117	2015-07-24	Friday, July 24th 2015

7. Display first name and date of first salary of the employees. (Consider 1st day of month as salary day. HINT: LAST_DAY).

```
KD2_Pritam_99277>SELECT first_name,
->      LAST_DAY(hire_date) + INTERVAL 1 DAY AS First_Salary_Date
-> FROM employees;
```

first_name	First_Salary_Date
Steven	2013-07-01
Neena	2015-10-01
Lex	2011-02-01
Alexander	2016-02-01
Bruce	2017-06-01
David	2015-07-01
Valli	2016-03-01
Diana	2017-03-01
Nancy	2012-09-01
Daniel	2012-09-01
John	2015-10-01
Ismael	2015-10-01
Jose Manuel	2016-04-01
Luis	2018-01-01
Den	2013-01-01
Alexander	2013-06-01
Shelli	2016-01-01
Sigal	2015-08-01
Guy	2016-12-01
Karen	2017-09-01

8. Display first name and experience of the employees in the format of number of years, months and days completed.

```
KD2_Pritam_99277>SELECT first_name,  
->      CONCAT(  
->          TIMESTAMPDIFF(YEAR, hire_date, CURDATE()), ' years, ',  
->          TIMESTAMPDIFF(MONTH, hire_date, CURDATE())  
->          - TIMESTAMPDIFF(YEAR, hire_date, CURDATE()) * 12, ' months  
, ',  
->          TIMESTAMPDIFF(DAY, DATE_ADD(hire_date,  
->          INTERVAL TIMESTAMPDIFF(MONTH, hire_date, CURDATE()) MONTH)  
, CURDATE()), ' days'  
->      ) AS experience  
-> FROM employees;
```

first_name	experience
Steven	13 years, 2 months, 22 days
Neena	10 years, 11 months, 18 days
Lex	15 years, 7 months, 26 days
Alexander	10 years, 8 months, 5 days
Bruce	9 years, 3 months, 18 days
David	11 years, 2 months, 14 days
Valli	10 years, 7 months, 3 days
Diana	9 years, 7 months, 1 days
Nancy	14 years, 0 months, 22 days
Daniel	14 years, 0 months, 23 days
John	10 years, 11 months, 11 days
Ismael	10 years, 11 months, 9 days
Jose Manuel	10 years, 6 months, 1 days
Luis	8 years, 9 months, 1 days
Den	13 years, 9 months, 1 days

9. Display the employee id, first name and joining date of the employees who joined in the month of august of any year.

```
KD2_Pritam_99277>select EMPLOYEE_ID,first_name,hire_date from employees where month(hire_date)=8;
```

EMPLOYEE_ID	first_name	hire_date
108	Nancy	2012-08-17
109	Daniel	2012-08-16
119	Karen	2017-08-10
129	Laura	2015-08-20
134	Michael	2016-08-26
152	Peter	2015-08-20
158	Allan	2014-08-01
189	Jennifer	2015-08-13
202	Pat	2015-08-17

9 rows in set (0.00 sec)

10. Display the details of employees who joined before the year 2015.

```
KD2_Pritam_99277>select EMPLOYEE_ID,hire_date from employees where year(hire_date)<2015;
```

EMPLOYEE_ID	hire_date
100	2013-06-17
102	2011-01-13
108	2012-08-17
109	2012-08-16
114	2012-12-07
115	2013-05-18
120	2014-07-18
122	2013-05-01
133	2014-06-14
137	2013-07-14
141	2013-10-17
145	2014-10-01
156	2014-01-30
157	2014-03-04
158	2014-08-01
174	2014-05-11
184	2014-01-27
192	2014-02-04
200	2013-09-17
201	2014-02-17
203	2012-06-07
204	2012-06-07
205	2012-06-07
206	2012-06-07

24 rows in set (0.00 sec)

11. Display the number of days between system date and 1st January 2011.

```
KD2_Pritam_99277>select DateDIFF(sysdate(),'2011,1,1') as number_of_days;
+-----+
| number_of_days |
+-----+
|          5728 |
+-----+
1 row in set, 1 warning (0.01 sec)
```

12. Display number of employees joined after 15th of any month.

```
KD2_Pritam_99277>select count(*)as no_of_emp from employees where day(hire_date)>15;
+-----+
| no_of_emp |
+-----+
|          57 |
+-----+
1 row in set (0.00 sec)
```

13. Display third highest salary of employees.

```
KD2_Pritam_99277>SELECT employee_id, first_name, salary
-> FROM employees
-> WHERE salary = (
->     SELECT DISTINCT salary
->     FROM employees
->     ORDER BY salary DESC
->     LIMIT 1 OFFSET 2
-> );
+-----+-----+-----+
| employee_id | first_name | salary  |
+-----+-----+-----+
|          145 | John      | 14000.00 |
+-----+-----+-----+
1 row in set (0.01 sec)
```