

ASSIGNMENT-1

QUESTION 1:-

1. Create 'spj' database'. (Database for suppliers, parts and jobs)
2. use spj database;

```
KD3-99543-Arn timer CREATE DATABASE spj;  
Query OK, 1 row affected (0.06 sec)
```

```
KD3-99543-Arn timer USE spj;  
Database changed
```

```
-- Create following tables in spj database.
```

Note : S denotes the Suppliers Table.

```
CREATE TABLE S (S# CHAR(5) NOT NULL, Sname CHAR(20), status  
SMALLINT, city CHAR(15));
```

TABLE S

S#	Sname	status	city
S1	Smith	20	London
S2	Jones	10	Paris
S3	Blake	30	Paris
S4	Clark	20	London
S5	Adams	30	Athens

A:-

```
KD3-99543-Arn timer SELECT * FROM suppliers_table;  
+---+---+---+---+  
| S# | Sname | status | city |  
+---+---+---+---+  
| S1 | Smith | 20 | London |  
| S2 | Jones | 10 | Paris |  
| S3 | Blake | 30 | Paris |  
| S4 | Clark | 20 | London |  
| S5 | Adams | 30 | Athens |  
+---+---+---+---+  
5 rows in set (0.01 sec)
```

```
KD3-99543-Arn timer CREATE TABLE suppliers_table (
-> 'S#' CHAR(5) NOT NULL,
-> Sname CHAR(20),
-> status SMALLINT,
-> city CHAR(15)
-> );
```

Query OK, 0 rows affected (0.10 sec)

```
KD3-99543-Arn timer SHOW DATABASE;
```

Note : P denotes the Parts table.

```
CREATE TABLE P (P# CHAR(6) NOT NULL, Pname CHAR(20), color
CHAR(6), weight SMALLINT, city CHAR(15));
```

TABLE P

P#	Pname	Color	Weight	City
P1	Nut	Red	12	London
P2	Bolt	Green	17	Paris
P3	Screw	Blue	17	Rome
P4	Screw	Red	14	London
P5	Cam	Blue	12	Paris
P6	Cog	Red	19	London

A:-

```
KD3-99543-Arn timer CREATE TABLE parts_table('P#' CHAR(6) NOT NULL,Pname CHAR(2
0),color CHAR(6),weight SMALLINT,city CHAR(15));
Query OK, 0 rows affected (0.03 sec)
```

```
KD3-99543-Arn timer INSERT INTO parts_table VALUES('P1','Nut','Red',12,'London'
),('P2','Bolt','Green',17,'Paris'),('P3','Screw','Blue',17,'Rome'),('P4','Sc
rew','Red',14,'London'),('P5','Cam','Blue',12,'Paris'),('P6','Cog','Red',19,
'London');
```

Query OK, 6 rows affected (0.01 sec)

Records: 6 Duplicates: 0 Warnings: 0

```
KD3-99543-Arn timer SELECT * FROM parts_table;
```

P#	Pname	color	weight	city
P1	Nut	Red	12	London
P2	Bolt	Green	17	Paris
P3	Screw	Blue	17	Rome
P4	Screw	Red	14	London
P5	Cam	Blue	12	Paris
P6	Cog	Red	19	London

6 rows in set (0.01 sec)

Note : J denotes the Jobs table.

```
CREATE TABLE J (J# CHAR(4) NOT NULL, Jname CHAR(10), City
CHAR(15));
```

TABLE J

J#	Jname	City
J1	Sorter	Paris
J2	Punch	Rome
J3	Reader	Athens
J4	Console	Athens

Database Technologies - Assignment 1

J5	Collator	London
J6	Terminal	Oslo
J7	Tape	London

A:-

```
KD3-99543-Arnav CREATE TABLE jobs_table('J#' CHAR(4) NOT NULL,Jname CHAR(10
),City CHAR(15));
Query OK, 0 rows affected (0.04 sec)
```

```
KD3-99543-Arnav INSERT INTO jobs_table VALUES('J1','Sorter','Paris'),('J2',
'Punch','Rome'),('J3','Reader','Athens'),('J4','Console','Athens'),('J5','Co
llator','London'),('J6','Terminal','Oslo'),('J7','Tape','London');
Query OK, 7 rows affected (0.02 sec)
Records: 7 Duplicates: 0 Warnings: 0
```

```
KD3-99543-Arnav SELECT * FROM jobs_table;
```

J#	Jname	City
J1	Sorter	Paris
J2	Punch	Rome
J3	Reader	Athens
J4	Console	Athens
J5	Collator	London
J6	Terminal	Oslo
J7	Tape	London

```
7 rows in set (0.00 sec)
```

```
CREATE TABLE sp (S# CHAR(4) NOT NULL, P# CHAR(4) NOT NULL, J#  
CHAR(4) NOT NULL, QTY INT);
```

TABLE SP

S#	P#	J#	QTY
S1	P1	J1	200
S1	P1	J4	700
S2	P3	J1	400
S2	P3	J2	200
S2	P3	J3	200
S2	P3	J4	500
S2	P3	J5	600
S2	P3	J6	400
S2	P3	J7	800
S2	P5	J2	100
S3	P3	J1	200
S3	P4	J2	500
S4	P6	J3	300
S4	P6	J7	300
S5	P2	J2	200
S5	P2	J4	100
S5	P5	J5	500
S5	P5	J7	100
S5	P6	J2	200
S5	P1	J4	100
S5	P3	J4	200
S5	P4	J4	800
S5	P5	J4	400
S5	P6	J4	500

A:-

```
MD3-99543-Arnav CREATE TABLE sp (  
-> 'S#' CHAR(4) NOT NULL,  
-> 'P#' CHAR(4) NOT NULL,  
-> 'J#' CHAR(4) NOT NULL,  
-> QTY INT  
-> );
```

Query OK, 0 rows affected (0.05 sec)

```
MD3-99543-Arnav INSERT INTO sp ('S#', 'P#', 'J#', QTY) VALUES
```

```
-> ('S1', 'P1', 'J1', 200),  
-> ('S1', 'P1', 'J4', 700),  
-> ('S2', 'P3', 'J1', 400),  
-> ('S2', 'P3', 'J2', 200),  
-> ('S2', 'P3', 'J3', 200),  
-> ('S2', 'P3', 'J4', 500),  
-> ('S2', 'P3', 'J5', 600),  
-> ('S2', 'P3', 'J6', 400),  
-> ('S2', 'P3', 'J7', 800),  
-> ('S2', 'P5', 'J2', 100),  
-> ('S3', 'P3', 'J1', 200),  
-> ('S3', 'P4', 'J2', 500),  
-> ('S4', 'P6', 'J3', 300),  
-> ('S4', 'P6', 'J7', 300),  
-> ('S5', 'P2', 'J2', 200),  
-> ('S5', 'P2', 'J4', 100),  
-> ('S5', 'P5', 'J5', 500),  
-> ('S5', 'P5', 'J7', 100),  
-> ('S5', 'P6', 'J2', 200),  
-> ('S5', 'P1', 'J4', 100),  
-> ('S5', 'P3', 'J4', 200),  
-> ('S5', 'P4', 'J4', 800),  
-> ('S5', 'P5', 'J4', 400),  
-> ('S5', 'P6', 'J4', 500);
```

Query OK, 24 rows affected (0.02 sec)

Records: 24 Duplicates: 0 Warnings: 0

```
KD3-99543-Arnav SELECT * FROM sp;
```

S#	P#	J#	QTY
S1	P1	J1	200
S1	P1	J4	700
S2	P3	J1	400
S2	P3	J2	200
S2	P3	J3	200
S2	P3	J4	500
S2	P3	J5	600
S2	P3	J6	400
S2	P3	J7	800
S2	P5	J2	100
S3	P3	J1	200
S3	P4	J2	500
S4	P6	J3	300
S4	P6	J7	300
S5	P2	J2	200
S5	P2	J4	100
S5	P5	J5	500
S5	P5	J7	100
S5	P6	J2	200
S5	P1	J4	100
S5	P3	J4	200
S5	P4	J4	800
S5	P5	J4	400
S5	P6	J4	500

```
24 rows in set (0.01 sec)
```

Question 2: -

1. Create 'hr' database. Import hr-db.sql.
2. Create 'sales' database. Import sales-db.sql.
3. List all tables in hr database. Display contents of all tables (one by one).
4. List all tables in sales database. Display contents of all tables (one by one).

```

Bye
PS C:\Users\hnp> mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 22
Server version: 8.4.2 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

root CREATE DATABASE sales;
ERROR 1007 (HY000): Can't create database 'sales'; database exists
root DROP DATABASE sales;
Query OK, 0 rows affected (0.09 sec)

root CREATE DATABASE sales;
Query OK, 1 row affected (0.03 sec)

root USE sales;
Database changed
root SOURCE D:\DBT\dfs\sales-db.sql
ERROR:
Failed to open file 'D:\DBT\dfs\sales-db.sql', error: 2
root SOURCE D:\CDAC\Sunbeam_git_data\DBT\dfs\sales-db.sql
Query OK, 0 rows affected, 1 warning (0.08 sec)

Query OK, 0 rows affected, 3 warnings (0.03 sec)
Query OK, 0 rows affected, 3 warnings (0.03 sec)
Query OK, 1 row affected (0.01 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)

```

```

Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)
Query OK, 1 row affected (0.00 sec)

root SHOW TABLES;
+-----+
| Tables_in_sales |
+-----+
| customers       |
| orders          |
| salespeople     |
+-----+
3 rows in set (0.07 sec)

root SELECT * FROM customers;
+-----+
| cnum | cname   | city   | rating | snum |
+-----+
| 2001 | Hoffman | London | 100    | 1001 |
| 2002 | Giovanni | Rome   | 200    | 1003 |
| 2003 | Liu     | San Jose | 200    | 1002 |
| 2004 | Grass   | Berlin | 300    | 1002 |
| 2006 | Clemens | London | 100    | 1001 |
| 2008 | Cisneros | San Jose | 300    | 1007 |
| 2007 | Pereira | Rome   | 100    | 1004 |
+-----+
7 rows in set (0.02 sec)

root SELECT * FROM orders;
+-----+
| onum | amt    | odate   | cnum | snum |
+-----+
| 3001 | 18.69  | 1990-10-03 | 2008 | 1007 |
| 3003 | 767.19 | 1990-10-03 | 2001 | 1001 |
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3007 | 75.75  | 1990-10-04 | 2004 | 1002 |
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |
| 3010 | 309.95 | 1990-10-04 | 2004 | 1002 |
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |
+-----+
10 rows in set (0.00 sec)

```

```

root SELECT * FROM orders;
+-----+
| onum | amt    | odate   | cnum | snum |
+-----+
| 3001 | 18.69  | 1990-10-03 | 2008 | 1007 |
| 3003 | 767.19 | 1990-10-03 | 2001 | 1001 |
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3007 | 75.75  | 1990-10-04 | 2004 | 1002 |
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |
| 3010 | 309.95 | 1990-10-04 | 2004 | 1002 |
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |
+-----+
10 rows in set (0.00 sec)

root SELECT * FROM salespeople;
+-----+
| snum | sname   | city   | comm |
+-----+
| 1001 | Peel    | London | 0.12 |
| 1002 | Serres  | San Jose | 0.13 |
| 1004 | Motika  | London | 0.11 |
| 1007 | Rifkin  | Barcelona | 0.15 |
| 1003 | Axelrod | New York | 0.10 |
+-----+

```

Query OK, 0 rows affected (0.00 sec)

root SHOW TABLES;

Tables_in_hr
countries
departments
employees
job_history
jobs
locations
regions

7 rows in set (0.02 sec)

root SELECT * FROM countries;

COUNTRY_ID	COUNTRY_NAME	REGION_ID
AR	Argentina	20
AU	Australia	40
BE	Belgium	10
BR	Brazil	20
CA	Canada	20
CH	Switzerland	10
CN	China	30
DE	Germany	10
DK	Denmark	10
EG	Egypt	50
FR	France	10
GB	United Kingdom of Great Britain and Nort	10
IL	Israel	30
IN	India	30
IT	Italy	10
JP	Japan	30
KW	Kuwait	30
MY	Malaysia	30
MX	Mexico	20
NG	Nigeria	50
NL	Netherlands	10
SG	Singapore	30
US	United States of America	20
ZM	Zambia	50
ZW	Zimbabwe	50

25 rows in set (0.00 sec)

root SELECT * FROM departments;

DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
10	Administration	200	1700
20	Marketing	201	1800
30	Purchasing	114	1700
40	Human Resources	203	2400
50	Shipping	121	1500
60	IT	103	1400
70	Public Relations	204	2700
80	Sales	145	2500
90	Executive	100	1700
100	Finance	108	1700
110	Accounting	205	1700
120	Treasury	NULL	1700
130	Corporate Tax	NULL	1700
140	Control And Credit	NULL	1700
150	Shareholder Services	NULL	1700
160	Benefits	NULL	1700
170	Manufacturing	NULL	1700
180	Construction	NULL	1700
190	Contracting	NULL	1700
200	Operations	NULL	1700
210	IT Support	NULL	1700
220	NOC	NULL	1700
230	IT Helpdesk	NULL	1700
240	Government Sales	NULL	1700
250	Retail Sales	NULL	1700
260	Recruiting	NULL	1700
270	Payroll	NULL	1700

27 rows in set (0.00 sec)

root SELECT * FROM employees;

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
100	Steven	King	SKING	1.515.555.0100	2013-06-17	AD_PRES	24000.00	NULL	NULL	90
101	Neena	Yang	NYANG	1.515.555.0101	2015-09-21	AD_VP	17000.00	NULL	100	90
102	Lex	Garcia	LGARCIA	1.515.555.0102	2011-01-13	AD_VP	17000.00	NULL	100	90
103	Alexander	James	AJAMES	1.590.555.0103	2016-01-03	IT_PROG	9000.00	NULL	102	60
104	Bruce	Miller	BMILLER	1.590.555.0104	2017-06-21	IT_PROG	6000.00	NULL	103	60
105	David	Williams	DWILLIAMS	1.590.555.0105	2015-06-25	IT_PROG	4800.00	NULL	103	60
106	Valli	Jackson	VJACKSON	1.590.555.0106	2016-02-05	IT_PROG	4800.00	NULL	103	60
107	Diana	Nguyen	DNGUYEN	1.590.555.0107	2017-02-07	IT_PROG	4200.00	NULL	103	60

166	Sundar	Ande	SANDE	44.1632.960021	2018-03-24	SA_REP	6400.00	0.10	147	80
167	Asit	Banda	ABANDA	44.1632.960022	2018-04-21	SA_REP	6200.00	0.10	147	80
168	Lisa	Ozer	LOZER	44.1632.960023	2018-03-11	SA_REP	11500.00	0.25	148	80
169	Harrison	Bloom	HBLOOM	44.1632.960024	2016-03-23	SA_REP	10000.00	0.20	148	80
170	Taylor	Fox	TFOX	44.1632.960025	2016-01-24	SA_REP	9600.00	0.20	148	80
171	William	Smith	WSMITH	44.1632.960026	2017-02-23	SA_REP	7400.00	0.15	148	80
172	Elizabeth	Bates	EBATES	44.1632.960027	2017-03-24	SA_REP	7300.00	0.15	148	80
173	Sundita	Kumar	SKUMAR	44.1632.960028	2018-04-21	SA_REP	6100.00	0.10	148	80
174	Ellen	Abel	EABEL	44.1632.960029	2014-05-11	SA_REP	11000.00	0.30	149	80
175	Alyssa	Hutton	AHUTTON	44.1632.960030	2015-03-19	SA_REP	8800.00	0.25	149	80
176	Jonathan	Taylor	JTAYLOR	44.1632.960031	2016-03-24	SA_REP	8600.00	0.20	149	80
177	Jack	Livingston	JLIVINGS	44.1632.960032	2016-04-23	SA_REP	8400.00	0.20	149	80
178	Kimberely	Grant	KGRANT	44.1632.960033	2017-05-24	SA_REP	7800.00	0.15	149	NULL
179	Charles	Johnson	CJOHNSON	44.1632.960034	2018-01-04	SA_REP	6200.00	0.10	149	80
180	Winston	Taylor	WTAYLOR	1.650.555.0145	2016-01-24	SH_CLERK	3200.00	NULL	120	50
181	Jean	Fleaur	JFLEAUR	1.650.555.0146	2016-02-23	SH_CLERK	3100.00	NULL	120	50
182	Martha	Sullivan	MSULLIVA	1.650.555.0147	2017-06-21	SH_CLERK	2500.00	NULL	120	50
183	Girard	Geoni	GGEONI	1.650.555.0148	2018-02-03	SH_CLERK	2800.00	NULL	120	50
184	Nandita	Sarchand	NSARCHAN	1.650.555.0149	2014-01-27	SH_CLERK	4200.00	NULL	121	50
185	Alexis	Bull	ABULL	1.650.555.0150	2015-02-20	SH_CLERK	4100.00	NULL	121	50
186	Julia	Dellinger	JDELLING	1.650.555.0151	2016-06-24	SH_CLERK	3400.00	NULL	121	50
187	Anthony	Cabrio	ACABRIO	1.650.555.0152	2017-02-07	SH_CLERK	3000.00	NULL	121	50
188	Kelly	Chung	KCHUNG	1.650.555.0153	2015-06-14	SH_CLERK	3800.00	NULL	122	50
189	Jennifer	Dilly	JDILLY	1.650.555.0154	2015-08-13	SH_CLERK	3600.00	NULL	122	50
190	Timothy	Venzl	TVENZL	1.650.555.0155	2016-07-11	SH_CLERK	2900.00	NULL	122	50
191	Randall	Perkins	RPERKINS	1.650.555.0156	2017-12-19	SH_CLERK	2500.00	NULL	122	50
192	Sarah	Bell	SBELL	1.650.555.0157	2014-02-04	SH_CLERK	4000.00	NULL	123	50
193	Britney	Everett	BEVERETT	1.650.555.0158	2015-03-03	SH_CLERK	3900.00	NULL	123	50
194	Samuel	McLeod	SMCLEOD	1.650.555.0159	2016-07-01	SH_CLERK	3200.00	NULL	123	50
195	Vance	Jones	VJONES	1.650.555.0160	2017-03-17	SH_CLERK	2800.00	NULL	123	50
196	Alana	Walsh	AWALSH	1.650.555.0161	2016-04-24	SH_CLERK	3100.00	NULL	124	50
197	Kevin	Feeney	KFEENEY	1.650.555.0162	2016-05-23	SH_CLERK	3000.00	NULL	124	50
198	Donald	OConnell	DOCONNEL	1.650.555.0163	2017-06-21	SH_CLERK	2600.00	NULL	124	50
199	Douglas	Grant	DGRANT	1.650.555.0164	2018-01-13	SH_CLERK	2600.00	NULL	124	50
200	Jennifer	Whalen	JWHALEN	1.515.555.0165	2013-09-17	AD_ASST	4400.00	NULL	101	10
201	Michael	Martinez	MMARTINE	1.515.555.0166	2014-02-17	MK_MAN	13000.00	NULL	160	20
202	Pat	Davis	PDAVIS	1.603.555.0167	2015-08-17	MK_REP	6000.00	NULL	201	20
203	Susan	Jacobs	SJACOBS	1.515.555.0168	2012-06-07	HR_REP	6500.00	NULL	101	40
204	Hermann	Brown	HBROWN	1.515.555.0169	2012-06-07	PR_REP	10000.00	NULL	101	70
205	Shelley	Higgins	SHIGGINS	1.515.555.0170	2012-06-07	AC_MGR	12000.00	NULL	101	110
206	William	Gietz	WGIEZT	1.515.555.0171	2012-06-07	AC_ACCOUNT	8300.00	NULL	101	110

07 rows in set (0.00 sec)

root SELECT * FROM job_history;

EMPLOYEE_ID	START_DATE	END_DATE	JOB_ID	DEPARTMENT_ID
101	2007-09-21	2011-10-27	AC_ACCOUNT	110

root SELECT * FROM job_history;

EMPLOYEE_ID	START_DATE	END_DATE	JOB_ID	DEPARTMENT_ID
101	2007-09-21	2011-10-27	AC_ACCOUNT	110
101	2011-10-28	2015-03-15	AC_MGR	110
102	2011-01-13	2016-07-24	IT_PROG	60
114	2016-03-24	2017-12-31	ST_CLERK	50
122	2017-01-01	2017-12-31	ST_CLERK	50
176	2016-03-24	2016-12-31	SA_REP	80
176	2017-01-01	2017-12-31	SA_MAN	80
200	2005-09-17	2011-06-17	AD_ASST	90
200	2012-07-01	2016-12-31	AC_ACCOUNT	90
201	2014-02-17	2017-12-19	MK_REP	20

18 rows in set (0.00 sec)

root SELECT * FROM jobs;

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
AC_ACCOUNT	Public Accountant	4200	9000
AC_MGR	Accounting Manager	8200	16000
AD_ASST	Administration Assistant	3000	6000
AD_PRES	President	20000	40000
AD_VP	Administration Vice President	15000	30000
FI_ACCOUNT	Accountant	4200	9000
FI_MGR	Finance Manager	8200	16000
HR_REP	Human Resources Representative	4000	9000
IT_PROG	Programmer	4000	10000
MK_MAN	Marketing Manager	9000	15000
MK_REP	Marketing Representative	4000	9000
PR_REP	Public Relations Representative	4500	18500
PU_CLERK	Purchasing Clerk	2500	5500
PU_MAN	Purchasing Manager	8000	15000
SA_MAN	Sales Manager	10000	20000
SA_REP	Sales Representative	6000	12000
SH_CLERK	Shipping Clerk	2500	5500
ST_CLERK	Stock Clerk	2000	5000
ST_MAN	Stock Manager	5500	8500

19 rows in set (0.00 sec)

root SELECT * FROM locations;

LOCATION_ID	STREET_ADDRESS	POSTAL_CODE	CITY	STATE_PROVINCE	COUNTRY_ID
1000	1297 Via Cola di Rie	00989	Roma	NULL	IT
1100	93091 Calle della Testa	10934	Venice	NULL	IT

```

SH_CLERK | Shipping Clerk | 2500 | 5500 |
ST_CLERK | Stock Clerk | 2000 | 5000 |
ST_MAN | Stock Manager | 5500 | 8500 |
-----|-----|-----|-----|
19 rows in set (0.00 sec)

root SELECT * FROM locations;
-----|-----|-----|-----|-----|-----|
LOCATION_ID | STREET_ADDRESS | POSTAL_CODE | CITY | STATE_PROVINCE | COUNTRY_ID |
-----|-----|-----|-----|-----|-----|
1000 | 1297 Via Cola di Rie | 00989 | Roma | NULL | IT |
1100 | 93091 Calle della Testa | 10934 | Venice | NULL | IT |
1200 | 2017 Shinjuku-ku | 1689 | Tokyo | Tokyo Prefecture | JP |
1300 | 9450 Kamiya-cho | 6823 | Hiroshima | NULL | JP |
1400 | 2014 Jabberwocky Rd | 26192 | Southlake | Texas | US |
1500 | 2011 Interiors Blvd | 99236 | South San Francisco | California | US |
1600 | 2007 Zagora St | 50090 | South Brunswick | New Jersey | US |
1700 | 2004 Charade Rd | 98199 | Seattle | Washington | US |
1800 | 147 Spadina Ave | M5V 2L7 | Toronto | Ontario | CA |
1900 | 6092 Boxwood St | Y5W 9T2 | Whitehorse | Yukon | CA |
2000 | 40-5-12 Laogianggen | 190510 | Beijing | NULL | CN |
2100 | 1298 Vileparie (E) | 490231 | Bombay | Maharashtra | IN |
2200 | 12-98 Victoria Street | 2901 | Sydney | New South Wales | AU |
2300 | 198 Clementi North | 540198 | Singapore | NULL | SG |
2400 | 8204 Arthur St | NULL | London | NULL | GB |
2500 | Magdalen Centre, The Oxford Science Park | OX9 9ZB | Oxford | Oxford | GB |
2600 | 9702 Chester Road | 09620850293 | Strretford | Manchester | GB |
2700 | Schwanthalersstr. 7031 | 80925 | Munich | Bavaria | DE |
2800 | Rua Frei Caneca 1360 | 01307-002 | Sao Paulo | Sao Paulo | BR |
2900 | 20 Rue des Corps-Saints | 1730 | Geneva | Geneve | CH |
3000 | Murtenstrasse 921 | 3095 | Bern | BE |
3100 | Pieter Breughelstraat 837 | 3029SK | Utrecht | Utrecht | NL |
3200 | Mariano Escobedo 9991 | 11932 | Mexico City | Distrito Federal | MX |
-----|-----|-----|-----|-----|-----|
23 rows in set (0.00 sec)

root SELECT * FROM regions;
-----|-----|
REGION_ID | REGION_NAME |
-----|-----|
50 | Africa |
20 | Americas |
30 | Asia |
10 | Europe |
40 | Oceania |
-----|-----|
5 rows in set (0.00 sec)

root |

```

QUESTION 3:-

1. How many orders data is present in the database?

A :-10 orders

2. How many customers are present in the database?

A:- 7 customers

3. How many salespeople are present in the database?

A:- 5 salespeople

4. On which date order with highest amount is placed?

A:- 1990-10-04

5. For which order salesman got maximum commission? Hint: you need to refer data of two tables

A:- Order 3011

6. Which salesmen are handling more than two customers? Hint: you need to refer data of two tables.

A:- No salesman is handling more than two customers.

7. Which city have single customer?

A:-BERLIN

8. Which city has multiple salespeople?

A:-LONDON

9. What is name of customer and salesman of the maximum amount order?

A:- Customer = Clemens, **Salesman = Peel.**

10. Study relationship between the tables in sales database.

A:- ALL TABLES IN SALES ARE CONNECTED USING SNUM,CNM VIA Table name order.