

ASSIGNMENT-6

1. Write a query that counts the number of salespeople registering orders for each day. (If a salesperson has more than one order on a given day, he or she should be counted only once.).

```
ERROR 1064 (42002): Unknown column 'odate' in 'group statement'
KD3-99543-Arnav SELECT odate,COUNT(DISTINCT snum) FROM orders
-> GROUP BY odate
-> ORDER BY odate ASC;
```

odate	COUNT(DISTINCT snum)
1990-10-03	4
1990-10-04	3

2 rows in set (0.02 sec)

2. Write a query on the Customers table that will find the highest rating in each city. Put the output in this form:
For the city (city), the highest rating is: (rating).

```
KD3-99543-Arnav SELECT CONCAT('For the city', city , ' the highest rating is:', MAX(rating),'.') AS Rating FROM customers
-> GROUP BY city;
```

Rating
For the cityLondon the highest rating is:100.
For the cityRome the highest rating is:200.
For the citySan Jose the highest rating is:300.
For the cityBerlin the highest rating is:300.

4 rows in set (0.00 sec)

- 3 Write an SQL query to calculate the total order amount for each day and display the results in descending order of total orders.

```
KD3-99543-Arnav SELECT odate, SUM(amt) FROM orders
-> GROUP BY odate
-> ORDER BY odate DESC;
```

odate	SUM(amt)
1990-10-04	16713.81
1990-10-03	8944.59

2 rows in set (0.00 sec)

4. Write a query that selects the total amount in orders for each salesperson for whom this total is greater than the average amount of the order in the table.
(Note Use the average amount value directly →2565.84)

```
KD3-99543-Arn timer SELECT snum, SUM(amt) AS total
-> FROM orders
-> GROUP BY snum
-> HAVING SUM(amt) > 2565.84;
```

snum	total
1001	15382.07
1002	5546.15

2 rows in set (0.00 sec)

5. Write a query that selects the highest rating in each city.

```
KD3-99543-Arn timer SELECT city, MAX(rating) FROM customers
-> GROUP BY city;
```

city	MAX(rating)
London	100
Rome	200
San Jose	300
Berlin	300

4 rows in set (0.01 sec)

6. Retrieve the maximum order amount for each salesperson from the orders table, including only those orders whose value exceeds Rs. 3000.

```
KD3-99543-Arn timer SELECT snum, MAX(amt) FROM orders
-> GROUP BY snum
-> HAVING MAX(amt) > 3000;
```

snum	MAX(amt)
1001	9891.88
1002	5160.45

2 rows in set (0.01 sec)

7. Write an SQL query to find the smallest order placed by every customer.

```
KD3-99543-Arn timer SELECT cnum, MIN(amt)
-> FROM orders
-> GROUP BY cnum
-> ORDER BY cnum ASC;
```

cnum	MIN(amt)
2001	767.19
2002	1713.23
2003	5160.45
2004	75.75
2006	4723.00
2007	1900.10
2008	18.69

7 rows in set (0.00 sec)