

1. Create 'spj' database. (Database for suppliers, parts and jobs).

```
KD3-98839-Himanshu SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| spj |
| sys |
+-----+
5 rows in set (0.00 sec)
```

2. Use spj database;

```
KD3-98839-Himanshu USE spj;
```

3. Create following tables in spj database.

#### A. CREATE TABLE S

**Note :** S denotes the Suppliers Table.  
**CREATE TABLE S (S# CHAR(5) NOT NULL, Sname CHAR(20), status SMALLINT, city CHAR(15));**

**TABLE S**

| S# | Sname | status | city   |
|----|-------|--------|--------|
| S1 | Smith | 20     | London |
| S2 | Jones | 10     | Paris  |
| S3 | Blake | 30     | Paris  |
| S4 | Clark | 20     | London |
| S5 | Adams | 30     | Athens |

```
KD3-98839-Himanshu CREATE TABLE supplier_Table(
-> 'S#' VARCHAR(20) NOT NULL,
-> Sname VARCHAR(20),
-> status SMALLINT,
-> city VARCHAR(20)
-> );
Query OK, 0 rows affected (0.02 sec)

KD3-98839-Himanshu DESCRIBE supplier_Table;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| S#    | varchar(20)   | NO   |     | NULL    |       |
| Sname | varchar(20)   | YES  |     | NULL    |       |
| status | smallint      | YES  |     | NULL    |       |
| city  | varchar(20)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

KD3-98839-Himanshu INSERT INTO supplier_Table VALUES('S1','Smith',20,'London');
Query OK, 1 row affected (0.01 sec)

KD3-98839-Himanshu INSERT INTO supplier_Table VALUES('S1','Smith',20,'London');
('S2','Jones',10,'Paris');
Query OK, 1 row affected (0.00 sec)
```

```
KD3-98839-Himanshu INSERT INTO supplier_Table('S#',Sname,status,city) VALUES
-> ('S3','Blake',30,'Paris'),
-> ('S4','Clark',20,'London'),
-> ('S5','Adams',30,'Athens');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0

KD3-98839-Himanshu SELECT * FROM supplier_Table;
+-----+-----+-----+-----+
| S# | Sname | status | city |
+-----+-----+-----+-----+
| S1 | Smith | 20 | London |
| S2 | Jones | 10 | Paris |
| S3 | Blake | 30 | Paris |
| S4 | Clark | 20 | London |
| S5 | Adams | 30 | Athens |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

Note : P denotes the Parts table.

```
CREATE TABLE P (P# CHAR(6) NOT NULL, Pname CHAR(20), color
CHAR(6), weight SMALLINT, city CHAR(15));
```

TABLE P

| P# | Pname | Color | Weight | City   |
|----|-------|-------|--------|--------|
| P1 | Nut   | Red   | 12     | London |
| P2 | Bolt  | Green | 17     | Paris  |
| P3 | Screw | Blue  | 17     | Rome   |
| P4 | Screw | Red   | 14     | London |
| P5 | Cam   | Blue  | 12     | Paris  |
| P6 | Cog   | Red   | 19     | London |

```
KD3-98839-Himanshu CREATE TABLE parts_Table(
-> 'P#' CHAR(6) NOT NULL,
-> Pname CHAR(20),
-> color CHAR(6),
-> weight SMALLINT,
-> city CHAR(15)
-> );
Query OK, 0 rows affected (0.02 sec)
```

```
KD3-98839-Himanshu DESCRIBE parts_Table;
```

| Field  | Type     | Null | Key | Default | Extra |
|--------|----------|------|-----|---------|-------|
| P#     | char(6)  | NO   |     | NULL    |       |
| Pname  | char(20) | YES  |     | NULL    |       |
| color  | char(6)  | YES  |     | NULL    |       |
| weight | smallint | YES  |     | NULL    |       |
| city   | char(15) | YES  |     | NULL    |       |

5 rows in set (0.00 sec)

```
KD3-98839-Himanshu INSERT INTO parts_Table('P#',Pname,color,weight,city) VALUES
-> ('P1','Nut','Red',12,'London'),
-> ('P2','Bolt','Green',17,'Paris'),
-> ('P3','Screw','Blue',17,'Rome'),
-> ('P4','Screw','Red',14,'London'),
-> ('P5','Cam','Blue',12,'Paris'),
-> ('P6','Cog','Red',19,'London');
Query OK, 6 rows affected (0.01 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
KD3-98839-Himanshu SELECT * FROM parts_Table;
```

| P# | Pname | color | weight | city   |
|----|-------|-------|--------|--------|
| P1 | Nut   | Red   | 12     | London |
| P2 | Bolt  | Green | 17     | Paris  |
| P3 | Screw | Blue  | 17     | Rome   |
| P4 | Screw | Red   | 14     | London |
| P5 | Cam   | Blue  | 12     | Paris  |
| P6 | Cog   | Red   | 19     | London |

6 rows in set (0.00 sec)

Note : J denotes the Jobs table.

```
CREATE TABLE J (J# CHAR(4) NOT NULL, Jname CHAR(10), City
CHAR(15));
```

TABLE J

| J# | Jname   | City   |
|----|---------|--------|
| J1 | Sorter  | Paris  |
| J2 | Punch   | Rome   |
| J3 | Reader  | Athens |
| J4 | Console | Athens |

#### Database Technologies - Assignment 1

|    |          |        |
|----|----------|--------|
| J5 | Collator | London |
| J6 | Terminal | Oslo   |
| J7 | Tape     | London |

```
KD3-98839-Himanshu INSERT INTO jobs_Table('J#',Jname,city) VALUES
-> ('J1','Sorter','Paris'),
-> ('J2','Punch','Rome'),
-> ('J3','Reader','Athens'),
-> ('J4','Console','Athens'),
-> ('J5','Collector','London'),
-> ('J6','Terminal','Oslo'),
-> ('J7','Tape','London');
```

```
Query OK, 7 rows affected (0.01 sec)
Records: 7 Duplicates: 0 Warnings: 0
```

```
KD3-98839-Himanshu SELECT * FROM jobs_Table;
```

| J# | Jname     | City   |
|----|-----------|--------|
| J1 | Sorter    | Paris  |
| J2 | Punch     | Rome   |
| J3 | Reader    | Athens |
| J4 | Console   | Athens |
| J5 | Collector | London |
| J6 | Terminal  | Oslo   |
| J7 | Tape      | London |

7 rows in set (0.00 sec)

## CREATE TABLE sp

```
CREATE TABLE sp (S# CHAR(4) NOT NULL, P# CHAR(4) NOT NULL, J#  
CHAR(4) NOT NULL, QTY INT);
```

```
TABLE SP  
S# P# J# QTY  
=====
```

|    |    |    |     |
|----|----|----|-----|
| S1 | P1 | J1 | 200 |
| S1 | P1 | J4 | 700 |
| S2 | P3 | J1 | 400 |
| S2 | P3 | J2 | 200 |
| S2 | P3 | J3 | 200 |
| S2 | P3 | J4 | 500 |
| S2 | P3 | J5 | 600 |
| S2 | P3 | J6 | 400 |
| S2 | P3 | J7 | 800 |
| S2 | P5 | J2 | 100 |
| S3 | P3 | J1 | 200 |
| S3 | P4 | J2 | 500 |
| S4 | P6 | J3 | 300 |
| S4 | P6 | J7 | 300 |
| S5 | P2 | J2 | 200 |
| S5 | P2 | J4 | 100 |
| S5 | P5 | J5 | 500 |
| S5 | P5 | J7 | 100 |
| S5 | P6 | J2 | 200 |
| S5 | P1 | J4 | 100 |
| S5 | P3 | J4 | 200 |
| S5 | P4 | J4 | 800 |
| S5 | P5 | J4 | 400 |
| S5 | P6 | J4 | 500 |

```
-----
```

```
KD3-98839-Himanshu CREATE TABLE sp(  
-> 'S#' CHAR(4) NOT NULL,  
-> 'P#' CHAR(4) NOT NULL,  
-> 'J#' CHAR(4) NOT NULL,  
-> QTY INT  
-> );
```

Query OK, 0 rows affected (0.02 sec)

```
KD3-98839-Himanshu DESCRIBE sp;
```

| Field | Type    | Null | Key | Default | Extra |
|-------|---------|------|-----|---------|-------|
| S#    | char(4) | NO   |     | NULL    |       |
| P#    | char(4) | NO   |     | NULL    |       |
| J#    | char(4) | NO   |     | NULL    |       |
| QTY   | int     | YES  |     | NULL    |       |

4 rows in set (0.00 sec)

```
KD3-98839-Himanshu INSERT INTO sp('S#','P#','J#',QTY) VALUES  
-> ('S1','P1','J1',200),  
-> ('S2','P3','J1',400),  
-> ('S2','P3','J2',200);
```

Query OK, 3 rows affected (0.00 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
KD3-98839-Himanshu INSERT INTO sp('S#','P#','J#',QTY) VALUES  
-> ('S2','P3','J3',200),  
-> ('S2','P3','J4',500),  
-> ('S2','P3','J5',600),  
-> ('S2','P3','J6',400),  
-> ('S2','P3','J7',800),  
-> ('S2','P5','J2',100),  
-> ('S3','P3','J1',200),  
-> ('S3','P4','J2',500),  
-> ('S4','P6','J3',300),  
-> ('S4','P6','J7',300),  
-> ('S5','P2','J2',200),  
-> ('S5','P2','J4',100),  
-> ('S5','P5','J5',500),  
-> ('S5','P5','J7',100),  
-> ('S5','P6','J2',200),  
-> ('S5','P1','J4',100),  
-> ('S5','P3','J4',200),  
-> ('S5','P4','J4',800),  
-> ('S5','P5','J4',400),  
-> ('S5','P6','J4',500);
```

Query OK, 20 rows affected (0.00 sec)

Records: 20 Duplicates: 0 Warnings: 0

```
KD3-98839-Himanshu SELECT * FROM sp;
```

| S# | P# | J# | QTY |
|----|----|----|-----|
| S1 | P1 | J1 | 200 |
| S2 | P3 | J1 | 400 |
| S2 | P3 | J2 | 200 |
| S2 | P3 | J3 | 200 |
| S2 | P3 | J4 | 500 |
| S2 | P3 | J5 | 600 |
| S2 | P3 | J6 | 400 |
| S2 | P3 | J7 | 800 |
| S2 | P5 | J2 | 100 |
| S3 | P3 | J1 | 200 |
| S3 | P4 | J2 | 500 |
| S4 | P6 | J3 | 300 |
| S4 | P6 | J7 | 300 |
| S5 | P2 | J2 | 200 |
| S5 | P2 | J4 | 100 |
| S5 | P5 | J5 | 500 |
| S5 | P5 | J7 | 100 |
| S5 | P6 | J2 | 200 |
| S5 | P1 | J4 | 100 |
| S5 | P3 | J4 | 200 |
| S5 | P4 | J4 | 800 |
| S5 | P5 | J4 | 400 |
| S5 | P6 | J4 | 500 |

23 rows in set (0.00 sec)

KD3-98839-Himanshu

### 1. Create 'hr' database. Import hr-db.sql.

```
root CREATE DATABASE hr;
Query OK, 1 row affected (0.01 sec)

root USE hr;
Database changed
root SHOW TABLES;
Empty set (0.00 sec)

root SOURCE D:\Sunbeam_Karad_PGCP-AC\sunbeam_data\DBT\DBT\dbs\new-hr-db.sql
Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

### 2. Create 'sales' database. Import sales-db.sql.

```
root CREATE DATABASE sales;
Query OK, 1 row affected (0.01 sec)

root USE sales;
Database changed
root SOURCE D:\Sunbeam_Karad_PGCP-AC\sunbeam_data\DBT\DBT\dbs\sales-db.sql
Query OK, 0 rows affected, 1 warning (0.02 sec)

Query OK, 0 rows affected, 3 warnings (0.01 sec)

Query OK, 0 rows affected, 3 warnings (0.01 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)

Query OK, 1 row affected (0.00 sec)
```

### 3. List all tables in hr database. Display contents of all tables (one by one).

```
Query OK, 0 rows affected (0.00 sec)

root SHOW TABLES;
+-----+
| Tables_in_hr |
+-----+
| countries    |
| departments  |
| employees    |
| job_history  |
| jobs         |
| locations    |
| regions      |
+-----+
7 rows in set (0.00 sec)

root SELECT * FROM countries;
+-----+-----+-----+
| COUNTRY_ID | COUNTRY_NAME | REGION_ID |
+-----+-----+-----+
| AR         | Argentina    | 20        |
| AU         | Australia    | 40        |
| BE         | Belgium      | 10        |
| BR         | Brazil        | 20        |
| CA         | Canada        | 20        |
| CH         | Switzerland  | 10        |
| CN         | China         | 30        |
| DE         | Germany       | 10        |
| DK         | Denmark       | 10        |
| EG         | Egypt         | 50        |
| FR         | France        | 10        |
| GB         | United Kingdom of Great Britain and Nort | 10        |
| IL         | Israel        | 30        |
| IN         | India         | 30        |
| IT         | Italy         | 10        |
| JP         | Japan         | 30        |
| KW         | Kuwait        | 30        |
| ML         | Malaysia      | 30        |
| MX         | Mexico        | 20        |
| NG         | Nigeria       | 50        |
| NL         | Netherlands   | 10        |
| SG         | Singapore     | 30        |
| US         | United States of America | 20        |
| ZM         | Zambia        | 50        |
| ZW         | Zimbabwe      | 50        |
+-----+-----+-----+
25 rows in set (0.00 sec)
```

### 3. List all tables in hr database. (Employee table)

```
root SELECT * FROM employees;
```

| EMPLOYEE_ID | FIRST_NAME  | LAST_NAME   | EMAIL     | PHONE_NUMBER   | HIRE_DATE  | JOB_ID     | SALARY   | COMMISSION_PCT | MANAGER_ID | DEPARTMENT_ID |
|-------------|-------------|-------------|-----------|----------------|------------|------------|----------|----------------|------------|---------------|
| 100         | Steven      | King        | SKING     | 1.515.555.0100 | 2013-06-17 | AD_PRES    | 24000.00 | NULL           | NULL       | 90            |
| 101         | Neena       | Yang        | NYANG     | 1.515.555.0101 | 2015-09-21 | AD_VP      | 17000.00 | NULL           | 100        | 90            |
| 102         | Lex         | Garcia      | LGARCIA   | 1.515.555.0102 | 2011-01-13 | AD_VP      | 17000.00 | NULL           | 100        | 90            |
| 103         | Alexander   | James       | AJAMES    | 1.590.555.0103 | 2016-01-03 | IT_PROG    | 9000.00  | NULL           | 102        | 60            |
| 104         | Bruce       | Miller      | BMILLER   | 1.590.555.0104 | 2017-05-21 | IT_PROG    | 6000.00  | NULL           | 103        | 60            |
| 105         | David       | Williams    | DWILLIAMS | 1.590.555.0105 | 2015-06-25 | IT_PROG    | 4800.00  | NULL           | 103        | 60            |
| 106         | Valli       | Jackson     | VJACKSON  | 1.590.555.0106 | 2016-02-05 | IT_PROG    | 4800.00  | NULL           | 103        | 60            |
| 107         | Diana       | Nguyen      | DNGUYEN   | 1.590.555.0107 | 2017-02-07 | IT_PROG    | 4200.00  | NULL           | 103        | 60            |
| 108         | Nancy       | Gruenberg   | NGRUENBE  | 1.515.555.0108 | 2012-08-17 | FI_MGR     | 12000.00 | NULL           | 101        | 100           |
| 109         | Daniel      | Faviet      | DFAVIET   | 1.515.555.0109 | 2012-08-16 | FI_ACCOUNT | 9000.00  | NULL           | 108        | 100           |
| 110         | John        | Chen        | JCHEN     | 1.515.555.0110 | 2015-09-28 | FI_ACCOUNT | 8200.00  | NULL           | 108        | 100           |
| 111         | Ismael      | Sciarra     | ISCIARRA  | 1.515.555.0111 | 2015-09-30 | FI_ACCOUNT | 7700.00  | NULL           | 108        | 100           |
| 112         | Jose Manuel | Urman       | JMURMAN   | 1.515.555.0112 | 2016-03-07 | FI_ACCOUNT | 7800.00  | NULL           | 108        | 100           |
| 113         | Luis        | Popp        | LPOPP     | 1.515.555.0113 | 2017-12-07 | FI_ACCOUNT | 6900.00  | NULL           | 108        | 100           |
| 114         | Den         | Li          | DLI       | 1.515.555.0114 | 2012-12-07 | PU_MAN     | 11000.00 | NULL           | 100        | 30            |
| 115         | Alexander   | Kho         | AKHO      | 1.515.555.0115 | 2013-05-18 | PU_CLERK   | 3100.00  | NULL           | 114        | 30            |
| 116         | Shelli      | Baida       | SBAIDA    | 1.515.555.0116 | 2015-12-24 | PU_CLERK   | 2900.00  | NULL           | 114        | 30            |
| 117         | Sigal       | Tobias      | STOBIAS   | 1.515.555.0117 | 2015-07-24 | PU_CLERK   | 2800.00  | NULL           | 114        | 30            |
| 118         | Guy         | Himuro      | GHIMURO   | 1.515.555.0118 | 2016-11-15 | PU_CLERK   | 2600.00  | NULL           | 114        | 30            |
| 119         | Karen       | Colmenares  | KCOLMENA  | 1.515.555.0119 | 2017-08-10 | PU_CLERK   | 2500.00  | NULL           | 114        | 30            |
| 120         | Matthew     | Weiss       | MWEISS    | 1.650.555.0120 | 2014-07-18 | ST_MAN     | 8000.00  | NULL           | 100        | 50            |
| 121         | Adam        | Fripp       | AFRIPP    | 1.650.555.0121 | 2015-04-10 | ST_MAN     | 8200.00  | NULL           | 100        | 50            |
| 122         | Payam       | Kaufling    | PKAUFLIN  | 1.650.555.0122 | 2013-05-01 | ST_MAN     | 7900.00  | NULL           | 100        | 50            |
| 123         | Shanta      | Vollman     | SVOLLMAN  | 1.650.555.0123 | 2015-10-10 | ST_MAN     | 6500.00  | NULL           | 100        | 50            |
| 124         | Kevin       | Mourgos     | KMOURGOS  | 1.650.555.0124 | 2017-11-16 | ST_MAN     | 5800.00  | NULL           | 100        | 50            |
| 125         | Julia       | Wayer       | JWAYER    | 1.650.555.0125 | 2015-07-16 | ST_CLERK   | 3200.00  | NULL           | 120        | 50            |
| 126         | Irene       | Mikkilineni | IMIKKILI  | 1.650.555.0126 | 2016-09-28 | ST_CLERK   | 2700.00  | NULL           | 120        | 50            |
| 127         | James       | Landry      | JLANDRY   | 1.650.555.0127 | 2017-01-14 | ST_CLERK   | 2400.00  | NULL           | 120        | 50            |
| 128         | Steven      | Markle      | SMARKLE   | 1.650.555.0128 | 2018-03-08 | ST_CLERK   | 2200.00  | NULL           | 120        | 50            |
| 129         | Laura       | Bissot      | LBISSOT   | 1.650.555.0129 | 2015-08-20 | ST_CLERK   | 3300.00  | NULL           | 121        | 50            |
| 130         | Mozhe       | Atkinson    | MATKINSO  | 1.650.555.0130 | 2015-10-30 | ST_CLERK   | 2800.00  | NULL           | 121        | 50            |
| 131         | James       | Marlow      | JAMRLOW   | 1.650.555.0131 | 2015-02-16 | ST_CLERK   | 2500.00  | NULL           | 121        | 50            |
| 132         | TJ          | Olson       | TJOLSON   | 1.650.555.0132 | 2017-04-10 | ST_CLERK   | 2100.00  | NULL           | 121        | 50            |
| 133         | Jason       | Mallin      | JMALLIN   | 1.650.555.0133 | 2014-06-14 | ST_CLERK   | 3300.00  | NULL           | 122        | 50            |
| 134         | Michael     | Rogers      | MROGERS   | 1.650.555.0134 | 2016-08-26 | ST_CLERK   | 2900.00  | NULL           | 122        | 50            |
| 135         | Ki          | Gee         | KGEE      | 1.650.555.0135 | 2017-12-12 | ST_CLERK   | 2400.00  | NULL           | 122        | 50            |
| 136         | Hazel       | Philtanker  | HPHILTAN  | 1.650.555.0136 | 2018-02-06 | ST_CLERK   | 2200.00  | NULL           | 122        | 50            |
| 137         | Renske      | Ladwig      | RLADWIG   | 1.650.555.0137 | 2013-07-14 | ST_CLERK   | 3600.00  | NULL           | 123        | 50            |
| 138         | Stephen     | Stiles      | SSTILES   | 1.650.555.0138 | 2015-10-26 | ST_CLERK   | 3200.00  | NULL           | 123        | 50            |
| 139         | John        | Seo         | JSEO      | 1.650.555.0139 | 2016-02-12 | ST_CLERK   | 2700.00  | NULL           | 123        | 50            |
| 140         | Joshua      | Patel       | JPADEL    | 1.650.555.0140 | 2016-04-06 | ST_CLERK   | 2500.00  | NULL           | 123        | 50            |
| 141         | Trenna      | Rajs        | TRAJS     | 1.650.555.0141 | 2013-10-17 | ST_CLERK   | 3500.00  | NULL           | 124        | 50            |
| 142         | Curtis      | Davies      | CDAVIES   | 1.650.555.0142 | 2015-01-29 | ST_CLERK   | 3100.00  | NULL           | 124        | 50            |
| 143         | Randall     | Matos       | RMATOS    | 1.650.555.0143 | 2016-03-15 | ST_CLERK   | 2600.00  | NULL           | 124        | 50            |
| 144         | Peter       | Vargas      | PVARGAS   | 1.650.555.0144 | 2016-07-09 | ST_CLERK   | 2500.00  | NULL           | 124        | 50            |
| 145         | John        | Singh       | JSINGH    | 44.1632.960000 | 2014-10-01 | SA_MAN     | 14000.00 | 0.40           | 100        | 80            |
| 146         | Karen       | Partners    | KPARTNER  | 44.1632.960001 | 2015-01-05 | SA_MAN     | 13500.00 | 0.30           | 100        | 80            |
| 147         | Alberto     | Errazuriz   | AERRAZUR  | 44.1632.960002 | 2015-03-10 | SA_MAN     | 12000.00 | 0.30           | 100        | 80            |
| 148         | Gerald      | Cambrault   | GCAMBRAU  | 44.1632.960003 | 2017-10-15 | SA_MAN     | 11000.00 | 0.30           | 100        | 80            |
| 149         | Eleni       | Zlotkey     | EZLOTKEY  | 44.1632.960004 | 2018-01-29 | SA_MAN     | 10500.00 | 0.20           | 100        | 80            |
| 150         | Sean        | Tucker      | STUCKER   | 44.1632.960005 | 2015-01-30 | SA_REP     | 10000.00 | 0.30           | 145        | 80            |
| 151         | David       | Bernstein   | DBERNSTE  | 44.1632.960006 | 2015-03-24 | SA_REP     | 9500.00  | 0.25           | 145        | 80            |
| 152         | Peter       | Hall        | PHALL     | 44.1632.960007 | 2015-08-20 | SA_REP     | 9000.00  | 0.25           | 145        | 80            |
| 153         | Christopher | Olsen       | COLSEN    | 44.1632.960008 | 2016-03-30 | SA_REP     | 8000.00  | 0.20           | 145        | 80            |
| 154         | Nanette     | Cambrault   | NCAMBRAU  | 44.1632.960009 | 2016-12-09 | SA_REP     | 7500.00  | 0.20           | 145        | 80            |
| 155         | Oliver      | Tuvault     | OTUVAULT  | 44.1632.960010 | 2017-11-23 | SA_REP     | 7000.00  | 0.15           | 145        | 80            |
| 156         | Janette     | King        | JKING     | 44.1632.960011 | 2014-01-30 | SA_REP     | 10000.00 | 0.35           | 146        | 80            |
| 157         | Doris       | Fuller      | DFULLER   | 44.1632.960012 | 2014-03-04 | SA_REP     | 9500.00  | 0.35           | 146        | 80            |

### 3. List all tables in hr database. Job History Table

```
107 rows in set (0.00 sec)
```

```
root SELECT * FROM job_history;
```

| EMPLOYEE_ID | START_DATE | END_DATE   | JOB_ID     | DEPARTMENT_ID |
|-------------|------------|------------|------------|---------------|
| 101         | 2007-09-21 | 2011-10-27 | AC_ACCOUNT | 110           |
| 101         | 2011-10-28 | 2015-03-15 | AC_MGR     | 110           |
| 102         | 2011-01-13 | 2016-07-24 | IT_PROG    | 60            |
| 114         | 2016-03-24 | 2017-12-31 | ST_CLERK   | 50            |
| 122         | 2017-01-01 | 2017-12-31 | ST_CLERK   | 50            |
| 176         | 2016-03-24 | 2016-12-31 | SA_REP     | 80            |
| 176         | 2017-01-01 | 2017-12-31 | SA_MAN     | 80            |
| 200         | 2005-09-17 | 2011-06-17 | AD_ASST    | 90            |
| 200         | 2012-07-01 | 2016-12-31 | AC_ACCOUNT | 90            |
| 201         | 2014-02-17 | 2017-12-19 | MK_REP     | 20            |

```
10 rows in set (0.00 sec)
```

### 3. List all tables in hr database. Job Table and Location Table

```
root SELECT * FROM jobs;
```

| JOB_ID     | JOB_TITLE                       | MIN_SALARY | MAX_SALARY |
|------------|---------------------------------|------------|------------|
| AC_ACCOUNT | Public Accountant               | 4200       | 9000       |
| AC_MGR     | Accounting Manager              | 8200       | 16000      |
| AD_ASST    | Administration Assistant        | 3000       | 6000       |
| AD_PRES    | President                       | 20000      | 40000      |
| AD_VP      | Administration Vice President   | 15000      | 30000      |
| FI_ACCOUNT | Accountant                      | 4200       | 9000       |
| FI_MGR     | Finance Manager                 | 8200       | 16000      |
| HR_REP     | Human Resources Representative  | 4000       | 9000       |
| IT_PROG    | Programmer                      | 4000       | 10000      |
| MK_MAN     | Marketing Manager               | 9000       | 15000      |
| MK_REP     | Marketing Representative        | 4000       | 9000       |
| PR_REP     | Public Relations Representative | 4500       | 10500      |
| PU_CLERK   | Purchasing Clerk                | 2500       | 5500       |
| PU_MAN     | Purchasing Manager              | 8000       | 15000      |
| SA_MAN     | Sales Manager                   | 10000      | 20000      |
| SA_REP     | Sales Representative            | 6000       | 12000      |
| SH_CLERK   | Shipping Clerk                  | 2500       | 5500       |
| ST_CLERK   | Stock Clerk                     | 2000       | 5000       |
| ST_MAN     | Stock Manager                   | 5500       | 8500       |

```
19 rows in set (0.00 sec)
```

```
root SELECT * FROM locations;
```

| LOCATION_ID | STREET_ADDRESS                           | POSTAL_CODE | CITY                | STATE_PROVINCE   | COUNTRY_ID |
|-------------|------------------------------------------|-------------|---------------------|------------------|------------|
| 1000        | 1297 Via Cola di Rie                     | 00989       | Roma                | NULL             | IT         |
| 1100        | 93091 Calle della Testa                  | 10934       | Venice              | NULL             | IT         |
| 1200        | 2017 Shinjuku-ku                         | 1689        | Tokyo               | Tokyo Prefecture | JP         |
| 1300        | 9450 Kamiya-cho                          | 6823        | Hiroshima           | NULL             | JP         |
| 1400        | 2014 Jabberwocky Rd                      | 26192       | Southlake           | Texas            | US         |
| 1500        | 2011 Interiors Blvd                      | 99236       | South San Francisco | California       | US         |
| 1600        | 2007 Zagora St                           | 50090       | South Brunswick     | New Jersey       | US         |
| 1700        | 2004 Charade Rd                          | 98199       | Seattle             | Washington       | US         |
| 1800        | 147 Spadina Ave                          | M5V 2L7     | Toronto             | Ontario          | CA         |
| 1900        | 6092 Boxwood St                          | Y5W 9T2     | Whitehorse          | Yukon            | CA         |
| 2000        | 40-5-12 Laogianggen                      | 190518      | Beijing             | NULL             | CN         |
| 2100        | 1298 Vileparle (E)                       | 490231      | Bombay              | Maharashtra      | IN         |
| 2200        | 12-98 Victoria Street                    | 2901        | Sydney              | New South Wales  | AU         |
| 2300        | 198 Clementi North                       | 540198      | Singapore           | NULL             | SG         |
| 2400        | 8204 Arthur St                           | NULL        | London              | NULL             | GB         |
| 2500        | Magdalen Centre, The Oxford Science Park | OX9 9ZB     | Oxford              | Oxford           | GB         |
| 2600        | 9702 Chester Road                        | 09629850293 | Stretford           | Manchester       | GB         |
| 2700        | Schwanthalerstr. 7031                    | 80925       | Munich              | Bavaria          | DE         |
| 2800        | Rua Frei Caneca 1360                     | 01307-002   | Sao Paulo           | Sao Paulo        | BR         |
| 2900        | 20 Rue des Corps-Saints                  | 1730        | Geneva              | Geneve           | CH         |
| 3000        | Murtenstrasse 921                        | 3095        | Bern                | BE               | CH         |
| 3100        | Pieter Breughelstraat 837                | 3029SK      | Utrecht             | Utrecht          | NL         |
| 3200        | Mariano Escobedo 9991                    | 11932       | Mexico City         | Distrito Federal | MX         |

```
23 rows in set (0.00 sec)
```

```
root SELECT * FROM regions;
```

| REGION_ID | REGION_NAME |
|-----------|-------------|
| 50        | Africa      |
| 20        | Americas    |
| 30        | Asia        |
| 10        | Europe      |
| 40        | Oceania     |

```
5 rows in set (0.00 sec)
```

```
root
```

4. List all tables in sales database. Display contents of all tables (one by one).

Query OK, 1 row affected (0.00 sec)

root SHOW TABLES;

| Tables_in_sales |
|-----------------|
| customers       |
| orders          |
| salespeople     |

3 rows in set (0.01 sec)

root SELECT \* FROM customers

-> ;

| cnum | cname    | city     | rating | snum |
|------|----------|----------|--------|------|
| 2001 | Hoffman  | London   | 100    | 1001 |
| 2002 | Giovanni | Rome     | 200    | 1003 |
| 2003 | Liu      | San Jose | 200    | 1002 |
| 2004 | Grass    | Berlin   | 300    | 1002 |
| 2006 | Clemens  | London   | 100    | 1001 |
| 2008 | Cisneros | San Jose | 300    | 1007 |
| 2007 | Pereira  | Rome     | 100    | 1004 |

7 rows in set (0.00 sec)

root SELECT \* FROM orders;

| onum | amt     | odate      | cnum | snum |
|------|---------|------------|------|------|
| 3001 | 18.69   | 1990-10-03 | 2008 | 1007 |
| 3003 | 767.19  | 1990-10-03 | 2001 | 1001 |
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3007 | 75.75   | 1990-10-04 | 2004 | 1002 |
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |
| 3010 | 309.95  | 1990-10-04 | 2004 | 1002 |
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |

10 rows in set (0.00 sec)

root SELECT \* FROM salespeople;

| snum | sname   | city      | comm |
|------|---------|-----------|------|
| 1001 | Peel    | London    | 0.12 |
| 1002 | Serres  | San Jose  | 0.13 |
| 1004 | Motika  | London    | 0.11 |
| 1007 | Rifkin  | Barcelona | 0.15 |
| 1003 | Axelrod | New York  | 0.10 |

5 rows in set (0.00 sec)

1. How many orders data is present in the database?

**Ans : 10 orders**

2. How many customers are present in the database?

**Ans : 7 customers**

3. How many salespeople are present in the database?

**Ans : 5 salespeople**

4. On which date order with highest amount is placed?

**Ans : 04 October 1990.**

5. For which order salesman got maximum commission?

**Ans : Order 3011 , Salesman Peel got the maximum commission.**

6. Which salesmen are handling more than two customers? Hint: you need to refer data of two tables.

**Ans : No salesman is handling more than two customers.**

7. Which city have single customer?

**Ans : Berlin**

8. Which city has multiple salespeople?

**Ans : London**

9. What is name of customer and salesman of the maximum amount order?

**Ans : Customer = Clemens, Salesman = Peel.**

10. Study relationship between the tables in sales database.

**Ans : Customers → Orders = 1 : Many**

**Salespeople → Orders = 1 : Many**